(/bottrap)







PCT Magazine (/magazine/) / March 2013 (/magazine/issue/March-2013)

[Bed Bug Supplement] Natural Pesticides for Bed Bug Control: Do They Work?

Supplement - Bed Bug Supplement

Researchers at Rutgers University tested nine commonly available biopesticides against a field strain of bed bugs.

(/FORM/1/PCT/SUBSCRIBE/)

March 26 2013

Narinderpal Singh, Changlu Wang and Richard Cooper (/author/6276)

In recent years, there has been a movement of "green pest management," focused on the use of natural and low-toxicity materials instead of conventional synthetic insecticides. The resurgence of bed bugs further bolstered enthusiasm for natural products. In particular, essential oil-based pesticides, referred to in this article as biopesticides, flourished in the consumer market.

Many natural pesticides qualify for exemption under section 25(b) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), where manufacturers are not required to provide efficacy data for registration. With lax regulation and a low cost of development, manufacturers can roll out new products quickly, making bold claims such as, "the best bed bug treatment you can get on the market today," or that a consumer can "create a barrier against bed bugs." One product promises "the same results delivered by pest control service without evacuation."

These products are rarely adopted by PMPs because until present, there has been no scientific data supporting such claims. Meanwhile, the public often falls victim to the lure of such grand claims coupled with other attractive claims, such as "safe for children and pets."

Recently, the Federal Trade Commission filed deceptive advertising charges against two companies marketing allegedly unproven natural bed bug treatment products (http://1.usa.gov/XehBAk (http://1.usa.gov/XehBAk)). Yet, many similar products remain on the market. Some of these products cost \$50 to \$100 per gallon. Do these products work? To answer this question, we tested nine commonly available biopesticides and two detergents against a field strain of bed bugs.



(http://mediaserver.gie.net/adtracking.ashx?

vk=10FEBA98&ad_id=44890&site_id=9&assign_type=Default&page=http://w

biopesticides-testing-bed-bugs/&isid=231825 **Get Pest Control**



(http://mediaserver.gie.net/adtracking.ashx? vk=10FEBA98&ad_id=32615&site_id=9&assign_type=Default&page=http://wv biopesticides-testing-bed-bugs/&isid=2318252)

THE PULSE



(/poll-question-truck-purchasing.aspx)

Current Poll: Truck Purchasing Plans in 2018 (/poll-questiontruck-purchasing.aspx)

VIDEOS & PODCASTS

Study Methods. Bed bugs were collected from infested apartments in Indiana. They were maintained in the laboratory and fed weekly on defibrinated rabbit blood using a Hemotek membrane-feeding system (Discovery Workshops, Accrington, U.K.). The bugs were not fed for one week prior to bioassays. Eleven natural pesticides and two synthetic insecticides were evaluated (see the Table below, on the right). They were obtained either directly from the manufacturers or commercial distributors.

In the first experiment, we evaluated four biopesticides (EcoRaider, Bed Bug Patrol, Green Rest Easy and Essentria) and two detergents (Bed Bug 911 and Eradicator) labeled for bed bugs. Twenty large nymphs were placed on filter paper in a small plastic dish (5.5 centimeters in diameter and 1.5 centimeters in height) and then the bugs were treated with pesticide spray using a Potter spray tower at the standard application rate of 1 gallon per 1,000 square feet. Bed bugs in the control group were sprayed with water. Each treatment was replicated three times. The bugs were immediately transferred to clean 1.5 cm diameter screened plastic petri dishes after treatment. Mortality data were taken at one, three, five, seven and 10 days after treatment. They were corrected using the formula by Abbott (1925).

The two most effective natural pesticides from Experiment I, five additional biopesticides and two synthetic insecticides were then tested in Experiment II. The natural pesticides included: EcoRaider, Bed Bug Patrol, Bed Bug Fix, Rest Assured, Bed Bug Bully, EcoEXEMPT IC2 and Stop Bugging Me.

7	-	terms the lawre as farm more and the	Company to the to
2	-	Chartohaver & Convention in Agent & Grant	frequentialize live
4	Settleffen.	Contin Date for Personal Staffs in Continuous contract City	Show worth how is
	-	Note to the country by specialist chang	Helmi togter Serges &c
4	Autor's	if the many investment is the same of the state of the st	
٠	-	of basel &	PG1 design in
	11-075	frameric life or beauty is I'm.	faith? a veryer tong, 'me
•	-	Personal Sales S'AL Comments (Mg. 1 emerges (A.S. No. 1 Personal St. No.	(redling that &
٠	heav	of Persons and the inner the terror at the	-
¥.	Adheid .	telementalists to later breedthing the smil As	Behriff dette Br
•	-	Company bills : Print Liquis : May 20 the and Print our	Consumeria.
a.	Seed II	market Discharge and to	Marketon blanch land
		imperation fels	in and animate in a sec.

(/FileUploads/file/PCT0313_pg30big.jpg)
Click the picture above to see the full Table of tested insecticides and pesticides

The two synthetic insecticides tested were Temprid SC (0.15 percent) and Demand CS (0.03 percent). All treatment procedures were the same as Experiment I.

Results. EcoRaíder and Bed Bug Patrol were the most effective biopesticides in both tests. EcoRaider caused 100 percent mortality after 10 days in both tests. Bed Bug Patrol caused an average of 92 percent and 91 percent mortality after 10 days in the first and second experiment, respectively. Neither of these two products caused more than 75 percent mortality at three days after treatment.

Other natural pesticides including: Essentria, Green Rest Easy, Eradicator, Bed Bug 911, Rest Assured, Bed Bug Fix, Stop Bugging Me and EcoEXEMPT IC2 caused less than 50 percent mortality after 10 days. Among them, EcoEXEMPT IC2 was completely ineffective against bed bugs. Bed Bug Bully caused 60 percent mortality after 10 days. Temprid SC caused 100 percent mortality after three days. It was significantly more effective than Demand CS and provided much faster control than the two most effective biopesticides. The low mortality by Demand CS was probably due to moderate level of resistance among the bed bugs. The mortality in the untreated control in all experiments was less than 5 percent at 10 days after treatment.

Discussion. As had long been suspected, most of the tested natural pesticides performed poorly as direct spray against bed bugs. Only two products (EcoRaider and Bed Bug Patrol) provided high mortality after 10 days. The speed of control is much slower than Temprid SC, though. Under field conditions, bed bugs hide in cracks, crevices, creases and many other places. Under these conditions, the effectiveness of natural pesticides against bed bugs is expected to be even lower because most bed bugs may not be exposed to direct spray, and dry natural pesticide residues have no or very limited effect on bed bugs.

Despite the generally poor performance, two biopesticides showed potential as a direct spray treatment. Further investigations on EcoRaider and Bed Bug Patrol under field conditions are warranted.

The results raise immediate challenges to manufacturers, regulatory agencies and pest control product vendors. Producing, registering and marketing ineffective bed bug control products has serious economical and health impacts to the public.



(/crown-leadership-Angulo-video.aspx)

Crown Leadership Award Recipient Juan Angulo Jr. (/crown-leadership-Angulovideo.aspx)

MOST POPULAR

- 1. You Found ONE Bed Bug Now What? (/article/found-one-bed-bug-now-what/)
- 2. A Look at Bed Bug Look-Alikes (/article/bed-bug-look-alikes/)
- 3. Aging Bed Bug Infestations: How Long Have They Been Here? (/article/aging-bed-bug-infestations--how-long-have-they-been-here-january-2016/)
- 4. The Mouse Has Left the Building (/article/atomic-mouse-moves/)
- Anticimex Acquires Turner Pest Control (/article/anticimex-acquires-turner-pestcontrol/)





syngenta



(http://mediaserver.gie.net/adtracking.ashx? vk=10FEBA98&ad_id=45796&site_id=9&assign_type=Default&page=http://wbiopesticides-testing-bed-bugs/&isid=2318252)

The exempt status granted to natural pesticide products has created a problem. Professionals are skeptical of these products and are not likely to use them due to a lack of third-party scientific efficacy data. Consumers are vulnerable to unsupported marketing claims, creating a rich market for manufacturing these products. Rigorous testing, proper labeling and tougher registration requirements are common-sense approaches to reduce the registration of ineffective "25(b)" exempt products.

Concluding Remarks. Most of the natural pesticides evaluated failed to satisfactorily control bed bugs as direct spray. EcoRaider and Bed Bug Patrol showed promise as a bed bug control material, but at much slower speed than synthetic insecticides. Further studies under field conditions are necessary to determine effectiveness. Stricter pesticide registrations are needed to prevent further marketing of ineffective products and to protect the health and well being of consumers.

Reference

Abbott, W. S. 1925. A method of computing the effectiveness of an insecticide. Journal of Economic Entomology 18: 265-67.

The authors are with the Department of Entomology, Rutgers University, New Brunswick, N.J.







Your source for industry news and technology.







Subscribe (/form/1/PCT/subscribe) Advertise (/contact?department=sales) Contact (/contact) © 2018 GIE Media, Inc. All Rights Reserved

No.	Product Trade Name	Active Ingredients	Manufacturer/Distributor
1	EcoRaider	Geraniol (1%), Cedar Extract (1%) and Sodium Lauryl Sulfate (2%)	Reneotech, North Bergen, NJ.
2	Stop Bugging Me	2-Phenethyl Propionate (3%), Cinnamon Oil (0.1%), Eugenol (0.5%), Geraniol (0.2%) and Sodium Lauryl Sulfate (0.5%)	Rocasuba, Mashpee, Mass.
3	Bed Bug Patrol	Clove Oil (0.003%), Peppermint Oil (1%) and Sodium Lauryl Sulfate (1.3%)	Nature's Innovation, Buford, Ga.
4	Bed Bug Bully	Mint Oil (0.25%), Clove Oil (0.3%), Citronella Oil (0.4%) and Rosemary Oil (0.4%)	Optimal Chemical, Tamarac, Fla.
5	Bed Bug Fix	2-Phenethyl Propionate (2%), Geraniol (1%), Cedar oil (0.3%), Eugenol (0.3%) and Citronella Oil (0.2%)	NuSafe Floor Solutions, Walton, Ky.
6	Rest Assured	2-Phenethyl Propionate (2%), Geraniol (1%), Sodium Lauryl Sulfate (1%) and Eugenol (0.3%)	ES & P Global, Miami, Fla.
7	EcoEXEMPT IC2	Rosemary Oil (10%) and Peppermint Oil (2%)	EcoSMART Technologies, Franklin, Tenn.
8	Green Rest Easy	Sodium Lauryl Sulfate (5%), Cinnamon Oil (4%), Lemongrass Oil (0.3%), Clove Oil (0.3%) and Peppermint Oil (0.3%)	RMB Group, Stuart, Fla.
9	Essentria	2-Phenethyl Propionate (3%), Geraniol (2%), Rosemary Oil (1.5%) and Peppermint Oil (1.5%)	Envincio, Cary, N.C.
10	Bed Bug 911	Sodium Lauryl Sulfate (3%), Sodium Chloride (1%) and Citric Acid (0.2%)	Bedbug 911, Brooklyn, N.Y.
11	Eradicator	Sodium Lauryl Sulfate (1.5%), Sodium Chloride (0.5%) and Potassium Sorbate (0.06%)	Visionbay, Norcross, Ga.
12	Temprid SC	Imidacloprid (21%) and Beta-Cyfluthrin (10.5%)	Bayer Environmental Science, RTP, N.C.
13	Demand CS	Lambda-Cyhalothrin (9.8%)	Syngenta Crop Protection, Greensboro, N.(