

The Problem

Treating clutter in a bed bug job is a real challenge. Bed bugs will hide and lay eggs in items that would be damaged if treated with water-based emulsion sprays. Not treating these items means your customer still has bed bugs and you will likely be back for re-treatment.

Our Solution

The new CIRKIL® RAG IN A BAG® protocol has been designed to kill bed bugs and eggs in bagged clutter. This innovative protocol uses CIRKIL® to deal with infested hard-to-treat items like electronics, books and clutter, reducing repeat visits that are costly & time-consuming.



Even if a PMP uses a different pesticide for their broadcast treatment, CIRKIL® RAG IN A BAG™ is a must-have complement to that treatment. It gives PMPs an important tool to complete their total bed bug protocol.


Shannon Lentz

Technical Support Manager, Terramera


Summary Of Rag In A Bag Test Results

Source: Dr. Dini Miller, Virginia Tech University


Treat Expensive Electronics



A photograph of an open cardboard box filled with various household items, illustrating the concept of clutter. The items include a rainbow flag, a red book, a yellow container, a blue bowl, a small brown box, and other miscellaneous objects. The box is placed on a white surface.




Page 2 of 5




Back to top ↑

How To Use CIRKIL® Rag In A Bag®




()

STEP 1




()

STEP 2



()

STEP 3



()

STEP 4

Put bed bug infested items in a large plastic garbage bag. Do not fill more than 2/3 rds full.

Apply 1 oz. of CIRKIL RTU on a facecloth or rag.

Put 2-4 treated rags into the bag. Use 2 rags for items such as electronics, DVD, clutter, footwear or handbags, and 4 rags for highly absorbent items such as books and clothing. Prevent the items from directly contacting the treated rag by placing a sufficient barrier, such as a plastic sheet, between the rag and the items.

Close and seal the bag until it is airtight. Leave the bag sealed for 7 days. For best results store sealed bags at room temperature. Open bag and remove bed bug free items.


For Full Usage Instructions* ([Http://Cirkil.com/Wp-Content/Uploads/2014/11/RTU141029TB.pdf](http://Cirkil.com/Wp-Content/Uploads/2014/11/RTU141029TB.pdf))

CLICK HERE (<http://cirkil.com/wp-content/uploads/2014/11/RTU141029TB.pdf>)

Texas Users Please Click Here. ([Http://Cirkil.com/Wp-Content/Uploads/2014/10/RTU141009T1-TX.pdf](http://Cirkil.com/Wp-Content/Uploads/2014/10/RTU141009T1-TX.pdf))

Back to top 

 **Whitepaper**
(<http://cirkil.com/wp-content/uploads/2014/11/Rag-in-a-Bag-White-Paper-Oct-15-2014.pdf>)

 **Dr. Dini Miller Webinar**
(<http://www.pctonline.com/Vapor-Effects-Bed-Bugs-webinar.aspx>)

 **Technical Bulletin**
(<http://cirkil.com/wp-content/uploads/2014/11/RTU141029TB.pdf>)

HOW TO ORDER
(<http://cirkil.com/order>)

** Rag in a Bag protocol currently not allowed in OR.*