

Tempo° 1% DUST INSECTICIDE

Ready To Use

For Use Only By Pest Management
Professionals and Commercial Applicators
Active Ingredient: Cyfluthrin, cyano(4-fluoro-3-phenoxypheny)-methyl 3-(2-dichloroethenyl)-2.2-dimethyl cyclopropane-carboxylate.

OTHER Ingredients: Total:

Total: EPA Reg. No. 432-1373 STOP - Read the label before use. KEEP OUT OF REACH OF CHILDREN CAUTION EIDET AIN

FIRST AID Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rising eye. Call a poison control center or doctor for treatment advice. Call a poison control center or doctor immediately for treatment advice. Have person sip a plass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Move person to fresh air. if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. call a poison control center or doctor for further treatment advice. If inhaled * Call a poison control center or doctor for further treatment advice. If on skin * Take off contaminated clothing. * Rinse skin immediately with plenty of water for 15 to 20 minutes. * Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or go ing for treatment. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577.

Note To Physician: No specific antidote is available. Treat the patient symptomatically.

Net Weight

1.25 Pounds

04325140 05976935C 110830AV2a

BACKED by BAYER. A Pull here to open

4.5"

/830AV2a etl 110613:Tempo 1 Dust 05976935C 110830AV2a etl 110613 11/7/13 3:36 PM Page 1

POSAL

and in such a man-ntamination with s, food, or feed. s and out of the sly in a locked stor-

r in a manner as to

Do not reuse or re-recycling, if avail-e of in a sanitary red State and local rdous. Improper de is a violation of es cannot be dises cannot be dises cannot be disesticide or esticide or ency, or the Hal-lve at the nearest lidance.

stores and institutions

bakeries bottling facilities breweries animal quarters and kennels apartment buildings FOR RESIDUAL PEST CONTROL IN AND AROUND BUILDINGS Permitted areas of use include, but are not limited to:

candy plants cereal processing and manufacturing plants correctional facilities daries and dairy product processing plants day care centers froj en tood plants

granaries
greenhouses (structures only)
grocery stores and supermarkets
hospitals (see restrictions)
hotels and motels ndustrial buildings and installations

meat and produce canneries mobile homes and recreational vehicles nursing homes (see restrictions) pickle factories livestock housing structures manufacturing establishments

Illable container. orteiner. Offer for ontainer. Offer for npty: Place in trash illable. If partly waste agency for er place unused r outdoor drain.

schools (see restrictions) spice plants utility vaults and conduits warehouses wineries and similar structures

or material is ause, carefully. Refer to Precauel for hal ards assorthis material. d material. ected above. away. r Environmental onse feam for deor any other assis-

transportation vessels such as aircraft (see restrictions), buses, trucks, trailers, rail cars, and marine vessels

OR FOOD/FEED HANDLING ESTABLISHMENTS

TEMPO 1% Dust applications are permitted in nontood/feed areas of food handling establishments only as a
void or crack and crevice treatment. It is not permitted in
the food/feed areas of food/feed handling establishments,
food/feed handling establishments are elified as places
other than private residences where exposed food/feed is
held, processed in prepared or sensel, included also are a reastor receiving, storing, packing (canning, bothing, wrapping,
boxing), preparing, eithle waste storage and enclosed processing systems (mills, dairies, eithle oils, syrups) of food,
serving areas where food is exposed and the facility is in
operation are also considered food areas.
Won-food non-feed handling areas of food/feed handling
establishments include garbage rooms, lavalences, floor
rooms, machine rooms, boiler rooms, garbages, locker
rooms, machine rooms, boiler rooms, garbages, mop closets,
and storage (after canning or bottling).

IMPORTANT READ EFORE USE
Read the entire Directions for Use, Conditions, Discialmer of Waranthes and Limitations of Liability before using this product. If
terms are not acceptable, return the unopened product container
at once. By using this product, user or buyer accepts the following Conditions, Discialmer of Warranties and Limitations of
Liability.

CONDITIONS: The directions for use of this product are believed CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use of application, all of which are beyond the control of Bayer Crop-Science IP. All such risks shall be assumed by the user of ubyer. DISCLAIMER OF WARRAMTIES: TO THE ITEM CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCEINCE IP MAS NO OTHER WARRAMTIES, E. PRESS OR IMPLED, OF MERCHANTABLILT OR OF ETHINESS FOR A PARTICULAR PURPOSE OR OTHER WARRAMTIES. ITEM SETONAL THIS LIBERT WARRAMTIES. TO SETONAL THE STATEMENT'S MADE ON HIS LABER. WAS ARREADED AS CONSIGNED AS TO IN-SISTEMY WITH APPLICABLE LAW, BAYER CROPSCEINCE IP DISSIENT WITH APPLICABLE LAW, BAYER CROPSCEINCE IP DISSIENT WITH APPLICABLE MAY BAYER CROPSCEINCE OF DISSIENT WITH A STATEMENT AND A CONSE URITHAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: 10 THE E. TENT CONSISTENT WITH APPLICABLE LAW. THE E. CLUS, E RENVEDY OF THE USER OR BUYER FOR AWA WAD ALL LOSSES. IN URIES OR DAWAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT E. CRED THE PURCHASE PRICE FUR OR A EAVER OR OPSCIENCE LYS ELECTION, THE REPLACEMENT OF PRODUCT.

Bayer (reg d), the Bayer Cross (reg d), Tempo*, and Backed by BayerL are trademarks of Bayer.



INSECTICI

Ready To Us

Active Ingredient: Cyfluthrin, cyano (4-fluc methyl 3-(2,2-dichloros dimethylcyclopropane OTHER Ingredients.... For Use Only By Pest Professionals and Co

EPA Reg. No. 432-137:

KEEP OUT OF RE STOP - Read th

Bayer

Bayer Environmental Science A Division of Bayer CropScience LP 2 T. W. Alexander Drive Research Triangle Park, NC 27709 Produced for:

=

Net Weight
1.25 Lbs
04325140
05976935C 110830AV

830AV2a etl 110613:Tempo 1 Dust 05976935C 110830AV2a etl 110613 11/7/13 3:36 PM Page 2

nter or doctor immedi-ice. s of water if able to e slowly and gently minutes. Remove con-after the first 5 min-sing eye. nter or doctor for treat-

ng, call 911 or an am-iclal respiration, outh if possible. inter or doctor for furunless told to by a r doctor.
/ mouth to an uncon-

clothing. with plenty of water enter or doctor for

you when calling a for treatment. The y Response Telephone

is available. Treat the

TEMENTS
(C ANIMALS
tition. Harmful if swale skin. Do not get into
athing dust. If clothing
ash before reuse. Wash
water after handling.

aquatic organisms. Do where surface water is mean high water mark. this label.

To protect the environment, do not allow pesticide to entier or run off into storm dailso, dainage ditches gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not bow or wash pesticide of the the reament area.

W ERE TO APPLY

	PRO FA TS
 Ready-to-use 	 Low-odor Non-staining
TEMPO D ST	Contains 1% cyfluthrin
Insecticide Read To se	
CONTROLS	 Ants, cockroaches, and other crawling pests
	Bees and wasps Pantry and stored product pests Wood-infesting pests For specific inserts see inside label
W ERE TO APPLY	W ERE TO APPLY In and around buildings and structures
CO ERA E	Treats up to 2,500 square feet
OW TO APPLY	Directly in voids, cracks and crevices. For bees, wasps and ant mounds, see directions inside. Use appropriate dusting or injection equipment.
RE APPLY	Every 7 to 10 days, if needed
SNOLLS	For questions or comments, call toll-free 1-800-331-28 7

Tions For USE
It is a violation of Faderal law to use this product in a manner inconsistent with its labeling.

APPUCATION RESTRICTIONS

Do not make applications during ratins, or to any area like a guitter where drainage to severe scort orlains, water bodies, or aquatic haabitat can occur, except as directed by this label.

For residual pest control in and around buildings, structures, non-food/freed areas of food/freed handling establishments and modes of transport. This includes nouses, horeis, models and other non-food areas of stores, warehouses, hospitals, food processing facilities, and modes of transport. For a list of common facilities where this product may be used, see appendix.

ORGI	o se un resis
Cra ling Pests	Millipedes
Ants (except Pharaoh)	Pillbugs
Bed bugs	Scorpions
Boxelder bugs	Silverfish
Carpet beetles	Sowbugs
Centipedes	Spiders
Clothes moths	FI ing Pests
Cockroaches	Bees
Crickets	Hornets
Earwigs	Wasps
Firebrats	Yellow jackets
Ground beetles	
Pantr and S	and Stored Prod ct Pests
Beetles (exposed adults	Lesser grain borer
Cadelle	Merchant grain
Cigarette	Mealworm
Confused flour	Red flour
Darkling	Rice weevil
Dermestid	Sawtoothed grain
Granary weevil	ouse
Hide	Mot s
Larder	Indian meal
Leather	Mediterranean flour
Wood In	n esting Pests
Beetles	Carpenter ants
Allibiosid	carbeiller nees
Deathwatch	ler ites
False powderpost	Subterranean
Old house borer	Formosan
Powderpost	Drywood

APPLY TO

APPLY
(also see AP-PLICATION FOR PESTS)

SE RATE

The purpose of such applications of TEMPO 1% bust for termites is to kill workers or winget reproductive forms which may be present in treated channels at the time of treatment. Such applications are not a substitute for mechanical afteration, soil treatment, or foundation treatment, but merely a supplement. This product is not recommended as sole protection against termites. For active indoor termite infestations get a professional inspection.

0.5 lb to 1 lb of TEMPO 1% Dust per 1000 square feet. Apply directly into voids, cracks and crevices	using hand or power dusters or other suit- AP- able equipment. Apply lightly and uniformly N TS)	 When pests are seen or found 			
0 1% Dust per 1000 ds, cracks and crevices		dusters or other suit- / lightly and uniformly.	dusters or other suit- / lightly and uniformly. I nor found. If needed.	sing in and or power dusters or other sult- ing an an armony lightly and uniformly. When pests are seen or found. Every 7 to 10 days, if needed. In living areas, avoid deposits on exposed surfaces and avoid introducing the dust into the air. Do not apply in any fooms while the elderily or infirm are present. Do not apply to coline of a seasof commercial footfeed hardling establishments, restrictions or or commercial establishments.	in hand or power dusters or other sulti- le equipment. Apply lightly and uniformly. When pests are seen or found. Every 7 to 10 days. If needed. In living areas, avoid deposits on exposed surfaces and avoid introducing the dust into the air. Do not use in aircraft cabins. Do not apply in any rooms while the elderity or infirm are present. Do not apply to colining. Do not apply to coloning establishments, restaurants, or other commercial food/feed handling establishments, remeasurants, or other commercial stablishments.
Carpet beetles		Clothes moths and sliverfish	Clothes moths and silverfish Fire ants (including	Colthes moths and silverifsh silverifsh fire ants (including Red harvester and Payement ants)	Clothes moths and silverish fire ants (including Red harvester ants) and Pavement ants).
Apply under edges of floor coverings, base- board cracks, under rugs and furniture, and in cracks and crevices in closets.		Apply to cracks and crevices in closets and other storage areas. This is an adjunct treatment and will not control moth larvae and silverfish already on the clothes. Do not apply to clothing.	Apply to cracks and crevices in closets and other storage areas. This is an adjunct treat and will not control moth larvae and silvent aready on the clothes. Do not apply to cloth USE RATE: 2 to teaspoons of TEMPO 1% Dust per mound.	Apply to cracks and crevices in closets and other strage areas. This is an adjunct treatment and will not control moth larvae and silvertish and will not control moth larvae and silvertish already on the clothes. Do not apply to clothing. USE PARE: 2 to reasons of TEMPO 1%. Dust per mound. A world disturbing the mound before applying. If possible, treat all colonies in the area. Distribute the product evenly over each mound and around the perimeter of the mound (about 18 inches from the outer edge) use the higher rates for larger mounds. Treats for larger mounds. Treat new mounds as they appear.	Apply to cracks and cre other streage areas. Init and will not control only are will not control only bus per mound. USE RAFE: 2 to teasp Usis per mound. Dust per mound the possible treat all control possible trea

FLYING PESIS	
Bees	Thoroughly dust nests and entrances and sur-
Hornets	rounding areas. To treat nests in wall voids,
Wasps	drill a hole in the area, dust entrance and sur-
rellow jackets	rounding areas. Wear protective clothing if
	necessary to avoid stings. You may also help
	avoid stings by treating wasp and bee nests
	in the evening when the insects are less ac-
	tive and are inside the nest.
	For best results, check nests within one or
	two days to ensure complete kill. Remove and
-	

sels and entrances and sur- treat nests in wall voids, treat dust entrance and sur- ar protective clothing if safings. You may also help ating wasp and bee nests in the insects are less ac- the nest.	use edge) use the higher ds. ds. r mounds gently after pressure will cause the nnd. s they appear.	TEMPO ore appl ore area. e area. rer each mound	Thoor coverings, base- rugs and furniture, and in n closets. revices in closets and revices in adjunct treatment oth larvae and silverfish oth larvae and silverfish be not apply to clothing.	as mattress folds and sixks or hollow places in upholstery, and picture cowder remain on treated outs, then vacuum the ispose of the vacuum bag lean linens on the bed.	ndows, baseboard cracks, ere ants enter structures.
Carpenter bees	Above-gro termites au carpenter ants Carpenter ants	Termite carton nests	Termites a wood-infe ing beetle	Beetles and Moth	PANTRY

in one or Remove and	y also help bee nests re less ac-	ces and sur- vall volds, rce and sur- lothing if		tly after cause the	ea. sach mound bund (about the higher	PO 1% applying If	ts and ct treatment sliverfish to clothing.	ture, and in	on treated from the land the bad.	ds and places in		in and	
	Carpenter bees		Carpenter ants	termites and carpenter ants			ing beetles	Termites and wood-infest-		Beetles and Moths	PANTRY STO		
hok	Apr	and v plate shing carps	Treat tranc		inject depth mate	of inf	bers, tion \ inacc	Appl)	other crevit	Clear	ORED	newl)	dectr