CUSTOMER DRIVEN PROJECT

Rock Concert Audience as a Screen

Project Report

Netlight AS

Agnethe Soraa, Tomas Dohnalek, Jan Bednarik, Milos Jovac Project adviser: Anh Nguyen Duc

September 16, 2013

Abstract

The purpose of this document is to give an insight into the details of the planning, research, design and implementation of the task given in the course TDT4290 - Customer Driven Project. The project aims to give the students experience with a real project, and with a real customer. This gives the students an opportunity to combine both theory and practice. The customer for our project is Netlight AS.

Our project will be about researching and implementing image processing. Naturally this means we also have to solve problems regarding mapping of mocked units to locations as a function of time. The environment takes place at a rock concert, which means we also have to solve issues with timing and syncing between multiple independent units.

This is a proof-of-concept task. All the research done will be documented, and used to argue for and against the solutions. We will also argue for and against alternative solutions. Everything from the planning to the complete conclusion is described in this report. To be able to solve these problems we have to start by investigating relevant technologies, and how we can make this possible. The conclusion of this study allows us to create a system which showcases the real potential of our solution.

Preface

Contents

1	Intr	roduction	4
	1.1	General information	4
	1.2	Terminology	4
	1.3	Structure of report	4
	1.4	Project and project name	4
	1.5	Project purpose and concept	4
	1.6	Project goal	4
	1.7	Stakeholders	4
		1.7.1 Customer	4
		1.7.2 Customer contact	4
		1.7.3 Development team	4
		1.7.4 Advisor	4
	1.8	Project background	4
${f 2}$	Dla-	nning	5
_	2.1	Project plan	6
	$\frac{2.1}{2.2}$	Methodology choice - Scrum	6
	$\frac{2.2}{2.3}$	Organization	6
	$\frac{2.3}{2.4}$	Risk Management	6
	$\frac{2.4}{2.5}$	Quality Assurance	6
	$\frac{2.5}{2.6}$	Measurement of project effects	6
	$\frac{2.0}{2.7}$	Duration and workload	6
	2.8	Gantt diagram	6
	2.0	2.8.1 Description	6
		2.8.2 Result schedule	6
		2.8.3 Roles	6
		2.8.4 Version Control	6
		2.8.5 Textual documentation	6
		2.0.5 Textual documentation	U
3		liminary studies	7
	3.1	Similar projects	7
	3.2	Market investigation	7
	3.3	Existing technologies and frameworks	7

	3.4	Evaluation of alternative solutions	7
	3.5	Outcome of research - Our decision	7
	3.6	Constraints	7
	3.7	Chosen development technologies??	7
	3.8	Evaluation criteria	7
4	Ren	uirements	8
•	4.1	Description/scope	8
	4.2	Definitions/general terms	8
	4.3	Business Requirements	8
	1.0	4.3.1 Functional	8
		4.3.2 Non-functional	9
	4.4	Use cases	9
	4.5	Summary	9
5	Tog	tolon	١0
Э	5.1	1	10
	$5.1 \\ 5.2$	11	10
	5.2 5.3		10 10
	5.3 - 5.4	•	10
	0.4	1050 CHIOCHA	10
6	Soft	ware Architecture	11
	6.1		11
	6.2	P	11
	6.3	Views	11
	6.4	Tactics	11
	6.5	Patterns	11
	6.6	Data Storage	11
7	Too	ls and strategy	12
8	Spr	int 0	13
G	8.1		13
	0.1		13
	8.2		14
	8.3	· · ·	15
	8.4		15 15
	8.5		15
	8.6	0	15
	8.7	<u> </u>	15 15
	0.1	<u>.</u>	15 15
			15 15
	8.8		15 15
	0.0	Evaluation	τŊ
9			16
	9.1	1 1 0	16
		9.1.1 Sprint1 User-stories	16

	9.2	Architecture
	9.3	Implementation
	9.4	Testing
	9.5	Occurring risks
	9.6	Retrospective
	9.0	
		9.6.1 Pros
		9.6.2 Cons
	9.7	Evaluation
10	Spri	
	10.1	Sprint planning
		10.1.1 User-stories
	10.2	System Burndown
		Architecture
		Implementation
		Testing
		8 4 4
	10.7	Retrospective
		10.7.1 Pros
		10.7.2 Cons
	10.8	Evaluation
11	Spri	nt 3 20
	11.1	Sprint planning
		11.1.1 User-stories
	11.2	System Burndown
		Architecture
		Implementation
		Testing
		Occurring risks
	11.7	Retrospective
		11.7.1 Pros
		11.7.2 Cons
	11.8	Evaluation
12	Spri	nt 4 21
	12.1	Sprint planning
		12.1.1 User-stories
	12.2	System Burndown
		Architecture
		Implementation
		Testing
		0
		Occurring risks
	12.7	Retrospective
		12.7.1 Pros
		12.7.2 Cons

	12.8	Evaluation	21
13	Spri	int 5	22
	$1\bar{3}.1$	Sprint planning	22
		13.1.1 User-stories	22
	13.2		22
			22
			22
			22
			22
			22
		1	22
			$\frac{-}{22}$
	13.8		22
	10.0		
14	Spri	int 6	23
	14.1	Sprint planning	23
		14.1.1 User-stories	23
	14.2	System Burndown	23
	14.3	Architecture	23
	14.4	Implementation	23
	14.5	Testing	23
	14.6	Occurring risks	23
	14.7	Retrospective	23
		14.7.1 Pros	23
		14.7.2 Cons	23
	14.8		23
15	Test	ing	24
		VI	24
	15.2	Unit testing	24
	15.3	Integration	24
	15.4	System testing	24
	15.5	Usability	24
	15.6	Acceptance	24
	_		
16			25
	16.1		26
			26
		9	26
			26
		2 0	26
			26
	16.2	v ·	26
			26
		16.2.2 Preliminary Studies	26

	16.2.3 Scrum	26
	16.2.4 Meetings-Summary	26
	16.2.5 Course feedback	26
	16.2.6 Testing	26
	16.2.7 Time usage	26
	16.3 Technology evaluation	26
	16.3.1 Skype	26
	16.3.2 Github	26
	16.3.3 Facebook	26
	16.3.4 Testflight	26
	16.3.5 Google documents	26
	16.3.6 Latex	26
	16.3.7 TargetProcess3	26
	16.3.8 Technical issues	26
	10.5.0 Technical issues	20
17	Conclusion	27
	17.1 Introduction/Final product/description	27
	17.2 Results	27
	17.2.1 Functionalities	27
	17.3 Evaluation criteria	27
	17.4 Evaluation Results	27
	17.5 Conclusion	27
	17.6 Discussion	27
	17.7 Further work	27
	17.8 Reflection	27
	17.9 Summary	27
18	References	2 8
19	Attachments	29
\mathbf{A}	User Manual	30
ъ		0.1
В	Installation Guide	31
\mathbf{C}	Glossary	32
D	XML Scheme?	33
${f E}$	Customer meetings	34
\mathbf{F}	Group meetings	35
	Supervisor meetings	36
Н	Evaluation Questioner	37

1 | Introduction

- 1.1 General information
- 1.2 Terminology
- 1.3 Structure of report
- 1.4 Project and project name
- 1.5 Project purpose and concept
- 1.6 Project goal
- 1.7 Stakeholders
- 1.7.1 Customer
- 1.7.2 Customer contact
- 1.7.3 Development team
- 1.7.4 Advisor
- 1.8 Project background

2 | Planning

- 2.1 Project plan
- 2.2 Methodology choice Scrum
- 2.3 Organization
- 2.4 Risk Management
- 2.5 Quality Assurance
- 2.6 Measurement of project effects
- 2.7 Duration and workload
- 2.8 Gantt diagram
- 2.8.1 Description
- 2.8.2 Result schedule
- 2.8.3 Roles
- 2.8.4 Version Control
- 2.8.5 Textual documentation

3 | Preliminary studies

- 3.1 Similar projects
- 3.2 Market investigation
- 3.3 Existing technologies and frameworks
- 3.4 Evaluation of alternative solutions
- 3.5 Outcome of research Our decision
- 3.6 Constraints
- 3.7 Chosen development technologies??
- 3.8 Evaluation criteria

4 Requirements

4.1 Description/scope

Since our customer namely specified the

4.2 Definitions/general terms

4.3 Business Requirements

4.3.1 Functional

- 1. Client behavior Client must be able to receive commands from the server and display color according to the instructions.
- 2. More servers An user can specify to which server (concert stage) he wants to connect.
- 3. Localization Server must be able to detect mobile device's positions using image processing.
- 4. Core Server should be able to display media through a few (a least 3) mobile phones' screens.
- 5. Media selection An server user can choose which media should be played on screen made from mobile phones' screens.
- 6. Attendance Number of connected devices to server must be displayed in server application.

4.3.2 Non-functional

Server-client architecture - Application must work as a server and client architecture. Platform - Audience application must work on at least one mobile platform. Deployment - Application must be deployed to relevant mobile application store. Scalability - The application must be scalable - it must work with different count of audience mobile phones. Generality - The application must be prepared for future using outside of rock concert domain. Delivery - Final product must be finished until 21th of November 2013 and presented to the committee and the customer.

4.4 Use cases

4.5 Summary

5 | Testplan

- 5.1 Approach
- 5.2 Templates
- 5.3 Responsibilities
- 5.4 Test criteria

6 | Software Architecture

- 6.1 Introduction
- 6.2 Selection of architectural viewpoints
- 6.3 Views
- 6.4 Tactics
- 6.5 Patterns
- 6.6 Data Storage

7 | Tools and strategy

8.1 Sprint planning

We have embraced Sprint 0 as a preliminary sprint, when we can set up all necessary collaboration tools, equipment, prepare templates for meetings and mainly to acquaint ourselves with Scrum methodology. The original plan was to finish sprint 0 on 8th of September, but we have decided to terminate it prematurely due to finishing sprint goals in shorter time than we had expected. Other reason for terminating the sprint was desire to start actually working on the product itself.

The actual user stories are listed in table 9.1. Since we started to use the software collaboration tool only during the sprint we did not manage to estimate the time needed to complete each story beforehand and thus the column **Est.** is left empty.

8.1.1 Sprint 0 User-stories

ID	Description	Est.	Sp.
259	I as a developer need to prepare		5
	LATEX template for minutes, project plan,		
	weekly status report.		
	Meeting minutes		2
	Project report		2
245	We as a team need to give a project and team		2
	name.		
	Team name		1
	Product name		1
248	I as a developer need to agree on customer,		2
	advisor and internal meetings.		
247	I as a developer need to agree on daily work-		1
	ing hours.		

243	I as a developer need to set up the video con-	2
	ferencing.	
249	I as a developer need to add goals for Sprint	4
	0.	
250	I as a developer need to decide which collab-	20
	oration technologies to use.	
258	We as a team need to assign roles to team	1
	members.	
258	I as a developer need to write a project plan.	90
258	I as a developer need to research the older	30
	reports.	
258	I as a developer need to summarise the re-	4
	quirements.	
	SUM:	161

Table 8.1: User stories selected for Sprint 0.

8.2 System Burndown

Since we managed to establish the proper collaboration tool Target Process 3 only during the sprint the software was not able to generate relevant burndown chart. We at least tried to estimate how much time we spent working on each of the user stories listed in table

- 8.3 Architecture
- 8.4 Implementation
- 8.5 Testing
- 8.6 Occurring risks
- 8.7 Retrospective
- 8.7.1 Pros
- 8.7.2 Cons
- 8.8 Evaluation

9.1 Sprint planning

After assembling all the tools in Sprint0, we decided to start with the implementation of core modules. As our understanding of task improved, we were able to come up with user stories from the perspective of user, customer, developer and student. All user-stories were given to the customer so they can be prioritized. All but user-stories concerning our student obligations, like writing project plan, minutes, meetings with supervisor and attending lectures. Those were mandatory and already added as user-stories of sprint1. On Monday 02.09.2013. we had the meeting with a customer where we estimated time we need for every user story. The result of that meeting was the list of the rest of the user-stories for sprin1. All user stories for finishing our first prototype were on the sprint1 list so we also agreed date for presentation and showing the running demo-Thursday 12.09.2013. After that ,at a group meeting, we decoupled user-stories into tasks and we were ready to start with the imlementation of client-server core module.

9.1.1 Sprint1 User-stories

ID	Description	Est.	Sp.
353	I as a developer need to make client receive	4	4
	commands from the server.		
345	Customer meeting.	6	6
344	Team building.	7	9
314	I as a developer need to put "Hello World"	18	4.7
	project to gitHub and pull it to every group		
	member's local storage		
	Create folder on gitHub account named "source".		
	Install ADT and Eclipse to our local computers.		
	Create new Android Project and push it to gitHub.		

267	As a user I want to easily download the app	5	5
	from testflight.		
	Set up testflight.		
	integrate testflight SDK.		
312	I as a developer need to make server to be	30	22
	able to listen for the clients.		
	Research about server sockets.		
	Implement server listener.		
	Create the moc client.		
	Connect with mock client.		
335	The server sends one command to one client.	4	4
336	The client receives one command.	2	2
334	The client "plays" one command (white light	4.5	4.5
	10 seconds).		
327	As a students we need to attend a meeting	16	16
	with our supervisor.		
	Attend meeting with supervisor week1 (06.09.2013).		
	Attend meeting with supervisor week2 (13.09.2013).		
321	I as a student need to participate to lectures	32	25
	about team dynamics this week.		
	Course of group dynamics Thu.		
	Summary of course and exchange learned.		
290	As a user I want to see the number of con-	0.5	0.5
	nected devices.		
341	Integrate TestFlight into application.	15	3
343	As developer I have to work on Project Plan.	12	12
313	I as a developer need to establish basic com-	4	4
	munication protocol between client & server.		
262	I as a developer need to research TestFligh-	6	2.5
	tApp.		
	Figure out whether to use HockeyApp or TestFlight		
	Research TestFlight		
	SUM:	164	?

Table 9.1: User stories selected for Sprint 0.

9.2 Architecture

Choosing client-server arhitecture was very intuitive to do. Our project has user application that depends on commands for what to play, on one side, and application that is responsable of detecting and sending commands to that users on the other. Every aplication(user) have to be either one or another.

Write about Android NSD, create class diagram,




Figure 9.1: Sprint1 Arhitecture

- 9.3 Implementation
- 9.4 Testing
- 9.5 Occurring risks $_{18}$
- 9.6 Retrospective
- 9.6.1 Pros
- 9.6.2 Cons

- 10.1 Sprint planning
- 10.1.1 User-stories
- 10.2 System Burndown
- 10.3 Architecture
- 10.4 Implementation
- 10.5 Testing
- 10.6 Occurring risks
- 10.7 Retrospective
- 10.7.1 Pros
- 10.7.2 Cons
- 10.8 Evaluation

- 11.1 Sprint planning
- 11.1.1 User-stories
- 11.2 System Burndown
- 11.3 Architecture
- 11.4 Implementation
- 11.5 Testing
- 11.6 Occurring risks
- 11.7 Retrospective
- 11.7.1 Pros
- 11.7.2 Cons
- 11.8 Evaluation

- 12.1 Sprint planning
- 12.1.1 User-stories
- 12.2 System Burndown
- 12.3 Architecture
- 12.4 Implementation
- 12.5 Testing
- 12.6 Occurring risks
- 12.7 Retrospective
- 12.7.1 Pros
- 12.7.2 Cons
- 12.8 Evaluation

- 13.1 Sprint planning
- 13.1.1 User-stories
- 13.2 System Burndown
- 13.3 Architecture
- 13.4 Implementation
- 13.5 Testing
- 13.6 Occurring risks
- 13.7 Retrospective
- 13.7.1 Pros
- 13.7.2 Cons
- 13.8 Evaluation

- 14.1 Sprint planning
- 14.1.1 User-stories
- 14.2 System Burndown
- 14.3 Architecture
- 14.4 Implementation
- 14.5 Testing
- 14.6 Occurring risks
- 14.7 Retrospective
- 14.7.1 Pros
- 14.7.2 Cons
- 14.8 Evaluation

15 | Testing

- 15.1 Types
- 15.2 Unit testing
- 15.3 Integration
- 15.4 System testing
- 15.5 Usability
- 15.6 Acceptance

16 | Evaluation

16.1	Group	eva	lua	tion

Group dynamics

- 16.1.2 Role assignment
- 2012 2010 00018111101
- 16.1.3 Risk evaluation
- 16.1.4 Customer and project task
- 16.1.5 Advisor

16.1.1

- 16.2 Project Evaluation
- 16.2.1 Planning
- 16.2.2 Preliminary Studies
- 16.2.3 Scrum
- 16.2.4 Meetings-Summary
- 16.2.5 Course feedback
- 16.2.6 Testing
- 16.2.7 Time usage
- 16.3 Technology evaluation
- 16.3.1 Skype
 - 1 Skype
- 16.3.2 Github
- 16.3.3 Facebook
- 16.3.4 Testflight

17 | Conclusion

- 17.1 Introduction/Final product/description
- 17.2 Results
- 17.2.1 Functionalities
- 17.3 Evaluation criteria
- 17.4 Evaluation Results
- 17.5 Conclusion
- 17.6 Discussion
- 17.7 Further work
- 17.8 Reflection
- 17.9 Summary

18 | References

19 | Attachments

A | User Manual

B | Installation Guide

C | Glossary

D | XML Scheme?

E | Customer meetings

F | Group meetings

G | Supervisor meetings

H | Evaluation Questioner