

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=-vi5Xf9GKSDw

RAMDisk

Gemini

Paused

+ Code + Text All changes saved

✓ 0s

[2] import torch
import numpy as np

[]

a = torch.tensor([1,2,3,4])
b = torch.tensor([5,6,7,8])

>

Arithmetic Operations

⏮ 10 cells hidden

↑ ↓ 🔗 💬 ✎ 📄 🗑 ⋮

Tensor Ops

[]

torch.zeros(2,5,3)

↔

tensor([[[0., 0., 0.],
[0., 0., 0.],
[0., 0., 0.],
[0., 0., 0.]])

CODES & DATA ARE AVAILABLE AT
WWW.AISCIENCES.ACADEMY/COURSE-PYTORCH

✓ 0s completed at 3:44 PM
WWW.AISCIENCES.IO

ΔISCIENCES

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=zxCy-OE7V9Ze

RAMDisk

Gemini

Paused

+ Code

+ Text

All changes saved

> Arithmetic Operations

[] ↪ 10 cells hidden

> Tensor Ops

[] ↪ 11 cells hidden

Auto-Grad

[] Start coding or generate with AI.

[] Start coding or generate with AI.


[] Start coding or generate with AI.

0s completed at 3:44 PM


WWW.AISCIENCES.IO

Odemy



AUTO-GRAD





AUTO-GRAD




AUTO-GRAD




AUTO-GRAD



GRADIENT DESCENT





GRADIENT DESCENT



$$\frac{dy_{(\text{loss})}}{dx_{(\text{weight})}}$$

AUTO-GRAD



Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAM

Disk

Gemini

Paused

+ Code + Text

Auto-Grad

x = torch.randn(3, requires_grad=True)

x

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

0s

completed at 3:44 PM

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAMDisk

Gemini

Paused

+ Code + Text Saving...

Auto-Grad

x = torch.randn(3, requires_grad=True)

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

0s completed at 3:44 PM

WWW.AISCIENCES.IO

AI SCIENCES

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAMDisk

Gemini

Paused

+ Code + Text Saving...

Auto-Grad

0s

x = torch.randn(3, requires_grad=True)

x

tensor([-1.4773, 1.2479, -1.5793], requires_grad=True)

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

completed at 3:51 PM

WWW.AISCIENCES.IO

Odemy

↑ ↓ 🔗 🗨 ⚙ 📄 🗑 ⋮

```
→ tensor([-1.4773,  1.2479, -1.5793], requires_grad=True)
```

[] Start coding or generate with AI.

ΔSCIENCES X

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAMDisk

Gemini

Paused

+ Code + Text

Auto-Grad

x = torch.randn(3, requires_grad=True)

y = x*2

print(x)

print(y)

...

+ Code

+ Text

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

0s completed at 3:51 PM

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAMDisk

Gemini

Paused

+ Code + Text

Auto-Grad

0s

▶

```
x = torch.randn(3, requires_grad=True)
y = x*2
print(x)
print(y)
```

↔

```
tensor([-0.3505,  1.1060, -0.0660], requires_grad=True)
tensor([-0.7010,  2.2120, -0.1321], grad_fn=<MulBackward0>)
```

[]

Start coding or generate with AI.

[]

Start coding or generate with AI.

[]

Start coding or generate with AI.

[]

Start coding or generate with AI.

[]

Start coding or generate with AI.

completed at 3:52 PM

AI SCIENCES

Odemy

WWW.AISCIENCES.IO

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=1NVVoqcvWDaV

RAMDisk

Gemini

Paused

+ Code + Text All changes saved

Auto-Grad

✓ 0s

[15] x = torch.randn(3, requires_grad=True)
y = x*2
print(x)
print(y)

tensor([-0.3505, 1.1060, -0.0660], requires_grad=True)
tensor([-0.7010, 2.2120, -0.1321], grad_fn=<MulBackward0>)

y.backward()

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

✓ 0s completed at 3:52 PM

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=1NVVoqcvWDaV

Paused

+ Code + Text All changes saved

✓ 0s

[15] print(y)

tensor([-0.3505, 1.1060, -0.0660], requires_grad=True)

tensor([-0.7010, 2.2120, -0.1321], grad_fn=<MulBackward0>)

⏸ 0s

y.backward()

print(x.grad)

⏸ 0s

RuntimeError Traceback (most recent call last)

<ipython-input-16-552f06316609> in <cell line: 1>()

----> 1 y.backward()

2 print(x.grad)

2 frames

/usr/local/lib/python3.10/dist-packages/torch/autograd/_init_.py in _make_grads(outputs, grads, is_grads_batched)

131 if out.requires_grad:

132 if out.numel() != 1:

--> 133 raise RuntimeError(

134 "grad can be implicitly created only for scalar outputs"

135)

RuntimeError: grad can be implicitly created only for scalar outputs

0s completed at 3:53 PM

WWW.AISCIENCES.IO

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAMDisk

Gemini

Paused

+ Code + Text All changes saved

0s

▶

x = torch.randn(3, requires_grad=True)
y = x*2
print(x)
print(y)

↗

tensor([-0.3505, 1.1060, -0.0660], requires_grad=True)
tensor([-0.7010, 2.2120, -0.1321], grad_fn=<MulBackward0>)

⌚

0s

[16] y.backward()
print(x.grad)

↗

RuntimeError

Traceback (most recent call last)
<ipython-input-16-552f06316609> in <cell line: 1>()
----> 1 y.backward()
2 print(x.grad)

2 frames
/usr/local/lib/python3.10/dist-packages/torch/autograd/_init_.py in _make_grads(outputs, grads, is_grads_batched)
131 if out.requires_grad:
132 if out.numel() != 1:
--> 133 raise RuntimeError(
134 "grad can be implicitly created only for scalar outputs"



0s

completed at 3:53 PM

WWW.AISCIENCES.IO

Odemy

AUTO-GRAD



I

```
tensor([-0.3505,  1.1060, -0.0660], requires_grad=True)
tensor([-0.7010,  2.2120, -0.1321], grad_fn=<MulBackward0>)
```

```
[16] y.backward()  
      print(x.grad)
```

```
-----
RuntimeError                                Traceback (most recent call last)
<ipython-input-16-552f06316609> in <cell line: 1>()
----> 1 y.backward()
      2 print(x.grad)
```

2 frames

```
/usr/local/lib/python3.10/dist-packages/torch/autograd/_init_.py in _make_grads(outputs, grads, is_grads_batched)
    131         if out.requires_grad:
    132             if out.numel() != 1:
--> 133                 raise RuntimeError(
    134                     "grad can be implicitly created only for scalar outputs"
```

0s completed at 3:53 PM

I

```
tensor([-0.3505,  1.1060, -0.0660], requires_grad=True)
tensor([-0.7010,  2.2120, -0.1321], grad_fn=<MulBackward0>)
```

```
[16] y.backward()  
      print(x.grad)
```

```

-----
RuntimeError                                Traceback (most recent call last)
<ipython-input-16-552f06316609> in <cell line: 1>()
----> 1 y.backward()
      2 print(x.grad)

-----
      ^ 2 frames -----
/usr/local/lib/python3.10/dist-packages/torch/autograd/_init_.py in _make_grads(outputs, grads, is_grads_batched)
    131         if out.requires_grad:
    132             if out.numel() != 1:
> 133                 raise RuntimeError(

```

❗ 0s completed at 3:53 PM

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAMDisk

Gemini

Paused

+ Code + Text Saving...

0s

▶

x = torch.randn(3, requires_grad=True)
y = x.mean()
print(x)
print(y)

↗

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)
tensor(0.0256, grad_fn=<MeanBackward0>)

0s

[16]

y.backward()
print(x.grad)

↗

RuntimeError

Traceback (most recent call last)

<ipython-input-16-552f06316609> in <cell line: 1>()
----> 1 y.backward()
 2 print(x.grad)

2 frames

/usr/local/lib/python3.10/dist-packages/torch/autograd/_init_.py in _make_grads(outputs, grads, is_grads_batched)
131 if out.requires_grad:
132 if out.numel() != 1:
--> 133 raise RuntimeError(
134 "grad can be implicitly created only for scalar outputs"

0s

completed at 3:54 PM

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=1NVVoqcvWDaV

RAMDisk

Gemini

Paused

+ Code + Text

✓ 0s

```
[17] x = torch.randn(3, requires_grad=True)
      y = x.mean()
      print(x)
      print(y)
```

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)

tensor(0.0256, grad_fn=<MeanBackward0>)

✓ 1s

```
y.backward()
print(x.grad)
```

tensor([0.3333, 0.3333, 0.3333])

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

✓ 0s completed at 3:54 PM

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=p-9HT1gAWDd6

RAMDisk

Gemini

Paused

+ Code + Text

0s

```
x = torch.randn(3, requires_grad=True)
y = x.mean()
print(x)
print(y)
```

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)
tensor(0.0256, grad_fn=<MeanBackward0>)

1s

[18]

```
y.backward()
print(x.grad)
```

tensor([0.3333, 0.3333, 0.3333])

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

0s

completed at 3:54 PM

AISCIENCES

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=muMCYCAAWDXF

RAMDisk

Gemini

Paused

+ Code + Text

0s

[17] x = torch.randn(3, requires_grad=True)
y = x.mean()
print(x)
print(y)

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)
tensor(0.0256, grad_fn=<MeanBackward0>)

1s

[18] y.backward()
print(x.grad)

tensor([0.3333, 0.3333, 0.3333])

z = (x**2).mean()

[] Start coding or generate with AI.

[] Start coding or generate with AI.

[] Start coding or generate with AI.

0s completed at 3:54 PM

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=muMCYCAAWDXF

RAMDisk

Gemini

Paused

+ Code + Text

✓ 0s

[17] x = torch.randn(3, requires_grad=True)
y = x.mean()
print(x)
print(y)

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)
tensor(0.0256, grad_fn=<MeanBackward0>)

✓ 1s

[18] y.backward()
print(x.grad)

tensor([0.3333, 0.3333, 0.3333])

z = (y**2).mean()
z

...

[] Start coding or generate with AI.

✓ 0s completed at 3:55 PM

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=muMCYCAAWDXF

RAMDisk

Gemini

Paused

+ Code + Text All changes saved

✓ 0s

[17] x = torch.randn(3, requires_grad=True)
y = x.mean()
print(x)
print(y)

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)
tensor(0.0256, grad_fn=<MeanBackward0>)

✓ 1s

[18] y.backward()
print(x.grad)

tensor([0.3333, 0.3333, 0.3333])

✓ 0s

▶

z = (y**2).mean()
z.backward()
print(x.grad)

tensor([0.3504, 0.3504, 0.3504])

[] Start coding or generate with AI.

✓ 0s completed at 3:57 PM

AISCIENCES

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=muMCYCAAWDXF

RAMDisk

Gemini

Paused

+ Code + Text All changes saved

✓ 0s

[17] x = torch.randn(3, requires_grad=True)
y = x.mean()
print(x)
print(y)

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)
tensor(0.0256, grad_fn=<MeanBackward0>)

✓ 1s

▶ y.backward()
print(x.grad)

tensor([0.3333, 0.3333, 0.3333])

✓ 0s

▶ z = (y**2).mean()
z.backward()
print(x.grad)

tensor([0.3504, 0.3504, 0.3504])

[] Start coding or generate with AI.

completed at 3:57 PM

AISCIENCES

WWW.AISCIENCES.IO

Odemy

Pytorch.ipynb - Colab

colab.research.google.com/drive/1imQs4frEn2sYP0VW7SjxgJwC5ZgNZdpv?authuser=0#scrollTo=1NVVoqcvWDaV

RAMDisk

Gemini

Paused

+ Code + Text All changes saved

✓ 0s

[17] x = torch.randn(3, requires_grad=True)
y = x.mean()
print(x)
print(y)

tensor([1.9994, -1.8071, -0.1153], requires_grad=True)
tensor(0.0256, grad_fn=<MeanBackward0>)

✓ 1s

y.backward()
print(x.grad)

tensor([0.3333, 0.3333, 0.3333])

✓ 0s

z = (y**2).mean()
z.backward()
print(x.grad)

tensor([0.3504, 0.3504, 0.3504])

[] Start coding or generate with AI.



✓ 0s completed at 3:57 PM

AISCIENCES

WWW.AISCIENCES.IO

Odemy

AUTO-GRAD



AUTO-GRAD

