


Inverse Distance Weighted 2 nmaxVals nminVals idpVals 1.128 -1.15 -1.126 -1.125 -1.14 -1.124 -1.13 -1.120 -1.122 -1.12 -1.115 -1.120 -1.11 -20 60 10 20 40 30 3 3 3 idpVals nminVals nmaxVals 1.08 -1.055 -1.060 -1.07 -1.055 -1.050 -1.06 -1.050 -1.045 -1.05 -1.045 -1.04 -1.040 -1.040 -1.03 -20 60 10 20 30 40 4 idpVals nmaxVals nminVals 1.34 -1.310 -1.310 testErr.inc.r 1.32 -1.305 -1.305 -1.300 -1.300 -1.295 -60 20 40 10 20 30 40 0 5 5 5 nminVals idpVals nmaxVals 1.796 1.805 -1.800 -1.79 -1.795 -1.792 -1.790 -1.78 -1.788 -1.785 -1.77 -1.780 -1.784 - 0 1.775 - 0 60 20 20 40 10 30 40 idpVals nmaxVals nminVals 1.422 -1.420 -1.424 -1.420 -1.418 -1.420 -1.418 -1.416 -1.416 -1.412 -20 60 Parameter value 10 30 40



GRASS Regularized Splines Tension 2 2 nminVals smoothVals tensionVals 1.052 -1.07 -1.050 -1.050 -1.06 -1.048 -1.048 -1.05 -1.046 -1.046 -1.04 -1.044 -30 90 10 20 30 3 3 smoothVals nminVals tensionVals 1.05 -1.06 -1.05 -1.04 -1.04 -1.05 -1.03 -1.03 -1.02 -1.00 -1.02 -1.01 -3 90 40 30 10 20 30 4 4 nminVals tensionVals smoothVals 1.280 -1.32 -1.32 testErr.inc.r 1.275 -1.30 -1.30 -1.28 -1.270 -1.28 -1.26 -1.26 -1.265 -60 20 30 90 10 30 40 5 5 5 nminVals tensionVals smoothVals 1.76 -1.76 -1.75 -1.775 **-**1.75 -1.74 -1.750 -1.74 -1.73 -1.73 -1.725 -1.72 -1.72 -1.71 -1.700 -20 30 60 90 10 30 40 6 6 6 nminVals tensionVals smoothVals 1.355 -1.40 -1.37 -1.350 -1.38 -1.36 -1.345 -1.36 -1.35 -1.340 -1.34 -1.34 -1.335 -1.32 -1.330 -1.33 -10 20 30 30 Parameter value

