


Inverse Distance Weighted 2 nmaxVals idpVals nminVals 0.4605 -0.4650 -0.464 -0.4600 -0.4625 -0.462 -0.4595 -0.4600 -0.460 -0.4575 -0.4590 -40 10 30 20 20 3 3 3 idpVals nmaxVals nminVals 0.4800 -0.480 -0.473 -0.4775 0.475 -0.472 -0.4750 -0.470 -0.4725 -0.471 -0.4700 -20 60 10 20 30 40 4 idpVals nmaxVals nminVals 0.307 - 0.305 - 0.303 -0.3040 -0.308 -0.3035 -0.304 -0.3030 -0.300 -0.3025 -20 40 20 40 60 10 30 5 5 5 idpVals nmaxVals nminVals 0.610 -0.596 -0.61 -0.605 0.594 -0.60 -0.600 -0.592 -0.59 -0.595 -0.590 -0.590 -0.58 -20 60 10 20 30 40 6 idpVals nminVals nmaxVals 0.3294 -0.3310 -0.331 -0.3305 0.330 -0.3292 -0.3300 -0.329 -0.3295 -0.3290 -0.328 -0.3290 -0.327 - 0 0.3285 -20 S Parameter value 20 60 40



GRASS Regularized Splines Tension 2 2 nminVals smoothVals tensionVals 0.466 -0.465 -0.465 -0.464 -0.464 0.464 -0.462 -0.463 -0.463 -90 30 60 30 Ö 20 3 3 3 nminVals tensionVals smoothVals 0.477 -0.4775 -0.477 -0.476 -0.474 -0.4750 -0.475 -0.471 0.4725 -90 60 30 40 10 20 4 4 nminVals tensionVals smoothVals 0.308 -0.308 - 0.307 - 0.306 - 0.306 - 0.305 -0.308 -0.307 -0.306 -0.306 -0.304 -0.305 -0.304 -0.302 -0.304 -30 60 90 10 20 30 40 Ö 5 5 5 nminVals tensionVals smoothVals 0.610 -0.607 -0.610 -0.605 -0.606 -0.605 -0.600 -0.605 -0.600 -0.595 -0.604 -0.590 -0.595 -0.603 -30 60 90 0 10 20 30 40 6 6 nminVals tensionVals smoothVals 0.333 -0.336 -0.3320 -0.332 -0.3315 -0.334 -0.3310 -0.331 -0.332 -0.3305 -0.330 -0.330 -0.3300 -30 60 90 10 20 30 Parameter value

