

FIELD MANUAL

Loopy

Loop engineering for Codex



Plan it. Prove it. Then call it done.

github.com/beefiker/loopy

Contents

01 · What Loopy is 02 · The crew 03 · Install

01

What Loopy is

Loopy is loop engineering for Codex. Type `loopy <task>` and an agent does the work, proves each piece with real captured evidence, and only then reports done — instead of stopping early and claiming success.

After installing, just type your task in Codex with a leading `loopy :`

```
loopy add a /health endpoint that returns 200
```

The agent plans it, proves each piece with a real file, and reports back. You don't run any commands yourself.

The crew

For bigger work, Loopy ships six optional subagents — each owns one lane. They install automatically with the plugin, so the agent can hand work to them with no extra command.



franky

builds it



zoro

reviews it



usopp

tests it



jinbe

gates it



robin

audits it



nami

finds it

Install

Needs Node.js ≥ 20 .

```
codex plugin marketplace add https://github.com/beefiker/loopy
codex plugin add loopy@beefiker
```

Restart Codex twice: approve the hooks, then reload. The first approved session runs a one-time bootstrap that installs the `loopy` command and the agents. If `loopy` is not found, its folder is not on your `PATH` — the bootstrap prints the exact line to add.

Check everything with `loopy doctor`. Installing from a checkout instead? Run `node src/cli.js install --json`.