

The fontscale package

A flexible interface for setting font sizes

Oliver Beery

Version 5.0.0 7 November 2025

1 Loading the package

```
\NeedsTeXFormat{LaTeX2e}[2023-11-01]
\ProvidesExplPackage{fontscale}{2025-11-07}{5.0.0}
  {A flexible interface for setting font sizes}

\msg_new:nnn { fontscale } { l3kernel }
{
  The~ fontscale~ package~ could~ not~ load. \\
  This~ package~ requires~
  L3~ programming~ layer~ version~ 2023-11-01~ or~ newer.
}
\IfExplAtLeastTF { 2023-11-01 } { }
  { \msg_critical:nn { fontscale } { l3kernel } }
```

2 Some variables

```
% Declares and initializes the font size and font baselineskip of each font
% size command from \tiny to \Huge.
```

```
\dim_new:N \l_fontscale_tiny_size_dim
\dim_new:N \l_fontscale_scriptsize_size_dim
\dim_new:N \l_fontscale_footnotesize_size_dim
\dim_new:N \l_fontscale_small_size_dim
\dim_new:N \l_fontscale_normalsize_size_dim
\dim_new:N \l_fontscale_large_size_dim
\dim_new:N \l_fontscale_Large_size_dim
\dim_new:N \l_fontscale_LARGE_size_dim
\dim_new:N \l_fontscale_huge_size_dim
\dim_new:N \l_fontscale_Huge_size_dim

\skip_new:N \l_fontscale_tiny_baselineskip_skip
\skip_new:N \l_fontscale_scriptsize_baselineskip_skip
\skip_new:N \l_fontscale_footnotesize_baselineskip_skip
\skip_new:N \l_fontscale_small_baselineskip_skip
\skip_new:N \l_fontscale_normalsize_baselineskip_skip
\skip_new:N \l_fontscale_large_baselineskip_skip
\skip_new:N \l_fontscale_Large_baselineskip_skip
\skip_new:N \l_fontscale_LARGE_baselineskip_skip
```

```

\skip_new:N \l_fontscale_huge_baselineskip_skip
\skip_new:N \l_fontscale_Huge_baselineskip_skip

\dim_set:Nn \l_fontscale_tiny_size_dim { 6pt }
\dim_set:Nn \l_fontscale_scriptsize_size_dim { 7pt }
\dim_set:Nn \l_fontscale_footnotesize_size_dim { 8pt }
\dim_set:Nn \l_fontscale_small_size_dim { 9pt }
\dim_set:Nn \l_fontscale_normalsize_size_dim { 10pt }
\dim_set:Nn \l_fontscale_large_size_dim { 11pt }
\dim_set:Nn \l_fontscale_Large_size_dim { 12pt }
\dim_set:Nn \l_fontscale_LARGE_size_dim { 14pt }
\dim_set:Nn \l_fontscale_huge_size_dim { 16pt }
\dim_set:Nn \l_fontscale_Huge_size_dim { 18pt }

\skip_set:Nn \l_fontscale_tiny_baselineskip_skip { 7.2pt }
\skip_set:Nn \l_fontscale_scriptsize_baselineskip_skip { 8.4pt }
\skip_set:Nn \l_fontscale_footnotesize_baselineskip_skip { 9.6pt }
\skip_set:Nn \l_fontscale_small_baselineskip_skip { 10.8pt }
\skip_set:Nn \l_fontscale_normalsize_baselineskip_skip { 12 pt }
\skip_set:Nn \l_fontscale_large_baselineskip_skip { 13.2pt }
\skip_set:Nn \l_fontscale_Large_baselineskip_skip { 14.4pt }
\skip_set:Nn \l_fontscale_LARGE_baselineskip_skip { 16.8pt }
\skip_set:Nn \l_fontscale_huge_baselineskip_skip { 19.2pt }
\skip_set:Nn \l_fontscale_Huge_baselineskip_skip { 21.6pt }

% Stores the current font size and font baselineskip. These variables will be
% initialized when \normalsize is used.
\dim_new:N \l_fontscale_size_dim
\skip_new:N \l_fontscale_baselineskip_skip
\hook_gput_code:nnn { selectfont } { fontscale }
{
  \dim_set:Nn \l_fontscale_size_dim { \f@size pt }
  \skip_set:Nn \l_fontscale_baselineskip_skip { \f@baselineskip }
}

% Used only to speed up floating point computations.
\fp_new:N \l__fontscale_musical_base_fp
\fp_new:N \l__fontscale_musical_notes_fp

% Scratch variable
\fp_new:N \l__fontscale_tmp_fp

```

3 Define keys

```
\str_new:N \l__fontscale_typographic_scale_str
\str_new:N \l__fontscale_classic_base_str
\str_new:N \l__fontscale_classic_point_str

\keys_define:nn { fontscale }
{
  baselineskip-size-ratio .fp_set:N =
    \l__fontscale_baselineskip_size_ratio_fp
  , baselineskip-size-ratio .value_required:n = true

  , typographic-scale .choices:nn = { classic , musical }
    { \str_set:Nn \l__fontscale_typographic_scale_str {#1} }
  , typographic-scale .value_required:n = true

  , classic .meta:n = { typographic-scale = classic }
  , classic .value_forbidden:n = true

  , musical .meta:n = { typographic-scale = musical }
  , musical .value_forbidden:n = true
}

\keys_define:nn { fontscale / classic }
{
  base .choices:nn = { 10 , 11 , 12 }
    { \str_set:Nn \l__fontscale_classic_base_str {#1} }
  , base .value_required:n = true

  , point .choices:nn = { pt , bp , dd , nd }
    { \str_set:Nn \l__fontscale_classic_point_str {#1} }
  , point .value_required:n = true
}

\keys_define:nn { fontscale / musical }
{
  base .dim_set:N = \l__fontscale_musical_base_dim
  , base .value_required:n = true

  , ratio .fp_set:N = \l__fontscale_musical_ratio_fp
  , ratio .value_required:n = true

  , notes .int_set:N = \l__fontscale_musical_notes_int
  , notes .value_required:n = true
}

\keys_define:nn { fontscale / normalsize }
{
  size .tl_set:N = \l__fontscale_normalsize_size_tl
  , size .value_required:n = true
}
```

```

, baselineskip-size-ratio .tl_set:N =
  \l__fontscale_normalsize_baselineskip_size_ratio_tl
, baselineskip-size-ratio .value_required:n = true

, baselineskip .tl_set:N = \l__fontscale_normalsize_baselineskip_tl
, baselineskip .value_required:n = true
}
\tl_map_inline:nn
{
  {tiny} {scriptsize} {footnotesize} {small}
  {large} {Large} {LARGE} {huge} {Huge}
}
{
  \keys_define:nn { fontscale / #1 }
  {
    size-normalsize-ratio .tl_set:c =
      { l__fontscale_#1_size_normalsize_ratio_tl }
    , size-normalsize-ratio .value_required:n = true

    , size .tl_set:c = { l__fontscale_#1_size_tl }
    , size .value_required:n = true

    , baselineskip-size-ratio .tl_set:c =
      { l__fontscale_#1_baselineskip_size_ratio_tl }
    , baselineskip-size-ratio .value_required:n = true

    , baselineskip .tl_set:c = { l__fontscale_#1_baselineskip_tl }
    , baselineskip .value_required:n = true
  }
}
\keys_define:nn { fontscale }
{
  tiny .tl_set:N = \l__fontscale_tiny_size_tl
  , tiny .value_required:n = true

  , scriptsize .tl_set:N = \l__fontscale_scriptsize_size_tl
  , scriptsize .value_required:n = true

  , footnotesize .tl_set:N = \l__fontscale_footnotesize_size_tl
  , footnotesize .value_required:n = true

  , small .tl_set:N = \l__fontscale_small_size_tl
  , small .value_required:n = true

  , normalsize .tl_set:N = \l__fontscale_normalsize_size_tl
  , normalsize .value_required:n = true
}

```

```

, large .tl_set:N = \l__fontscale_large_size_tl
, large .value_required:n = true

, Large .tl_set:N = \l__fontscale_Large_size_tl
, Large .value_required:n = true

, LARGE .tl_set:N = \l__fontscale_LARGE_size_tl
, LARGE .value_required:n = true

, huge .tl_set:N = \l__fontscale_huge_size_tl
, huge .value_required:n = true

, Huge .tl_set:N = \l__fontscale_Huge_size_tl
, Huge .value_required:n = true
}

% Sets the keys to their initial values. This is significantly faster than
% using .initial:n and \keys_precompile:nnN. The special value of \q_no_value
% is used to test if the key has been set by the user.
\cs_new_protected:Npn \__fontscale_keys_set_initial:
{
  \str_set:Nn \l__fontscale_typographic_scale_str { classic }
  \str_set:Nn \l__fontscale_classic_base_str { 10 }
  \str_set:Nn \l__fontscale_classic_point_str { pt }
  \dim_set:Nn \l__fontscale_musical_base_dim { 10pt }
  \fp_set:Nn \l__fontscale_musical_ratio_fp { 2 }
  \int_set:Nn \l__fontscale_musical_notes_int { 5 }
  \fp_set:Nn \l__fontscale_baselineskip_size_ratio_fp { 1.2 }

  \tl_map_inline:nn
  {
    \l__fontscale_tiny_size_normalsize_ratio_tl
    \l__fontscale_scriptsize_size_normalsize_ratio_tl
    \l__fontscale_footnotesize_size_normalsize_ratio_tl
    \l__fontscale_small_size_normalsize_ratio_tl
    \l__fontscale_large_size_normalsize_ratio_tl
    \l__fontscale_Large_size_normalsize_ratio_tl
    \l__fontscale_LARGE_size_normalsize_ratio_tl
    \l__fontscale_huge_size_normalsize_ratio_tl
    \l__fontscale_Huge_size_normalsize_ratio_tl

    \l__fontscale_tiny_size_tl
    \l__fontscale_scriptsize_size_tl
    \l__fontscale_footnotesize_size_tl
    \l__fontscale_small_size_tl
    \l__fontscale_normalsize_size_tl

```

```

\l__fontscale_large_size_tl
\l__fontscale_Large_size_tl
\l__fontscale_LARGE_size_tl
\l__fontscale_huge_size_tl
\l__fontscale_Huge_size_tl

\l__fontscale_tiny_baselineskip_size_ratio_tl
\l__fontscale_scriptsize_baselineskip_size_ratio_tl
\l__fontscale_footnotesize_baselineskip_size_ratio_tl
\l__fontscale_small_baselineskip_size_ratio_tl
\l__fontscale_normalsize_baselineskip_size_ratio_tl
\l__fontscale_large_baselineskip_size_ratio_tl
\l__fontscale_Large_baselineskip_size_ratio_tl
\l__fontscale_LARGE_baselineskip_size_ratio_tl
\l__fontscale_huge_baselineskip_size_ratio_tl
\l__fontscale_Huge_baselineskip_size_ratio_tl

\l__fontscale_tiny_baselineskip_tl
\l__fontscale_scriptsize_baselineskip_tl
\l__fontscale_footnotesize_baselineskip_tl
\l__fontscale_small_baselineskip_tl
\l__fontscale_normalsize_baselineskip_tl
\l__fontscale_large_baselineskip_tl
\l__fontscale_Large_baselineskip_tl
\l__fontscale_LARGE_baselineskip_tl
\l__fontscale_huge_baselineskip_tl
\l__fontscale_Huge_baselineskip_tl
}
{ \tl_set:Nn ##1 { \q_no_value } }
}
\__fontscale_keys_set_initial:

```

4 Set and process keys

```

\NewDocumentCommand \fontscalesetup { s m }
{
  \mode_if_math:TF
  { \msg_error:nnn { fontscale } { math-mode-invalid } { fontscalesetup } }
  {
    \IfBooleanTF #1
    { \__fontscale_keys_reset:n {#2} }
    { \__fontscale_keys_set:n {#2} }
  }
}
\cs_new_protected:Npn \__fontscale_keys_reset:n
{ \__fontscale_keys_set_initial: \__fontscale_keys_set:n }
\cs_new_protected:Npn \__fontscale_keys_set:n #1

```

```

{
  \keys_set:nn { fontscale } {#1}
  \__fontscale_keys_process:
  \normalsize
}
\cs_new_protected:Npn \__fontscale_keys_process:
{
  \__fontscale_keys_process_start:
  \__fontscale_keys_process_sizes:
  \__fontscale_keys_process_baselineskips:
  \__fontscale_keys_process_end:
  \prg_break_point:
}
\cs_new_protected:Npn \__fontscale_keys_process_start:
{
  \dim_compare:nF { \c_zero_dim < \l__fontscale_musical_base_dim < 2048pt }
  {
    \msg_error:nn { fontscale } { musical-base-invalid }
    \prg_break:
  }
  \fp_compare:nNnF \l__fontscale_musical_ratio_fp > \c_one_fp
  {
    \msg_error:nn { fontscale } { musical-ratio-invalid }
    \prg_break:
  }
  \int_compare:nNnF \l__fontscale_musical_notes_int > 0
  {
    \msg_error:nn { fontscale } { musical-notes-invalid }
    \prg_break:
  }
}
\cs_new_protected:Npn \__fontscale_keys_process_sizes:
{
  \quark_if_no_value:NTF \l__fontscale_normalsize_size_tl
  {
    \dim_set:Nn \l__fontscale_normalsize_size_dim
    {
      \str_case:Vn \l__fontscale_typographic_scale_str
      {
        { classic }
        {
          \l__fontscale_classic_base_str
          \l__fontscale_classic_point_str
        }
        { musical } { \l__fontscale_musical_base_dim }
      }
    }
  }
}
{

```

```

\dim_set:Nn \l_fontscale_normalsize_size_dim
{ \l__fontscale_normalsize_size_tl }
\tl_set:NV \l__fontscale_normalsize_size_tl
\l_fontscale_normalsize_size_dim
}
\dim_compare:nF { \c_zero_dim < \l_fontscale_normalsize_size_dim < 2048pt }
{
\msg_error:nnn { fontscale } { name-font-size-invalid } { normalsize }
\prg_break:
}
\str_case:Nn \l__fontscale_typographic_scale_str
{
{ classic }
{
\cs_set_eq:Nc \__fontscale_keys_process_sizes_aux:n
{
__fontscale_keys_process_sizes_classic_
\l__fontscale_classic_base_str :n
}
}
{ musical }
{
\cs_set_eq:NN \__fontscale_keys_process_sizes_aux:n
__fontscale_keys_process_sizes_musical:n
\fp_set:Nn \l__fontscale_musical_base_fp
{ \dim_to_fp:n { \l__fontscale_musical_base_dim } }
\fp_set:Nn \l__fontscale_musical_notes_fp
{ \int_use:N \l__fontscale_musical_notes_int }
}
}
}
\tl_map_function:nN
{
{tiny} {scriptsize} {footnotesize} {small}
{large} {Large} {LARGE} {huge} {Huge}
}
\__fontscale_keys_process_sizes:n
}
\cs_new_protected:cpn { __fontscale_keys_process_sizes_classic_10:n } #1
{
\dim_set:cn { l_fontscale_#1_size_dim }
{
\str_case:nn {#1}
{
{ tiny } { 6 }
{ scriptsize } { 7 }
{ footnotesize } { 8 }
{ small } { 9 }
{ large } { 11 }
{ Large } { 12 }

```



```

        { LARGE          } { 14 }
        { huge           } { 16 }
        { Huge           } { 18 }
    }
    \l__fontscale_classic_point_str
}
}
\cs_new_protected:cpn { __fontscale_keys_process_sizes_classic_11:n } #1
{
    \dim_set:cn { l_fontscale_#1_size_dim }
    {
        \str_case:nn {#1}
        {
            { tiny          } { 7 }
            { scriptsize    } { 8 }
            { footnotesize  } { 9 }
            { small         } { 10 }
            { large         } { 12 }
            { Large         } { 14 }
            { LARGE         } { 16 }
            { huge          } { 18 }
            { Huge          } { 21 }
        }
        \l__fontscale_classic_point_str
    }
}
\cs_new_protected:cpn { __fontscale_keys_process_sizes_classic_12:n } #1
{
    \dim_set:cn { l_fontscale_#1_size_dim }
    {
        \str_case:nn {#1}
        {
            { tiny          } { 8 }
            { scriptsize    } { 9 }
            { footnotesize  } { 10 }
            { small         } { 11 }
            { large         } { 14 }
            { Large         } { 16 }
            { LARGE         } { 18 }
            { huge          } { 21 }
            { Huge          } { 24 }
        }
        \l__fontscale_classic_point_str
    }
}
\cs_new_protected:Npn \__fontscale_keys_process_sizes_musical:n #1
{
    \dim_set:cn { l_fontscale_#1_size_dim }
    {

```

```

\fp_to_dim:n
{
  \l__fontscale_musical_base_fp * \l__fontscale_musical_ratio_fp ^
  (
    \str_case:nn {#1}
    {
      { tiny          } { -4 }
      { scriptsize    } { -3 }
      { footnotesize  } { -2 }
      { small         } { -1 }
      { large         } { 1 }
      { Large         } { 2 }
      { LARGE         } { 3 }
      { huge          } { 4 }
      { Huge          } { 5 }
    }
    / \l__fontscale_musical_notes_fp
  )
}
}
}
\cs_new_protected:Npn \__fontscale_keys_process_sizes:n #1
{
  \quark_if_no_value:cF { l__fontscale_#1_size_normalsize_ratio_tl }
  {
    \fp_set:Nn \l__fontscale_tmp_fp
    { \use:c { l__fontscale_#1_size_normalsize_ratio_tl } }
    \tl_set:cv { l__fontscale_#1_size_normalsize_ratio_tl }
    \l__fontscale_tmp_fp
    \dim_set:cn { l_fontscale_#1_size_dim }
    {
      \fp_to_dim:n
      {
        \l__fontscale_tmp_fp *
        \dim_to_fp:n { \l_fontscale_normalsize_size_dim }
      }
    }
    \quark_if_no_value:cT { l__fontscale_#1_size_tl } { \prg_break: }
  }
  \quark_if_no_value:cF { l__fontscale_#1_size_tl }
  {
    \dim_set:cn { l_fontscale_#1_size_dim }
    { \use:c { l__fontscale_#1_size_tl } }
    \tl_set:cv { l__fontscale_#1_size_tl } { l_fontscale_#1_size_dim }
    \quark_if_no_value:cF { l__fontscale_#1_size_normalsize_ratio_tl }
    {
      \msg_warning:nnn { fontscale }
      { size-normalsize-ratio-overwritten } {#1}
    }
  }
}

```

```

        \prg_break:
    }
    \__fontscale_keys_process_sizes_aux:n {#1}
    \prg_break_point:
    \dim_compare:nF
    { \c_zero_dim < \use:c { l_fontscale_#1_size_dim } < 2048pt }
    {
        \tl_map_break:n
        {
            \msg_error:nnn { fontscale } { name-font-size-invalid } {#1}
            \prg_break:
        }
    }
}
\cs_new_protected:Npn \__fontscale_keys_process_baselineskips:
{
    \tl_map_function:nN
    {
        {tiny} {scriptsize} {footnotesize} {small} {normalsize}
        {large} {Large} {LARGE} {huge} {Huge}
    }
    \__fontscale_keys_process_baselineskips:n
}
\cs_new_protected:Npn \__fontscale_keys_process_baselineskips:n #1
{
    \quark_if_no_value:cF { l__fontscale_#1_baselineskip_size_ratio_tl }
    {
        \fp_set:Nn \l__fontscale_tmp_fp
        { \use:c { l__fontscale_#1_baselineskip_size_ratio_tl } }
        \tl_set:cv { l__fontscale_#1_baselineskip_size_ratio_tl }
        \l__fontscale_tmp_fp
        \skip_set:cn { l_fontscale_#1_baselineskip_skip }
        {
            \fp_to_dim:n
            {
                \l__fontscale_tmp_fp *
                \dim_to_fp:n { \use:c { l_fontscale_#1_size_dim } }
            }
        }
        \quark_if_no_value:cT { l__fontscale_#1_baselineskip_tl }
        { \prg_break: }
    }
    \quark_if_no_value:cF { l__fontscale_#1_baselineskip_tl }
    {
        \skip_set:cn { l_fontscale_#1_baselineskip_skip }
        { \use:c { l__fontscale_#1_baselineskip_tl } }
        \tl_set:cv { l__fontscale_#1_baselineskip_tl }
        { l_fontscale_#1_baselineskip_skip }
        \quark_if_no_value:cF { l__fontscale_#1_baselineskip_size_ratio_tl }
    }
}

```

```

        {
            \msg_warning:nnn { fontscale }
            { baselineskip-size-ratio-overwritten } {#1}
        }
    \prg_break:
}
\skip_set:cn { l_fontscale_#1_baselineskip_skip }
{
    \fp_to_dim:n
    {
        \dim_to_fp:n { \use:c { l_fontscale_#1_size_dim } } *
        \l__fontscale_baselineskip_size_ratio_fp
    }
}
\prg_break_point:
}
\cs_new_protected:Npn \__fontscale_keys_process_end:
{
    \dim_compare:nF
    {
        \l_fontscale_tiny_size_dim
        < \l_fontscale_scriptsize_size_dim
        < \l_fontscale_footnotesize_size_dim
        < \l_fontscale_small_size_dim
        < \l_fontscale_normalsize_size_dim
        < \l_fontscale_large_size_dim
        < \l_fontscale_Large_size_dim
        < \l_fontscale_LARGE_size_dim
        < \l_fontscale_huge_size_dim
        < \l_fontscale_Huge_size_dim
    }
    { \msg_warning:nn { fontscale } { font-sizes-wrong-order } }
}

```

5 Document commands

% Defines the font size commands from \tiny to \Huge and initializes to
 % \normalsize. Their corresponding internal functions are not used elsewhere in
 % this package for compatibility with hooks such as
 % \AddToHook{cmd//after}{<code>}.

```

\tl_map_inline:nn
{
    {tiny} {scriptsize} {footnotesize} {small} {normalsize}
    {large} {Large} {LARGE} {huge} {Huge}
}
{
    \use:e

```

```

{
  \DeclareDocumentCommand \exp_not:c {#1} { }
  {
    \exp_not:N \mode_if_math:TF
    { \msg_error:nnn { fontsize } { math-mode-invalid } {#1} }
    { \exp_not:c { __fontscale_#1: } }
  }
}
\cs_new_protected:cpe { __fontscale_#1: }
{
  \cs_set_eq:NN \exp_not:N \@currsize \exp_not:c {#1}
  \exp_not:N \fontsize
  { \exp_not:N \dim_use:N \exp_not:c { l_fontscale_#1_size_dim } }
  {
    \exp_not:N \skip_use:N
    \exp_not:c { l_fontscale_#1_baselineskip_skip }
  }
  \exp_not:N \selectfont
}
}
\normalsize

% Defines a few user-level lengths by abusing \cs_new_eq:NN.
\cs_new_eq:NN \currentfontsize \l_fontscale_size_dim
\cs_new_eq:NN \currentfontbaselineskip \l_fontscale_baselineskip_skip
\cs_new_eq:NN \currentnormalsize \l_fontscale_normalsize_size_dim

\NewDocumentCommand \setfontsize { o m }
{
  \mode_if_math:TF
  { \msg_error:nnn { fontsize } { math-mode-invalid } { setfontsize } }
  {
    \IfNoValueTF {#1}
    { \__fontscale_set_font_size:n {#2} }
    { \__fontscale_set_font_size:nn {#2} {#1} }
  }
}

% Similar to \fontsize + \selectfont, except that it:
% (1) Takes dimen and skip expressions as arguments without appending a default
% unit of 'pt'.
% (2) Avoids the issue where \f@size is set to the new font size before the
% second argument is expanded.
% (3) Issues a user-friendly error message if the font size is invalid.
\cs_new_protected:Npn \__fontscale_set_font_size:nn #1#2
{
  \use:e
  {
    \__fontscale_set_font_size_aux:nn { \dim_eval:n {#1} }

```

```

        { \skip_eval:n {#2} }
    }
}
\cs_new_protected:Npn \__fontscale_set_font_size_aux:nn #1#2
{
    \dim_compare:nTF { \c_zero_dim < #1 < 2048pt }
    { \fontsize {#1} {#2} \selectfont }
    { \msg_error:nnn { fontscale } { font-size-invalid } {#1} }
}
% Similar to \__fontscale_set_font_size:nn, except that it sets the font
% baselineskip equal to the new font size times
% \l__fontscale_baselineskip_size_ratio_fp.
\cs_new_protected:Npn \__fontscale_set_font_size:n #1
{ \exp_args:Ne \__fontscale_set_font_size_aux:n { \dim_eval:n {#1} } }
\cs_new_protected:Npn \__fontscale_set_font_size_aux:n #1
{
    \dim_compare:nTF { \c_zero_dim < #1 < 2048pt }
    {
        \fontsize {#1}
        {
            \fp_to_dim:n
            { \dim_to_fp:n {#1} * \l__fontscale_baselineskip_size_ratio_fp }
        }
        \selectfont
    }
    { \msg_error:nnn { fontscale } { font-size-invalid } {#1} }
}

\NewDocumentCommand \stepfontsize { m }
{
    \mode_if_math:TF
    { \msg_error:nnn { fontscale } { math-mode-invalid } { stepfontsize } }
    { \__fontscale_step_font_size:n {#1} }
}
\cs_new_protected:Npn \__fontscale_step_font_size:n #1
{
    \use:e
    {
        \__fontscale_step_font_size:nn
        {
            \dim_case:nn { \l_fontscale_size_dim }
            {
                { \l_fontscale_tiny_size_dim } { 0 }
                { \l_fontscale_scriptsize_size_dim } { 1 }
                { \l_fontscale_footnotesize_size_dim } { 2 }
                { \l_fontscale_small_size_dim } { 3 }
                { \l_fontscale_normalsize_size_dim } { 4 }
                { \l_fontscale_large_size_dim } { 5 }
            }
        }
    }
}

```

```

        { \l_fontscale_Large_size_dim          } { 6 }
        { \l_fontscale_LARGE_size_dim          } { 7 }
        { \l_fontscale_huge_size_dim           } { 8 }
        { \l_fontscale_Huge_size_dim           } { 9 }
    }
}
{ \int_eval:n {#1} }
}
}
\cs_new_protected:Npn \__fontscale_step_font_size:nn #1#2
{
    \tl_if_empty:nTF {#1}
    { \msg_warning:nn { fontscale } { current-font-step-invalid } }
    {
        \int_compare:nNnTF { \int_abs:n {#2} } > 9
        { \msg_error:nnn { fontscale } { change-in-font-step-invalid } {#2} }
        {
            \int_case:nnF { #1 + #2 }
            {
                { 0 } { \tiny          }
                { 1 } { \scriptsize   }
                { 2 } { \footnotesize }
                { 3 } { \small         }
                { 4 } { \normalsize    }
                { 5 } { \large         }
                { 6 } { \Large         }
                { 7 } { \LARGE         }
                { 8 } { \huge          }
                { 9 } { \Huge          }
            }
            {
                \int_compare:nNnTF { #1 + #2 } > 9
                {
                    \msg_warning:nnn { fontscale } { font-step-too-large } {#2}
                    \Huge
                }
                {
                    \msg_warning:nnn { fontscale } { font-step-too-small } {#2}
                    \tiny
                }
            }
        }
    }
}

\NewDocumentCommand \setfontbaselineskip { m }
{
    \mode_if_math:TF

```

```

    {
      \msg_error:nnn { fontscale } { math-mode-invalid }
      { setfontbaselineskip }
    }
    { \__fontscale_set_font_baselineskip:n {#1} }
  }
\cs_new_protected:Npn \__fontscale_set_font_baselineskip:n
{ \__fontscale_set_font_size:nn { \l_fontscale_size_dim } }

\NewDocumentCommand \printsampletex { s +m }
{
  \mode_if_math:TF
  {
    \msg_error:nnn { fontscale } { math-mode-invalid } { printsampletex }
  }
  {
    \IfBooleanTF #1
    { \__fontscale_print_sample_text_descending_order:n {#2} }
    { \__fontscale_print_sample_text_ascending_order:n {#2} }
  }
}

\cs_new_protected:Npn \__fontscale_print_sample_text_ascending_order:n #1
{
  \tl_map_inline:nn
  {
    \tiny \scriptsize \footnotesize \small \normalsize
    \large \Large \LARGE \huge \Huge
  }
  { \group_begin: ##1 #1 \par \group_end: }
}

\cs_new_protected:Npn \__fontscale_print_sample_text_descending_order:n #1
{
  \tl_map_inline:nn
  {
    \Huge \huge \LARGE \Large \large
    \normalsize \small \footnotesize \scriptsize \tiny
  }
  { \group_begin: ##1 #1 \par \group_end: }
}

\NewDocumentCommand \printfontsizecommand { }
{
  \mode_if_math:TF
  {
    \msg_error:nnn { fontscale } { math-mode-invalid }
    { printfontsizecommand }
  }
  { \__fontscale_print_name: }
}

```



```

}
\cs_new_protected:Npn \__fontscale_print_name:
{
  \c_backslash_str
  \dim_case:nnF { \l_fontscale_size_dim }
  {
    { \l_fontscale_tiny_size_dim      } { tiny      }
    { \l_fontscale_scriptsize_size_dim } { scriptsize }
    { \l_fontscale_footnotesize_size_dim } { footnotesize }
    { \l_fontscale_small_size_dim      } { small      }
    { \l_fontscale_normalsize_size_dim } { normalsize }
    { \l_fontscale_large_size_dim      } { large      }
    { \l_fontscale_Large_size_dim      } { Large      }
    { \l_fontscale_LARGE_size_dim      } { LARGE \@   }
    { \l_fontscale_huge_size_dim       } { huge       }
    { \l_fontscale_Huge_size_dim       } { Huge       }
  }
  { undefined }
}

```

6 Purifying text

```

\NewExpandableDocumentCommand \__fontscale_use_none_sm:w { s m } { }
\NewExpandableDocumentCommand \__fontscale_use_none_om:w { o m } { }

\text_declare_purify_equivalent:Nn \fontscylesetup
{ \__fontscale_use_none_sm:w }
\text_declare_purify_equivalent:Nn \setfontsize { \__fontscale_use_none_om:w }
\text_declare_purify_equivalent:Nn \stepfontsize { \use_none:n }
\text_declare_purify_equivalent:Nn \setfontbaselineskip { \use_none:n }

```

7 Messages

```

\msg_new:nnn { fontscale } { math-mode-invalid }
{ '\iow_char:N \ \ #1'~ invalid~ in~ math~ mode~ \msg_line_context:. }
\msg_new:nnn { fontscale } { font-size-invalid }
{
  Invalid~ font~ size~ '#1'~ \msg_line_context:. \ \
  The~ font~ size~ must~ be~ a~ positive~ length~ and~ less~ than~ 2048pt.
}
% Messages used in \fontscylesetup.
\msg_new:nnn { fontscale } { musical-base-invalid }
{
  Invalid~ value~ '\dim_use:N \l__fontscale_musical_base_dim'~
  \msg_line_context:. \ \
}

```

```

The~ value~ of~ the~ key~ 'musical / base'~ must~ be~ a~ positive~ length~
and~ less~ than~ 2048pt.
}
\msg_new:nnn { fontscale } { musical-ratio-invalid }
{
  Invalid~ value~ '\fp_to_tl:N \l__fontscale_musical_ratio_fp'~
  \msg_line_context:. \\\
  The~ value~ of~ the~ key~ 'musical / ratio'~ must~ be~ greater~ than~ 1.
}
\msg_new:nnn { fontscale } { musical-notes-invalid }
{
  Invalid~ value~ '\int_use:N \l__fontscale_musical_notes_int'~
  \msg_line_context:. \\\
  The~ value~ of~ the~ key~ 'musical / notes'~ must~ be~ a~ positive~
  integer.
}
\msg_new:nnn { fontscale } { name-font-size-invalid }
{
  Invalid~ font~ size~ of~ \iow_char:N \\\ #1~
  '\dim_use:c { l_fontscale_#1_size_dim }'~ \msg_line_context:. \\\
  The~ font~ size~ must~ be~ a~ positive~ length~ and~ less~ than~ 2048pt.
}
\msg_new:nnn { fontscale } { size-normalsize-ratio-overwritten }
{
  The~ font~ size~ set~ by~ the~ key~ '#1 / size-normalsize-ratio'~
  has~ been~ overwritten~ by~ the~ key~ '#1 / size'~ \msg_line_context:.
}
\msg_new:nnn { fontscale } { baselineskip-size-ratio-overwritten }
{
  The~ font~ baselineskip~ set~ by~ the~ key~ '#1 / baselineskip-size-ratio'~
  has~ been~ overwritten~ by~ the~ key~ '#1 / baselineskip'~
  \msg_line_context:.
}
\msg_new:nnn { fontscale } { font-sizes-wrong-order }
{
  Some~ package~ features~ may~ not~ work~ correctly~ because~ the~ lengths~
  of~ the~ font~ sizes~ are~ not~ correctly~ ordered~ from~
  \iow_char:N \\\ tiny~ to~ \iow_char:N \\\ Huge~ \msg_line_context:. \\\
  The~ lengths~ of~ the~ font~ sizes~ are: \\\ \\\
  \iow_indent:n
  {
    \iow_char:N \\\ tiny:~ \dim_use:N \l_fontscale_tiny_size_dim \\\
    \iow_char:N \\\ scriptsize:~
    \dim_use:N \l_fontscale_scriptsize_size_dim \\\
    \iow_char:N \\\ footnotesize:~
    \dim_use:N \l_fontscale_footnotesize_size_dim \\\
    \iow_char:N \\\ small:~ \dim_use:N \l_fontscale_small_size_dim \\\
    \iow_char:N \\\ normalsize:~
    \dim_use:N \l_fontscale_normalsize_size_dim \\\

```

```

        \iow_char:N \\\ large:~ \dim_use:N \l_fontscale_large_size_dim \\\
        \iow_char:N \\\ Large:~ \dim_use:N \l_fontscale_Large_size_dim \\\
        \iow_char:N \\\ LARGE:~ \dim_use:N \l_fontscale_LARGE_size_dim \\\
        \iow_char:N \\\ huge:~ \dim_use:N \l_fontscale_huge_size_dim \\\
        \iow_char:N \\\ Huge:~ \dim_use:N \l_fontscale_Huge_size_dim
    }
}
% Messages used in \stepfontsize.
\msg_new:nnn { fontscale } { change-in-font-step-invalid }
{
    Invalid~ change~ in~ font~ step~ '#1'~ \msg_line_context:. \\\
    The~ change~ in~ font~ step~ must~ be~ an~ integer~ from~ -9~ to~ 9.
}
\msg_new:nnn { fontscale } { current-font-step-invalid }
{
    The~ font~ size~ could~ not~ be~ stepped~ \msg_line_context:. \\\
    The~ current~ font~ size~ '\dim_use:N \l_fontscale_size_dim'~
    does~ not~ equal~ the~ font~ size~ of~ any~ font~ size~ command~
    from~ \iow_char:N \\\ tiny~ to~ \iow_char:N \\\ Huge.
}
\cs_set_protected:Npn \__fontscale_tmp:nn #1#2
{
    \msg_new:nnn { fontscale } { #1 }
    {
        Using~ \iow_char:N \\\ #2~ \msg_line_context:. \\\
        The~ font~ size~ '\dim_use:N \l_fontscale_size_dim \c_space_tl
        ( \iow_char:N \\\
        \dim_case:nn { \l_fontscale_size_dim }
        {
            { \l_fontscale_tiny_size_dim } { tiny }
            { \l_fontscale_scriptsize_size_dim } { scriptsize }
            { \l_fontscale_footnotesize_size_dim } { footnotesize }
            { \l_fontscale_small_size_dim } { small }
            { \l_fontscale_normalsize_size_dim } { normalsize }
            { \l_fontscale_large_size_dim } { large }
            { \l_fontscale_Large_size_dim } { Large }
            { \l_fontscale_LARGE_size_dim } { LARGE }
            { \l_fontscale_huge_size_dim } { huge }
            { \l_fontscale_Huge_size_dim } { Huge }
        }
    )'~ cannot~ be~ changed~ by~ '##1'~ step
    \int_compare:nNnF { \int_abs:n {##1} } = 1 { s } .
    }
}
\__fontscale_tmp:nn { font-step-too-small } { tiny }
\__fontscale_tmp:nn { font-step-too-large } { Huge }

```