The scaletextbullet package

Resize the \textbullet without changing its vertical center Oliver Beery Version 1.1.0 3 February 2025

1 Loading the package

```
% LaTeX2e version 2023-11-01 added \IfExplAtLeastTF.
\NeedsTeXFormat{LaTeX2e}[2023-11-01]
\ProvidesExplPackage
    {scaletextbullet}
    {2025-02-03}
    {1.1.0}
    {Resize the \noexpand\textbullet without changing its vertical center.}

% l3kernel version 2023-10-10 added many 'e'-variants.
\IfExplAtLeastTF { 2023-10-10 } { }
    {
        \msg_new:nnn { scaletextbullet } { expl3-out-of-date }
        {
            The~ scaletextbullet~ package~ could~ not~ load.~
            This~ package~ requires~
            L3~ programming~ layer~ version~ 2023-10-10~ or~ later.
        }
      \msg_critical:nn { scaletextbullet } { expl3-out-of-date }
}
```

2 Messages

```
% \textbullet is invalid in math mode.
\msg_new:nnn { scaletextbullet } { math-mode-error }
    { '#1'~ cannot~ be~ used~ in~ math~ mode~ \msg_line_context:. }
\msg_new:nnn { scaletextbullet } { factor-out-of-bounds }
    { Invalid~ \iow_char:N \\textbullet~ factor~ '#1'~ \msg_line_context:. }
\msg_new:nnn { scaletextbullet } { scale-out-of-bounds }
    { Invalid~ scale~ factor~ '#1'~ \msg_line_context:. }
\msg_new:nnn { scaletextbullet } { count-out-of-bounds }
    { Invalid~ number~ of~ \iow_char:N \\textbullet~ '#1'~ \msg_line_context:. }
```

3 Some variables

```
% The \textbullet factor
\fp_new:N \l__scaletextbullet_factor_fp
\fp_set:Nn \l__scaletextbullet_factor_fp { 0.4 }

% Used only to speed up floating point calculations.
\fp_const:Nn \c__scaletextbullet_one_half_fp { 0.5 }
\fp_const:Nn \c__scaletextbullet_scaletextbullets_two_fp { 2 ^ -0.5 }
\fp_const:Nn \c__scaletextbullet_scaletextbullets_three_fp { 3 ^ -0.5 }

% Scratch variables
\int_new:N \l__scaletextbullet_tmp_int
\fp_new:N \l__scaletextbullet_tmp_fp
\box_new:N \l__scaletextbullet_tmp_box
```

4 Some functions

```
% Used to process user input. Sets an integer variable from an integer
% expression and removes extra trailing tokens, if any.
\cs_new_protected:Npn \__scaletextbullet_int_set_from_user:Nn #1#2
    \afterassignment \use_none_delimit_by_q_stop:w
     #1 = \numexpr #2 \relax
    \q_stop
% Argument processor
\cs_new_protected:Npn \__scaletextbullet_arg_process_int:n #1
    \group_begin:
      \__scaletextbullet_int_set_from_user:Nn \l__scaletextbullet_tmp_int {#1}
    \exp_args:NNNV \group_end:
    \tl_set:Nn \ProcessedArgument \l_scaletextbullet_tmp_int
% Lowers the \textbullet to the baseline, scales it by a factor of #2, and
% then raises it back to the vertical center.
% I have referenced code by the great egreg:
% https://tex.stackexchange.com/questions/620507/how-to-resize-textbullet-
without-the-bullet-moving-down
\dim_new:N \l__scaletextbullet_bottom_dim % bottom of \textbullet
\dim_new:N \l__scaletextbullet_center_dim % center of \textbullet
\cs_new_protected:Npn \__scaletextbullet_box_scale:Nn #1#2
  {
    \hbox_set:Nn #1 { \textbullet }
    \dim_set:Nn \l__scaletextbullet_bottom_dim
        \box_ht:N #1 -
```

```
\fp_to_dim:n
        { \l_scaletextbullet_factor_fp * \dim_to_fp:n { \box_wd:N #1 } }
   }
  \dim_set:Nn \l__scaletextbullet_center_dim
      \fp_to_dim:n
          \dim_to_fp:n { \box_ht:N #1 + \l__scaletextbullet_bottom_dim } *
          \c_scaletextbullet_one_half_fp
    }
  \hbox_set:Nn #1
      \box_move_down:nn { \l__scaletextbullet_bottom_dim } { \box_use:N #1 }
  \box_scale:Nnn #1 {#2} {#2}
  \hbox_set:Nn #1
   {
      \box_move_up:nn
          \l_scaletextbullet_center_dim -
          \fp_to_dim:n
              \dim_to_fp:n { \box_ht:N #1 } * \c__scaletextbullet_one_half_fp
            }
        { \box_use:N #1 }
   }
}
```

5 Document commands

```
\mode_if_math:TF
     {
        \msg_error:nne { scaletextbullet } { math-mode-error }
          { \token_to_str:N \ScaleTextBullet }
      { \__scaletextbullet_scaletextbullet:n {#1} }
\cs_new_protected:Npn \__scaletextbullet_scaletextbullet:n #1
    \fp_set:Nn \l_scaletextbullet_tmp_fp {#1}
    \fp_compare:nNnTF \l__scaletextbullet_tmp_fp > \c_zero_fp
        \__scaletextbullet_box_scale:Nn \l__scaletextbullet_tmp_box
          { \l_scaletextbullet_tmp_fp }
        \box_use:N \l__scaletextbullet_tmp_box
     }
        \fp_compare:nNnF \l__scaletextbullet_tmp_fp = \c_zero_fp
            \msg_error:nne { scaletextbullet } { scale-out-of-bounds }
              { \fp_use:N \l__scaletextbullet_tmp_fp }
     }
 }
\NewDocumentCommand \ScaleTextBullets
 { o >{ \_scaletextbullet_arg_process_int:n } m }
 {
    \mode_leave_vertical:
    \mode_if_math:TF
        \msg_error:nne { scaletextbullet } { math-mode-error }
          { \token_to_str:N \ScaleTextBullets }
     }
        \IfNoValueTF {#1}
          { \__scaletextbullet_scaletextbullets:n {#2} }
          { \__scaletextbullet_scaletextbullets:nn {#1} {#2} }
     }
\cs_new_protected:Npn \__scaletextbullet_scaletextbullets:n #1
    \int_set:Nn \l__scaletextbullet_tmp_int {#1}
    \int_compare:nNnTF \l__scaletextbullet_tmp_int > 0
        \int_case:nnF { \l__scaletextbullet_tmp_int }
           { 1 }
           { \fp_set_eq:NN \l_scaletextbullet_tmp_fp \c_one_fp }
```

```
{ 2 }
            {
              \fp_set_eq:NN \l__scaletextbullet_tmp_fp
                \c__scaletextbullet_scaletextbullets_two_fp
           }
            { 3 }
              \fp_set_eq:NN \l__scaletextbullet_tmp_fp
                \c_scaletextbullet_scaletextbullets_three_fp
           }
            { 4 }
              \fp_set_eq:NN \l__scaletextbullet_tmp_fp
                \c__scaletextbullet_one_half_fp
          }
          {
            \fp_set:Nn \l__scaletextbullet_tmp_fp
              { \int_use:N \l__scaletextbullet_tmp_int ^ -0.5 }
        \__scaletextbullet_box_scale: Nn \l__scaletextbullet_tmp_box
          { \l_scaletextbullet_tmp_fp }
        \prg_replicate:nn { \l_scaletextbullet_tmp_int }
          { \box_use:N \l_scaletextbullet_tmp_box }
     }
        \int_if_zero:nF { \l__scaletextbullet_tmp_int }
            \msg_error:nnV { scaletextbullet } { count-out-of-bounds }
              \l_scaletextbullet_tmp_int
     }
 }
\cs_new_protected:Npn \__scaletextbullet_scaletextbullets:nn #1#2
    \fp_set:Nn \l__scaletextbullet_tmp_fp {#1}
    \fp_compare:nNnTF \l__scaletextbullet_tmp_fp > \c_zero_fp
        \int_set:Nn \l__scaletextbullet_tmp_int {#2}
        \int_compare:nNnTF \l__scaletextbullet_tmp_int > 0
            \__scaletextbullet_box_scale: Nn \l__scaletextbullet_tmp_box
              { \l_scaletextbullet_tmp_fp }
            \prg_replicate:nn { \l_scaletextbullet_tmp_int }
              { \box_use:N \l_scaletextbullet_tmp_box }
            \int_if_zero:nF { \l__scaletextbullet_tmp_int }
```

```
\msg_error:nnV { scaletextbullet } { count-out-of-bounds }
                  \l_scaletextbullet_tmp_int
          }
     }
        \fp_compare:nNnF \l__scaletextbullet_tmp_fp = \c_zero_fp
            \msg_error:nne { scaletextbullet } { scale-out-of-bounds }
              { \fp_use:N \l_scaletextbullet_tmp_fp }
     }
  }
\NewDocumentCommand \scaletextbulletdebug { }
    \mode_leave_vertical:
    \mode_if_math:TF
     {
        \msg_error:nne { scaletextbullet } { math-mode-error }
          { \token_to_str:N \scaletextbulletdebug }
      }
      { \__scaletextbullet_debug: }
  }
% I have referenced code by the great egreg:
% https://tex.stackexchange.com/questions/620507/how-to-resize-textbullet-
without-the-bullet-moving-down
\cs_new_protected:Npn \__scaletextbullet_debug:
  {
    \int_step_inline:nn { 15 }
        \fp_set:Nn \l__scaletextbullet_tmp_fp { ##1 ^ -0.5 }
        \__scaletextbullet_box_scale:Nn \l__scaletextbullet_tmp_box
          { \l_scaletextbullet_tmp_fp }
        \box_use:N \l__scaletextbullet_tmp_box
     }
    ١,
    \group_begin:
      \dim_set:Nn \fboxrule { 0.1pt }
      \dim_zero:N \fboxsep
      \framebox
        \fp_to_dim:n
            { \l_scaletextbullet_factor_fp * \dim_to_fp:n { \width } }
        { \textbullet }
    \group_end:
```