

Using and managing BEFdata platforms

Workshop at the GFÖ 2012, Lüneburg

Karin Nadrowski

Claas Thido Pfaff

Contents

9:00 - 9:30	Getting to know each other	
9:30 - 9:50	Features BEFdata	
10:00 -	Users and projects	
11:00 -	BEFdata workbook	
12:00 -	Lunch time	
13:00 -	Manage categories	
13:30 -	Console	
14:00 -	Customize look and feel	
14:30 -	Break	
15:00 -	Backup database	
16:00 -	Update code	
16:30 - 17:00	Feedback	

Live DVD

Features BEFdata

Features BEFdata

- Upload data at primary data level from Excel 2003 workbook
- Manage naming conventions
- Manage data use through paper proposals

Welcome to the Data portal of the BEF-China project.

The data portal presents the data aggregated within the BEF-China project and makes it available to researchers as well as the interested public. For more information on the project itself, go here: www.bef-china.de

The Chinese-European DFG Research Unit "BEF China" (FOR 891) has started a new forest Biodiversity and Ecosystem Functioning (BEF) experiment in subtropical forests in China. The objective of this experiment is to analyze the influence of tree and shrub species diversity on ecosystem functioning and services in one of the most prominent diversity hotspots in the northern hemisphere. The studies are carried out in the border region between the two Chinese provinces Jiangxi and Zhejiang (Xingangshan and Gutianshan). A range of biodiversity and ecosystem variables will be measured to assess community dynamics and its relation to primary productivity, carbon and nitrogen storage, nutrient cycling, and prevention of soil erosion. In parallel, the experimental approach is combined with comparative studies in existing forests.

List of data objects

List of paper proposals

Entry to administrative backend

Data sets

Abundance of Tree and Shrub species in the Comparative Study Plots (CSP) 

Additional study plots for studying genetic diversity of *Castanopsis eyrei* 

Additional Target trees for C N measurements, SP 5 

Additional trees planted in the main experiment at the edge of the treatment plots 

BEF China Experimental Sites Google presentation 

Biomass of four tree species (*Castanea henryi*, *Quercus serrata*, *Schima suberba* and *Elaeocarpus decipiens*) as saplings in the Pilot Experiment 

Biomass of herb layer plants in the CSPs, separated into functional groups 

Blank paper proposal with comments 

Carbon (C) and Nitrogen (N) Concentration (Root, Stem, Twig, Leaf) of 8 target species in the CSPs 

Checking the raw data sheet for naming conventions, an R script 

Climate measurements in the Gutianshan Nature Reserve 

Climate measurements in the Main Experiment 

 Create new Dataset

 List Datagroups

Keywords

abundance acidity actinomycetes
additional trees aeromorphic organic
layer age class air temperature Al
allelic richness allometries altitude
AMF ancestry arbuscular mycorrhizal
fungi aspect bacteria barcode reader
basal area basal diameter base
saturation beetles BEF China BEF
China PIs BEF China projects BEF
China Projects BEF conference 2011
BEF summerschool 2011 below ground
bifurcation point biodiversity
biodiversity biomass biomass

Biomass of herb layer plants in the CSPs, separated into functional groups

USAGE RIGHTS

Data use is restricted to subproject members only. Please contact the PI and ask for usage permission.

DATASET ABSTRACT

Biomass is a proxy for assessing herb layer productivity. In contrast to most traits it is easily practicable and therefore frequently used to describe community structure. The biomass of the herb layer was included all plants that were present in the plots. The biomass of the herb layer was measured in the field at the end of the growing season. Biomass was converted to dry weight and expressed as g m⁻². Biomass was converted to dry weight and expressed as g m⁻².

DATASET DESIGN

The CSPs were established in May - June 2008 in the Gutianshan Nature Reserve as well as outside the Nature Reserve. The CSPs have a size of 30 x 30 metres and are exposed to the north. The central plot hold a size of 10 x 10 metres and is situated in the centre. Four 1 x 1 metres plots were systematically chosen positioned outwards the corners of the central plot. The herblayer, i.e. plants below one metre in height, was harvested completely within those 1 m² plots. The harvest only included aboveground biomass.

SPATIAL EXTENT

- Download (state: finished)
 - ✓ Regenerate Download
 - Download Eml
 - Add to Cart
 - Edit Metadata
 - Edit Files
 - ✓ Approve Data Columns
 - Delete

Last update

2012-08-17 12:57

Comment

Metadata *** of ***

Contact persons



Alexandra Erfmeier

Primary data level

Data columns available in the raw data part of this dataset	
location	
location	BEF research plot name
<i>Data group: BEF research plot name</i>	
Values	
1	
10	
11	
12	
13	
date	
date	Date time information
<i>Data group: Date time information</i>	
Values	
	2008-05-15T00:00:00+00:00
	2008-05-16T00:00:00+00:00
	2008-05-27T00:00:00+00:00

Primary data

- First five unique entries
 - Data columns are nested in data groups

Primary data level

biodiversity ecosystem functioning

befdatachina

Home Projects Staff Data Papers Cart Admin

Datagroup: BEF research plot name

TYPE

category

DESCRIPTION

Reasearch plots o

Datasets

- Additional Target trees for C N measurements, SP 5
- Additional study plots for studying genetic diversity of *Castanopsis eyrei*
- Biomass of herb layer plants in the CSPs, separated into functional groups
- CNS and pH analyses of soils: depth increments of 27 Comparative Study Plot
- CNS and pH analyses of soils: horizonswise from soil profiles of 27 Comparative Study Plot
- CSP Soil profile description: general site information, surface characteristics

Categories

Short	Long	Description
1	CSP01	Comparative Study Plot 01
10	CSP10	Comparative Study Plot 10
11	CSP11	Comparative Study Plot 11
12	CSP12	Comparative Study Plot 12
13	CSP13	Comparative Study Plot 13
14	CSP14	Comparative Study Plot 14
15	CSP15	Comparative Study Plot 15
16	CSP16	Comparative Study Plot 16
17	CSP17	Comparative Study Plot 17
18	CSP18	Comparative Study Plot 18

Primary data level

biodiversity ecosystem functioning
bef data china

Profile Logout

Home Projects Staff Data Papers Cart Admin

Category: 10

LONG

CSP10

DESCRIPTION

Occurrences

ID	Import Value	Columnheader	Dataset
4185865	10	CSP	Additional Target trees for C N measurements, SP 5
5124639	10	location	Biomass of herb layer plants in the CSPs, separated into functional groups
5124640	10	location	Biomass of herb layer plants in the CSPs, separated into functional groups
5124641	10	location	Biomass of herb layer plants in the CSPs, separated into functional groups

Download Sheetcells as CSV

Upload Sheetcells as CSV

Manage naming conventions

- Online
Data group and Category page
- Offline
Reworking and replacing workbooks

Manage naming conventions

biodiversity ecosystem functioning

bef data china

Home Projects Staff Data Papers Cart Admin Profile Logout

Datagroup: BEF research plot name

TYPE
category

DESCRIPTION
Research plots of the Biodiversity - Ecosystem functioning experiment (BEF-China). There are three

Merge names

- Download Categories as CSV
- Upload Categories as CSV
- List Datagroups

biodiversity ecosystem functioning

bef data china

Home Projects Staff Data Papers Cart Admin Profile Logout

Category: 10

LONG
CSP10

DESCRIPTION

Split names

- Download Sheetcells as CSV
- Upload Sheetcells as CSV
- List Datagroups

Manage naming conventions


The screenshot shows the BEFdatachina website interface. At the top, there is a navigation bar with links for Home, Projects, Staff, Data, Papers, Cart, and Admin. On the right side of the header are Profile and Logout links. Below the header, the page title is "Data sets". Under this title, there are two items listed: "Abundance of Tree and Shrub species in the Comparative Study Plots (CSP)" and "Additional study plots for studying genetic diversity of Castanopsis eyrei". To the right of these items is a sidebar with two options: "Create new Dataset" (which is circled in red) and "List Datagroups".

BEFdata workbook

The screenshot shows the BEFdatachina website interface. At the top, there is a navigation bar with links for Home, Projects, Staff, Data, Papers, Cart, and Admin. On the right side of the header are Profile and Logout links. Below the header, the page title is "Edit files of Biomass of herb layer plants in the CSPs, separated into functional groups". Under this title, there is a sub-section titled "Exchange original data workbook". Within this section, there is a file input field labeled "Choose File" with the placeholder "no file selected" and a green "Data set upload" button. This entire input area is circled in red.

The screenshot shows the BEFdatachina website interface. At the top, there is a navigation bar with links for Home, Projects, Staff, Data, Papers, Cart, and Admin. On the right side of the header are Profile and Logout links. Below the header, the page title is "Biomass of herb layer plants in the CSPs, separated into functional groups". To the right of the title is a sidebar with two options: "Download (state: finished)" (which is circled in red) and "Regenerate Download".

Manage naming conventions




The screenshot shows a spreadsheet application window with the following details:

- Title Bar:** download_15_reload herb layer biomass.x
- Toolbar:** Includes icons for file operations (New, Open, Save, Print, Cut, Copy, Paste, Find, Sort, Filter), formula tools (fx, SUM, AVERAGE, COUNT, etc.), and zoom (125%).
- Menu Bar:** Start, Layout, Tabellen, Diagramme, SmartArt, Formeln, Daten, Überprüfen.
- Cell Address:** C15
- Search Bar:** dicotyl herbs
- Table Structure:** The table has columns labeled A through F. Column A contains row numbers (1-31). Column B contains dates (e.g., 2008-05-15). Column C contains functional groups (e.g., woody, climber, monocotyl herbs, dicotyl herbs, fern, gramineae, legume). Column D contains sublocations (e.g., NE_c, NW_c, SE_c, SW_c). Column E contains biomass values (e.g., 4.827, 1.035, 2.561, 0, 4.539, 1.148, 0.078, 2.295, 0.161, 0).
- Row 15:** The row number 15 is highlighted in grey, and the value "dicotyl herbs" in column C, row 15 is highlighted with a blue selection bar.
- Bottom Navigation:** General Metadata, Acknowledgements, Columns and data groups, Categories, Raw data, and a plus sign icon.
- Red Circle:** A red circle highlights the "Raw data" tab in the bottom navigation bar.

	A	B	C	D	E	F
1	location	date	functional group	sublocation	biomass	
2		1	2008-05-15	woody	NE_c	4.827
3		1	2008-05-15	woody	NW_c	0.202000000000005
4		1	2008-05-15	woody	SE_c	1.035
5		1	2008-05-15	woody	SW_c	2.561
6		1	2008-05-15	climber	NE_c	0
7		1	2008-05-15	climber	NW_c	4.539
8		1	2008-05-15	climber	SE_c	1.148
9		1	2008-05-15	climber	SW_c	0.078
10		1	2008-05-15	monocotyl herbs	NE_c	2.295
11		1	2008-05-15	monocotyl herbs	NW_c	0
12		1	2008-05-15	monocotyl herbs	SE_c	0
13		1	2008-05-15	monocotyl herbs	SW_c	0
14		1	2008-05-15	dicotyl herbs	NE_c	0
15		1	2008-05-15	dicotyl herbs	NW_c	10.686
16		1	2008-05-15	dicotyl herbs	SE_c	1.719
17		1	2008-05-15	dicotyl herbs	SW_c	0
18		1	2008-05-15	fern	NE_c	0
19		1	2008-05-15	fern	NW_c	14.327
20		1	2008-05-15	fern	SE_c	0
21		1	2008-05-15	fern	SW_c	0
22		1	2008-05-15	gramineae	NE_c	0
23		1	2008-05-15	gramineae	NW_c	1.545
24		1	2008-05-15	gramineae	SE_c	0
25		1	2008-05-15	gramineae	SW_c	0
26		1	2008-05-15	legume	NE_c	0
27		1	2008-05-15	legume	NW_c	0
28		1	2008-05-15	legume	SE_c	0
29		1	2008-05-15	legume	SW_c	0
30		2	2008-05-16	woody	NE_c	0.161
31		2	2008-05-16	woody	NW_c	0

Manage naming conventions



The screenshot shows a Microsoft Excel spreadsheet titled "download_15_reload herb layer biomass.xls". The spreadsheet has a green header row with columns labeled: Column header, Column definition, Data type, Unit, Instrumentation, References, Keywords (comma separated), Data group title, and Data group description. Below this header, there are several rows of data. Row 2 contains: location, locationBEF res category; date, dateDate time i date(2009-07-14); functional group, functional group category; sublocation, direction of cen category; and biomass, oven-dry above number. Row 3 contains: date, date; and biomass, gram. The "Data group title" and "Data group description" columns are currently empty. The "Keywords (comma separated)" column contains: CSPs, BEF research p Reasearch plot; date, Date time infor Date time infor; herb layer, func Functional grou Functional grou; CSP subplots, Subplots within Subplots within; and biomass, produ Above-ground t Sapling individu. The "References" column is empty. The "Instrumentation" column contains: herb layer, func Functional grou Functional grou. The "Unit" column contains: gram. The "Data type" column contains: category, category, category, category, number. The "Column definition" column contains: locationBEF res category, dateDate time i date(2009-07-14), functional group category, direction of cen category, oven-dry above number. The "Column header" column contains: location, date, functional group, sublocation, biomass.

	Column header	Column definition	Data type	Unit	Instrumentation	References	Keywords (comma separated)	Data group title	Data group description
1									
2	location	locationBEF res category				CSPs	BEF research p Reasearch plot		
3	date	dateDate time i date(2009-07-14)				date	Date time infor Date time infor		
4	functional group	functional group category			herb layer, func	Functional grou	Functional grou		
5	sublocation	direction of cen category			CSP subplots	Subplots within	Subplots within		
6	biomass	oven-dry above number	gram		biomass, produ	Above-ground t	Sapling individu		
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									

Manage naming conventions

The screenshot shows a Microsoft Excel spreadsheet titled "download_15_reload herb layer biomass.". The ribbon menu includes Start, Layout, Tabellen, Diagramme, SmartArt, Formeln, Daten, and Überprüfen. The formula bar shows "A17 location". The table has columns labeled A through I. Column A is "Column header", B is "Category short", C is "Category long", and D is "Category description". Rows 1 through 23 contain data: location, Category short, Category long, Category description. Row 17 is highlighted with a blue selection border. The "Categories" tab in the ribbon is circled in red.

	Column header	Category short	Category long	Category description				
1								
2	location	1 1	CSP01	Comparative Study Plot 01				
3	location	10 10	CSP10	Comparative Study Plot 10				
4	location	11 11	CSP11	Comparative Study Plot 11				
5	location	12 12	CSP12	Comparative Study Plot 12				
6	location	13 13	CSP13	Comparative Study Plot 13				
7	location	14 14	CSP14	Comparative Study Plot 14				
8	location	15 15	CSP15	Comparative Study Plot 15				
9	location	16 16	CSP16	Comparative Study Plot 16				
10	location	17 17	CSP17	Comparative Study Plot 17				
11	location	18 18	CSP18	Comparative Study Plot 18				
12	location	19 19	CSP19	Comparative Study Plot 19				
13	location	2 2	CSP02	Comparative Study Plot 02				
14	location	20 20	CSP20	Comparative Study Plot 20				
15	location	21 21	CSP21	Comparative Study Plot 21				
16	location	22 22	CSP22	Comparative Study Plot 22				
17	location	23 23	CSP23	Comparative Study Plot 23				
18	location	24 24	CSP24	Comparative Study Plot 24				
19	location	25 25	CSP25	Comparative Study Plot 25				
20	location	26 26	CSP26	Comparative Study Plot 26				
21	location	27 27	CSP27	Comparative Study Plot 27				
22	location	3 3	CSP03	Comparative Study Plot 03				
23	location	4 4	CSP04	Comparative Study Plot 04				

Manage data use

Comparative study plot (CSP) information to be shared with all BEF-China scientists 

Competition of tree saplings -Pilot- Biomass of target saplings - biomass allocation to constituents 

Competition of tree saplings -Pilot- Biomass of target saplings - biomass allocation to strata 

Conference 2011 Program and zipped Lectures 

Corrected tree tags on the CSP trees and tree size measures from 2010. 

CSP basal area before and after the snowbreak event in 2008 

biodiversity ecosystem functioning



Home Projects Staff Data Papers  Admin

Profile Logout

Added Thickness, mass and C and N pools of the forest floor litter layer (CSPs) to cart.

litter biomass

Thickness, mass and C and N pools of the forest floor litter layer (CSPs) 

Manage data use

Dataset cart

Comparative study plot (CSP) information to be shared with all BEF-China scientists 

Thickness, mass and C and N pools of the forest floor litter layer (CSPs) 


Coarse woody debris (CWD): Collection of data on dead wood with special regard to snow break 

Tree size in the CSPs in 2008 and 2009 

CNS and pH analyses of soils:

Biomass of herb layer plants i

 Create new paper proposal
from cart



The screenshot shows the bef-data-china website interface. At the top, there is a navigation bar with links for Home, Projects, Staff, Data, Papers, Cart, and Admin. On the right side of the header, there are Profile and Logout links. Below the header, there is a section titled "Create new paper proposal". This section contains several input fields and dropdown menus. The fields include "Title" (empty), "Envisaged journal" (empty), "Envisaged date" (set to 2012-08-27), "Author" (set to Karin Nadrowski), "Corresponding" (set to Karin Nadrowski), "Senior author" (set to Christian Wirth), and "Authored by project" (set to Research unit BEF-China). To the right of these fields is a dashed-line box containing the text "Main Proponent List" and the note "(Main proponents are those authors, that contribute major aspects to the analysis.)". Inside this box is a "Select Member" dropdown menu. At the bottom of the page, there is a large text area labeled "Rationale" with a placeholder text "Please enter rationale here".

Manage data use

biodiversity ecosystem functioning

bef data china

Home Projects Staff Data Papers Cart Admin

Global Mini Proposal Information

Title	Workflow on carbon stock analys
Initial title	Workflow on carbon stock analys
Envisaged journal	PLoS ONE
Envisaged date	2012 December 27
Author	Claas-Thido Pfaff
Corresponding	Claas-Thido Pfaff
Senior author	Karin Nadrowski
Authored by project	Z2e Integrated data management and synthesis
Rationale	On an exemplary analysis of the carbon stocks of the comparative study sites along the diversity and successional age gradient, we perform an meta analysis on the workflow itself. We define number, complexity, and purpose of workflow steps and discuss this in the light of automating workflows and integrating knowledge

biodiversity ecosystem functioning

bef data china

Home Projects Staff Data Papers Cart Admin

Root mycorrhizal fungi in the CSPs [edit](#)

RATIONAL

Original question was: - root mycorrhizal fungi along a successional gradient The question is, if we change the focus, to avoid overlap with Chen Guo. The idea is that we take the soil microbial activity and biomass information by spec move the focus to functionality, compare it with lipid fractions

Current Board State is: final

Its allowed to download files, present now list of download actions

[CSP microclimate data](#)

[Comparative study plot \(CSP\) information to be shared with all BEF-China scientists](#)

[Soil lipid biomass and relative abundance from 12 CSPs, overview](#)

[Soil lipid biomass and relative abundance from 12 CSPs, individual lipid fractions](#)

Manage data use

biodiversity ecosystem functioning



[Home](#) [Projects](#) [Staff](#) [Data](#) [Papers](#) [Cart](#) [Admin](#)

[Profile](#) [Logout](#)

Paper Proposals

Published

- [Schuldt, A., Zhou, H., Assmann, T. \(2009\): Integrating highly diverse invertebrates into broad-scale analyses of cross-taxon congruence across the Palaearctic. doi:10.1111/j.1600-0587.2009.05973.x. Palaearctic. Ecography.](#)
- [Bachmann, D., Both, S., Bruelheide, H., Ding, B., Gao, M., Härdtle, W., Scherer-Lorenzen, M., Erfmeier, A. \(2010\): Functional trait similarity of native and invasive herb species in subtropical China - environment-specific differences are the key. Experimental and Environmental Botany.](#)
- [Bauhus, J. \(2010\): Near-Infrared Reflectance Spectroscopy to predict species composition in tree fine-root mixtures. doi:10.1007/s11104-010-0325-2. Plant and Soil .](#)
- [Bauhus, J., Scherer-Lorenzen, M. \(2010\): The influence of mixed species tree plantations on the nutrition of individual species: a review. doi:10.1093/treephys/tpq035. Tree Physiology.](#)
- [Geißler, C., Kühn, P., Shi, X., Scholten, T. \(2010\): Estimation of throughfall erosivity in a highly diverse forest ecosystem using sand-filled splash cups. doi:10.1007/s12583-010-0132-y . Journal of Earth Science.](#)
- [Lang, A., Bruelheide, H., Geißler, C., Härdtle, W., Nadrowski, K., Schuldt, A., Yu, M., von Oheimb, G. \(2010\): Tree morphology responds to neighbourhood competition and slope in species-rich tropical forests. doi:10.1007/s12583-010-0135-9. Journal of Earth Science.](#)

[Create new Paperproposal](#)

Manage data use

biodiversity ecosystem functioning

bef-data-china

Profile Logout

Home Projects Staff Data Papers Cart Admin



Jessica Gutknecht

Phone: + 49 (0) 345-558 5255
Email: jessica.gutknecht@ufz.de
Url: <http://www.ufz.de/index.php?de=18165>

Datasets

Laboratories introduction, rules, forms, log files 

Soil lipid biomass and relative abundance from 12 CSPs, individual lipid fractions 
I'm not sure how to name the PLFA methods, there should be more information on how the data was obtained and how it can be interpreted. What does the abundance mean? Isn't it a biomass measure? Can the abundance matrix be used for community composition and diversity indices?

Soil lipid biomass and relative abundance from 12 CSPs, overview 
Project short name must come from portal -- I removed the lipid data from this dataset to put it in the

Projects

SP13e Biomass and activity of the soil microbial community as a function of biodiversity and erosion potential in subtropical forests (Principal investigator)
New Integrated Litter Experiment (2nd Principal investigator)

Manage data use

Paper proposal submissions

PUBLISHED

Wu, Y., T., Both, S., Böhnke, M., Geißler, C., Gutknecht, J., Kühn, P., Nadrowski, K., Scholten, T., Wubet, T., Buscot, F. (2012): Relationships between soil microorganisms, plant communities and soil characteristics in Chines subtropical forests. doi 10.1007/s10021-012-9533-3. *Ecosystems* (10021_2012_9533).

IN PREPARATION

He, L., Buscot, F., Guo, L., Gutknecht, J., Nadrowski, K., Pietsch, K., Wirth, C., Wu, Y., T., Wubet, T., Liang, Y.: Root mycorrhizal fungi in the CSPs.

Wu, Y., T., Buscot, F., Gutknecht, J., Kühn, P., Trogisch, S., Wubet, T.: Forest age and plant community features influence diversity and structure of the soil fungal community in a Chinese subtropical forest.


Users and Projects

Live DVD

- Start the Live DVD
- Enable Internet connection

Start Platform

- Open Rubymine
- Start the development server



- Open browser at localhost:3000


Add Users

- Project “Diversity”
 - PI is Carly Peterson
 - Student is Rebecca Smith
 - Login: admin pw:test

Projects Staff Data Papers Cart Admin

ssful!

e to the Data portal of the BEF-China p


[Frontend](#) [Datasets](#) [Users](#) [Projects](#) [Datagroups](#) [Datacolumns](#) [Keywords](#) [Categories](#) [Freeformats](#) [Paperproposal](#)

Users


Id	Avatar	Firstname	Lastname	Roles without objects	Roles with objects	Edit	Show
				admin	owner of Dataset with id: 1		
1		Admin	Admin			Edit	Show


1 Found

Create User

Firstname	<input type="text" value="Carly"/>
Middle names	<input type="text"/>
Lastname	<input type="text" value="Peterson"/>
Salutation	<input type="text"/>
Login	<input type="text" value="cpeterson"/>
New Password (Leave this blank to keep old password)	<input type="password" value="*****"/>

Url	<input type="text"/>
Email	<input type="text" value="peterson@some.university.exp"/>
Institution name	<input type="text"/>





Admin
- edit all files
- add users
- add projects

Avatar
- add a picture
of the user

Saves
the user

Data admin
- download all files
- edit categories in primary data

Project board
- approves paper proposals
- sees metadata quality comments

Users

Search Create New

Id	Avatar	Firstname	Lastname	▲ Roles without objects	Roles with objects	Edit	Delete	Show
2		Carly	Peterson			Edit	Delete	Show
1		Admin	Admin	admin	owner of Dataset with id: 1	Edit	Show	

3 Found

Firstname

Rebecca

MiddleNames

Lastname

Smith

Salutation

Login

rsmith

New Password
(Leave this blank to keep old password)

New Password Confirmation

Email

smith@some.university.exp

Users

Search Create New

Id	Avatar	Firstname	Lastname	▲ Roles without objects	Roles with objects	Edit	Delete	Show
3		Rebecca	Smith			Edit	Delete	Show
2		Carly	Peterson			Edit	Delete	Show
1		Admin	Admin	admin	owner of Dataset with id: 1	Edit	Show	

3 Found



Add Project

- Project “Diversity”, shortcut “sp01 diversity”

File Edit View History Bookmarks Tools Help

BEF-China Admin: datasets - index Evernote Web

localhost:3000/admin/datasets

Frontend Datasets Users **Project** Datagroups

DataSets

Id	Title	Filename
1	How to fill a BEFdata Workbook	befdata_workb

1 Found

Frontend Datasets Users Projects **Datagroups** Datacolumns Keywords Categories Freeformats Paperproposal

Projects

Search Create New

Id	Shortname	Name
		No Entries

Projects

Create Project

Shortname

Name

Description

Comment

Accepted roles (Hide)

Name	Users
pi	Admin Admin Carly Peterson Rebecca Smith
co-pi	
postdoc	
phd student	
student	
technician	

Create Another Role | - select - Add Existing

Create **Cancel**



Role	User
phd student	Admin Admin Carly Peterson Rebecca Smith

Create Another Role | - select - Add Existing



Projects			Search	Create New
Id	Shortname	Name		
1	sp01 diversity	Tree diversity in subtropical forests	Edit	Delete
1 Found				

EXPLORE



Frontend Datasets Users Projects Datagr

Projects

Id	Shortname	Name
1	sp01 diversity	Tree div

1 Found

biodiversity ecosystem functioning

bef data china


Home Projects Staff Data P

Welcome to the Data po

The data portal presents the data aggregate information on the project itself, go here: [www.befchina.org/projects/1](#)

Projects

Tree diversity in subtropical forests



biodiversity ecosystem functioning

bef data china

Home Projects Staff Data Papers Cart Admin Profile Logo

Tree diversity in subtropical forests (sp01 diversity)

We are interested in how diversity emerges in subtropical forests

Carly Peterson
(Principal investigator)

Rebecca Smith
(PhD student)

DIVERSITY

localhost:3000/users/2-Carly_Peterson

You are currently working under development environment.

biodiversity ecosystem functioning

befdatachina

Profile Logou

Home Projects Staff Data Papers Cart Admin



Carly Peterson

Projects

Tree diversity in subtropical forests
(Principle investigator)

Data base

~/Desktop/befdata/config/database.yml

The screenshot shows a desktop environment with several windows open. In the top right corner, the pgAdmin III application is running, displaying a 'New Server Registration' dialog. The dialog contains fields for 'Name' (localhost), 'Host' (localhost), 'Port' (5432), 'Service' (Maintenance DB), 'Username' (teamcity), and 'Password' (redacted). A red arrow points from the 'teamcity' entry in the pgAdmin dialog to the 'username' section in the database configuration file. Another red arrow points from the 'test_database_teamcity' entry in the database configuration file to the 'password' section in the pgAdmin dialog. The pgAdmin interface also includes tabs for 'Properties', 'SSL', and 'Advanced'. In the bottom left, a terminal window shows the contents of the database configuration file, with the 'teamcity' and 'test_database_teamcity' entries circled in red. The terminal window title is 'Ruby'.

pgAdmin III

New Server Registration

Name: localhost

Host: localhost

Port: 5432

Service: Maintenance DB

Username: teamcity

Password: [REDACTED]

Store password:

Colour: [Color swatch]

Group: Servers

OK Cancel

Retrieving details on server...

File Edit Plugins View Tools Help

Object browser

Server Groups

Properties SSL Advanced

#production:
adapter: postgresql
host:
port: 5432
encoding: unicode
database:
pool: 5
username:
password:

#Unfortunately rails rake test does a
#so we have to define this and on team
#running tests without RAILS_ENV=test
development:
adapter: postgresql
host: localhost
port: 5432
encoding: unicode
database: teamcity_befdata_dev
pool: 5
username: teamcity
password: test_database_teamcity

Warning: The database defined as "te
database.yml

~/Desktop/befdata : ruby

Data base

The screenshot displays the pgAdmin III interface, a popular PostgreSQL management tool. The top navigation bar includes File, Edit, Plugins, View, Tools, and Help. The toolbar features icons for connection management, schema browser, file operations, and SQL editor.

The main window is divided into several panes:

- Object browser (left):** Shows the database structure:
 - Postgres
 - teamcity_befdata_dev (selected)
 - Catalogs (2)
 - Extensions (1)
 - Schemas (1)
 - public
 - Collations (0)
 - Domains (0)
 - FTS Configuration
 - FTS Dictionaries
- Object browser (center):** Shows the table structure for the selected database:
 - FreeFormats
 - import_categories
 - paperproposal_votes
 - paperproposals
 - projects
 - projects_roles
 - roles
 - roles_users
 - schema_migrations
 - sheetcells
 - taggings
 - tags
 - users

Trigger Functions (0)
- Edit Data (right):** A table titled "Edit Data - localhost (localhost:5432) - pgAdmin III" showing user data:

	id [PK] serial	login character varying	email character varying	crypt character varying
1	1	admin	em@i.ls	1d7
2	2	cpeters	petersor	c90
3	3	rsmith	smith@sc	4c4
*				

A red circle highlights the "Tables" icon in the Object browser toolbar, and a red arrow points from it to the "users" table in the center Object browser pane. Another red circle highlights the "cpeters" row in the Edit Data table.

Exercise

- Add new users and project and inspect the database


12	Project	sp03 traits
13		
14	Data set owners	
15	Given Name	David
16	Surname	LeBrun
17	e-mail	Helge Tinner
18		

- Check out how adding avatars change look and feel!

BEFdata workbook

Two example workbooks

- Plot diversity
- Wood density



Plot diversity

- Check out the dataset!
- General metadata
- Acknowledgements
- Data groups
- Categories
- Primary data

Befdata Live from DVD (Snapshot 1) [Running] - Oracle VM VirtualBox	
Machine View Devices Help	
File Edit View Insert Format Tools Data Window Help	
B16	Arial 11 B i U E
3	Title: Title of this piece of raw data.
4	Plot diversity
5	
6	Abstract: Abstract for this piece of raw data. Short introduction and background and the scientific question, short site, data information. Working circumstances during data acqu
7	Shannon diversity of the study plots
8	
9	Additional comments on this data set
10	In the original data, the plots are named differently from the ones in this dataset.

Plot diversity

- How many plots?
- What is displayed?
- Which plot has highest diversity?

Upload plot diversity

The screenshot shows two pages of the BEF-data-china Data portal. The top page is the main Data portal landing page, and the bottom page is a specific dataset creation page.


Main Data Portal Landing Page:

- Header: biodiversity ecosystem functioning, befdatrchina
- Navigation: Home, Projects, Staff, **Data**, Papers, Cart, Admin
- Section: Welcome to the Data portal of the BEF-C
- Sub-section: The data information
- Content: A green bar graph representing data, a 'Profile' button, and a sidebar with 'Create new Dataset' (circled in red), 'List Datagroups', and 'Keywords'.

Create a new dataset page:

- Header: biodiversity ecosystem functioning, befdatrchina
- Navigation: Home, Projects, Staff, Data, Papers, Cart, Admin
- Section: Create a new dataset page
- Content:
 - Option A: Create from Excel workbook** (circled in red)
 - All data and metadata is imported automatically from the workbook including metadata and the underlying Excel workbook can be cl
 - Need Help?** If you want to create your own workbook for upload from scratch you can download the [empty excel template file](#). Documentation and examples can be found [here](#).
 - EXCEL WORKBOOK**: A file input field labeled 'Browse...' and a 'Submit' button (circled in red).

Choose file



Need Help? If you want to create your own workbook for upload from scratch you can download the [empty excel template file](#). Documentation and examples can be found [here](#).

EXCEL WORKBOOK

/home/befdata/Desktop/befdat [Browse...](#)

[Submit](#)

General metadata

Owners

Select Member ▾

 Rebecca Smith

 Admin Admin

 Carly Peterson

Remove Admin from owners

ACCESS RIGHTS

Check the box below to enable all members on the site (logged in members) or the interested readers of the page) to download the metadata, data (if applicable), and attached files of your dataset.

Free for public

Check the box below to allow logged in members of all projects to download the metadata, data (if applicable), and attached files of your dataset.

Free for members

Download rights:
default: only owner
public: anybody
members: logged in users
project: users associated to owning project

General metadata

staff pages.

Comment

In the original data, the plots are named differently from the density file.

- admin
- owner
- project PI
- project board



Deutsche

UNIVERSITÄT LEIPZIG



General metadata uploaded

The screenshot shows a web application interface for 'bef-data-china'. At the top, there's a navigation bar with links for Home, Projects, Staff, Data, Papers, Cart, Admin, Profile, and Logout. Below the navigation, the title 'Plot diversity' is displayed under a 'DATASET ABSTRACT' section. The abstract describes 'Shannon diversity of the study plots'. A large gray box contains the text 'Data columns available in the raw data part of this dataset'. Under this box, there's a 'plot' section with a detailed description of the CSP (Comparative Study Plots) in the Nature ReserveBEF research plot name. To the right of this main content area, there's a sidebar with several download options: 'Download (state:)', 'Regenerate Download', 'Download Eml', 'Add to Cart', 'Edit Metadata', 'Edit Files', and 'Approve Data Columns'. The 'Approve Data Columns' option is circled in red.

- Reload page if download state is empty
- Background worker always generates downloads
- No data added yet
- Approve data columns

Approve columns

Approve Plot diversity

We have sufficient information to automatically approve the following 2 columns:

Approve all

Click on the column name below to approve the column attributes.

plot diversity

APPROVE THE DATA GROUP

- Batch approval if datatype is filled out
- Red color: not approved yet
- Orange color: invalid values present
- Green color: everything validated

Approve Plot diversity

Click on the column name below to approve the column attributes.

plot diversity

APPROVE INVALID VALUES

- Plot names were not defined

Approve columns: alternatives

- Download, provide category description, re-upload dataset
- Accept categories as is
- Modify categories on the approval page

plot 8

plot 9

plot 9

Approve

The invalid values have been successfully approved

Approve Plot diversity

Click on the column name below to approve the column attributes.

plot diversity

Data columns available in the raw data part of this dataset

plot

name of the CSP in the Nature ReserveBEF research plot nameResearch plots of the Biodiversity - Ecosystem functioning experiment (BEF-China). There are three main sites for research plots in the BEF Experiment: Comparative Study Plots (CSP) in the

diversity

short: shdiversity

Data group: *Taxonomic biodiversity*

Values

0.05297216892635759

biodiversity ecosystem functioning

befedatachina

Home Projects Staff Data Papers Cart Admin

Datagroup: BEF research plot name

TYPE

category

Datasets

Plot diversity

Categories

Short ▾ Long ▾ Description ▾

plot 1	plot 1	plot 1
plot 10	plot 10	plot 10

Exercise

- Check out changes in the database: datasets, categories, sheetcells
- Upload the other dataset
- What happens in with the categories of the “research plots” Datagroup?

Manage catagories

Inspect categories

biodiversity ecosystem functioning

beftodatachina

Profile Logout

Home Projects Staff Data Papers Cart Admin

Data sets

How to fill a BEFdata Workbook 

Plot diversity 

Wood density of tree species 

-  Create new Dataset
-  List Datagroups

Keywords

biodiversity branch CSPs
shannon diversity species stem
tree individual wood density



Inspect categories

biodiversity ecosystem functioning

bef data china

Profile Logout

Home Projects Staff Data Papers Cart Admin

Datagroups

Title	Type	Description
BEF research plot name	category	<p>Research plots of the Biodiversity - Ecosystem functioning experiment (BEF-China). There are three main sites for research plots in the BEF Experiment: Comparative Study Plots (CSP) in the Gutianshan Nature Reserve, having a size of 30x30m^2, measured on the ground. Main Experiment plots have a size of 1 mu, which is about 25x25m^2 in horizontal projection. Pilot Study Plots have a size of 1x1 m^2. Research plots on the main experiment have a "p" in front of their IDs and then a 6 digit code: Plots in the main sites A and B are named according to their position in the original spreadsheet, in which they were designed. They consist of 6 digits: _1st digit_: Site (1:A, 2:B), _digit 2and3_: southwards row: as in spreadsheets the rows are named from the top to the bottom; _digit 4 and 5_: westward column: as in the original spreadsheet, but the letters are converted to numbers (A=01, B=02); _6th digit_: indicator, if the plot has been shifted a quarter mu. Example: "p205260": "p" means that this is a plot that is specified. "2" means, that we are at site B. Now the coordinates of the south - west corner: "0526". Since "e" is the fifth letter of the alphabet, this is Plot E26. The last digit "0" means that this plot was not moved by a quarter of a Mu, as some sites in Site A. The 6th digit can also indicate the subplot within the plot. "5", "6", "7", "8" indicate the northwest, northeast, southeast, and southwest quarter plot respectively.</p>
CSP tree tag number	category	<p>CSP tree individuals were marked mostly with metal tags but also additional tags were used. Very few metal tag numbers were double across CSPs. For a unique ID across CSPs see the Data Group "Tree identifier for trees in the comparative study sites". Other projects might have used non metal tags with custom numbers. E. g., white tags might hold numbers defined for additional</p>

Inspect categories

Datasets

Plot diversity 

Wood density of tree species 

Categories

	Short	Long	Description
1	CSP01	Comparative Study Plot 01	
10	CSP10	Comparative Study Plot 10	
11	CSP11	Comparative Study Plot 11	
12	CSP12	Comparative Study Plot 12	
13	CSP13	Comparative Study Plot 13	
...

6	CSP06	Comparative Study Plot 06
7	CSP07	Comparative Study Plot 07
8	CSP08	Comparative Study Plot 08
9	CSP09	Comparative Study Plot 09
plot 1	plot 1	plot 1
plot 10	plot 10	plot 10
plot 11	plot 11	plot 11
plot 12	plot 12	plot 12
plot 13	plot 13	plot 13
plot 14	plot 14	plot 14
plot 15	plot 15	plot 15

Download catagories

biodiversity ecosystem functioning

bef data china

Profile Logout

Home Projects Staff Data Papers Cart Admin

Datagroup: BEF research plot name


TYPE

category

DESCRIPTION

Reasearch plots of the Biodiversity - Ecosystem functioning experiment (BEF-China). There are three main sites for research plots in the BEF Experiment: Comparative Study Plots (CSP) in the Gutianshan Nature Reserve, having a size of 30x30m², measured on the ground. Main Experiment plots have a size of 1 mu, which is about 25x25m² in horizontal projection. Pilot Study Plots have a size of 1x1 m².Research plots on the main experiment have a "p" in front of their IDs and then a 6 digit code: Plots in the main sites A and B are named according to their position in the original spreadsheet, in which they

- [Download Categories as CSV](#)
- [Upload Categories as CSV](#)
- [List Datagroups](#)



Manipulate categories

Downloads – Dolphin

Find Preview

Home Network Root Trash 5.5 GiB H...

> Home > Downloads

BEF research plot name_categories.csv

Text Import - [BEF%20research%20plot%20name_categories.csv]

Import

Character set: Unicode (UTF-8)

Language: Default - English (USA)

From row: 1

Separator options:

- Fixed width
- Separated by
 - Tab
 - Semicolon
 - Comma
 - Space
- Merge delimiters

Text delimiter: "

Other options:

- Quoted Field as text
- Detect special numbers

Fields


Column type:

	Standard	Standard	Standard	Standard	Standard
1	ID	SHORT	LONG	DESCRIPTION	MERGE ID
2	584	1	CSP01	Comparative Study Plot 01	
3	578	10	CSP10	Comparative Study Plot 10	
4	581	11	CSP11	Comparative Study Plot 11	
5	585	12	CSP12	Comparative Study Plot 12	
6	595	13	CSP13	Comparative Study Plot 13	
7	Enn	te	csp1c	Comparative Study Plot 1c	

Manipulate categories

	A	B	C	D	E
1	ID	SHORT	LONG	DESCRIPTION	MERGE ID
2	584		1	CSP01 Comparative Study Plot 01	
3	578		10	CSP10 Comparative Study Plot 10	
4	581		11	CSP11 Comparative Study Plot 11	
5	585		12	CSP12 Comparative Study Plot 12	
6	595		13	CSP13 Comparative Study Plot 13	
7	599		16	CSP16 Comparative Study Plot 16	
8	596		17	CSP17 Comparative Study Plot 17	
9	593		18	CSP18 Comparative Study Plot 18	
10	597		19	CSP19 Comparative Study Plot 19	
11	591		2	CSP02 Comparative Study Plot 02	
12	586		20	CSP20 Comparative Study Plot 20	
13	588		21	CSP21 Comparative Study Plot 21	
14	601		22	CSP22 Comparative Study Plot 22	
15	590		23	CSP23 Comparative Study Plot 23	
16	579		24	CSP24 Comparative Study Plot 24	
17	583		25	CSP25 Comparative Study Plot 25	
18	589		26	CSP26 Comparative Study Plot 26	
19	577		27	CSP27 Comparative Study Plot 27	
20	582		3	CSP03 Comparative Study Plot 03	
21	594		4	CSP04 Comparative Study Plot 04	
22	587		5	CSP05 Comparative Study Plot 05	
23	598		6	CSP06 Comparative Study Plot 06	
24	592		7	CSP07 Comparative Study Plot 07	
25	600		8	CSP08 Comparative Study Plot 08	
26	580		9	CSP09 Comparative Study Plot 09	
27	4 plot 1	plot 1	plot 1		584
28	5 plot 10	plot 10	plot 10		578
29	6 plot 11	plot 11	plot 11		581
30	7 plot 12	plot 12	plot 12		585
31	8 plot 13	plot 13	plot 13		595

Re-upload updated file



Update categories of BEF research plot name

Upload CSV with altered categories

[Browse...](#)

[File upload](#)

Categories successfully updated

Datagroup: BEF research plot name

TYPE
category

DESCRIPTION

- [Download Categories as CSV](#)
- [Upload Categories as CSV](#)
- [List Datagroups](#)

Inspect categories

	Short	Long	Description	Changed
1	CSP01	Comparative Study Plot 01	m	
10	CSP10	Comparative Study Plot 10	m	
11	CSP11	Comparative Study Plot 11	m	
12	CSP12	Comparative Study Plot 12	m	
13	CSP13	Comparative Study Plot 13	m	
16	CSP16	Comparative Study Plot 16	m	
17	CSP17	Comparative Study Plot 17	m	
18	CSP18	Comparative Study Plot 18	m	
19	CSP19	Comparative Study Plot 19	m	
2	CSP02	Comparative Study Plot 02	m	

Inspect categories

biodiversity ecosystem functioning

bef data china

Profile Logout

Home Projects Staff Data Papers Cart Admin

Category: 1

LONG
CSP01

DESCRIPTION

Comparative Study Plot 01

COMMENT

Wood density of tree species Merged 4 via CVS by Admin, 2012-08-30 14:40:5

DATAGROUP

BEF research plot name

Occurrences

Sheetcells keep original value

Download Sheetcells as CSV
Upload Sheetcells as CSV
List Datagroups



ID	Import Value	Columnheader	Dataset
3	plot 1	plot	Plot diversity
1167	1	csp	Wood density of tree species
1185	1	csp	Wood density of tree species
1263	1	csp	Wood density of tree species
1285	1	csp	Wood density of tree species

Exercise

- Rename sites to a consistent naming schema
- Inspect the changes in the database
 - sheetcells
 - categories
- Fix the species names
- Split a category in two categories

Console

Start rails console



This is plain ruby

A screenshot of a Ruby development environment. The top window is a terminal titled "Rails console: befdata" with the command: /home/befdata/.rvm/rubies/ruby-1.9.3-p194/bin/ruby -e \$stdout.sync=true;\$stderr.sync=true;load(\$0=ARGV.shift) >> Dataset.find 1. The bottom window is a code editor showing the same code and some additional output: Loading development environment (Rails 3.0.13). Switch to inspect mode. #<Dataset id: 1, title: "How to fill a BEFdata Workbook", abstract: "The BEFdata portal allows to import rese. The code editor has a toolbar with icons for Run, Favorites, and Event Log.

A screenshot of a Ruby development environment. The top window is a terminal titled "Rails console: befdata" with the command: /home/befdata/.rvm/rubies/ruby-1.9.3-p194/bin/ruby -e \$stdout.sync=true;\$stderr.sync=true;load(\$0=ARGV.shift) >> Dataset.find 1. The bottom window is a code editor showing the same code and some additional output: Loading development environment (Rails 3.0.13). Switch to inspect mode. #<Dataset id: 1, title: "How to fill a BEFdata Workbook", abstract: "The BEFdata portal allows to import rese. The code editor has a toolbar with icons for Run, Favorites, and Event Log.

Exercise

- Try out Ruby commands with your objects
- <http://www.ruby-lang.org/en/>
- Rename Users
- Rename Datasets

Inspect relations

The screenshot shows the JetBrains RubyMine 4.0.3 IDE interface. The title bar indicates the project is 'befdata' at path '~/Desktop/befdata' and the file is 'app/models/dataset.rb'. The menu bar includes File, Edit, View, Navigate, Code, Refactor, Run, Tools, VCS, Window, and Help. The toolbar has various icons for navigation and code manipulation. The left sidebar shows the 'Project' view with a tree structure of files and folders under 'Rails' and 'befdata'. The main editor window displays the 'dataset.rb' file with several 'has_many' associations highlighted in purple. A red circle highlights the tab bar where 'dataset.rb' is selected. The bottom left shows a 'Run' history with a circled entry for 'User.find(1)'. The bottom right shows status bars for 'Event Log', 'Changes', 'TODO', and 'Run'.

```
has_many :datacolumns, :dependent => :destroy, :order => "columnnr"
has_many :sheetcells, :through => :datacolumns

has_many :freeformats, :as => :freeformattable, :dependent => :dest
has_many :dataset_downloads

has_and_belongs_to_many :projects
```

```
>> User.find(1)
User.find(1)
X <User id: 1, login: "admin", email: "emgi.ls", encrypted_password: "1d7e789b7d9f7e89687d3d2ea1480e06e33e88e43d
>> Dataset.find(1).datacolumns
Dataset.find(1).datacolumns
[#<Datacolumn id: 1, datagroup_id: 1, dataset_id: 1, columnheader: "cat", columnnr: 1, definition: "example o
>>
```

Go through Rails models

The screenshot shows the JetBrains RubyMine 4.0.3 IDE interface. The title bar indicates the project is 'befdata' at '~/Desktop/befdata' and the current file is 'datagroup.rb'. The menu bar includes File, Edit, View, Navigate, Code, Refactor, Run, Tools, VCS, Window, and Help. The toolbar contains various icons for file operations like Open, Save, Find, and Run.

The left sidebar shows the 'Project' view with a tree structure of files: Category, Categorystatus, Datacolumn, Datasource, and Datagroup. The 'Datagroup' node is circled in red. Below it are categories for Datacolumns and Categories. The 'Structure' and 'Favorites' panels are also visible.

The main editor area displays the 'datagroup.rb' file content:

```
## A "Category" must belong to a "Datagroup" and will be unique within that "Da
require 'csv'

class Datagroup < ActiveRecord::Base
  has_many :datacolumns
  has_many :categories, :dependent => :destroy
  acts_as_taggable
end
```

The code editor has syntax highlighting for Ruby and Active Record. The 'Run' tab at the bottom shows a command to run the Rails console: 'Rails console: befdata'. The 'Favorites' panel on the left has two items: 'Dataset.find(1).datacolumns' and 'Datagroup.find(:all)'. The 'Favorites' item 'Datagroup.find(:all)' is also circled in red.

Rubymine gives hints

A screenshot of the Rubymine IDE interface. The top navigation bar shows the path: File > Settings > Editor > General > Code Completion. The main code editor window contains the following code:

```
>> Datagroup.find_by_
```

The code completion dropdown menu is open, listing various methods starting with 'find_by_'. The methods listed are:

- find_by_
- find_by_comment
- find_by_created_at
- find_by_description
- find_by_informationsource
- find_by_instrumentation
- find_by_methodvaluetype
- find_by_sql(sql)
- find_by_title
- find_by_type_id

The method 'find_by_title' is highlighted in green. Below the code editor, the status bar shows:

category 4: Run 6: TODO 8: Version Control 9: Changes

The bottom status bar shows the current file path: Datagroup > Datagroup > schema.rb.

A screenshot of the Rubymine IDE interface. The top navigation bar shows the path: File > Settings > Editor > General > Code Completion. The main code editor window contains the following code:

```
>> Datagroup.find_by_title("BEF research plot name").c
```

The code completion dropdown menu is open, listing various attributes of the Datagroup object. The listed attributes are:

- categories
- comment
- comment=
- created_at
- created_at=
- cart_path
- cart_url
- carts_path

The attribute 'categories' is highlighted in green. Below the code editor, the status bar shows:

category 4: Run 6: TODO 8: Version Control 9: Changes

The bottom status bar shows the current file path: Datagroup > Datagroup > schema.rb.

Exercise

- How many categories does the species data group have?
- Print a list of the e-mail addresses of dataset owners on the screen.

Customization

Check out our Wiki

- <https://github.com/befdata/befdata/wiki/Configuring-your-own-BEFdata-instance>

configuration.yml

First you need to change the name of the layout to make the software use your customisations instead of the default. To do this you need to have a configuration.yml

```
cp config/configuration.yml.dist config/configuration.yml
```

For the rest of this tutorial we will assume your project is called 'fundiv'. Now change the new file like so:

```
site:  
  #set layout to use one different than standard befdata  
  layout: 'fundiv'  
  
  ...
```

Check out our Wiki

Create nessecary files

If you do this by commandline you should set your project name to a variable so you can copy and paste the next steps if you are in the application root, e.g.

```
PROJECT=fundiv
```

Now create a folder of your project name for your pages e.g.

```
mkdir app/views/pages/$PROJECT here you need to have the following four files
```


```
touch app/views/pages/$PROJECT/_footer.html.haml  
touch app/views/pages/$PROJECT/_head.html.haml  
touch app/views/pages/$PROJECT/_home.html.haml  
touch app/views/pages/$PROJECT/_imprint.html.haml
```

If you need to change colors or want to customize the appearence otherwise you can create your own stylesheet.

```
touch public/stylesheets/$PROJECT.css
```

Apply the fundiv layout

Uncomment this



The screenshot shows the JetBrains RubyMine IDE interface. The title bar reads "berdata [~/Desktop/befdata] - .../config/configuration.yml - JetBrains RubyMine 4.0.3". The menu bar includes File, Edit, View, Navigate, Code, Refactor, Run, Tools, VCS, Window, and Help. The toolbar has various icons for file operations. The left sidebar shows a project structure under "Rails": "Config" folder containing "environments", "initializers", "locales", "application.rb", "boot.rb", "configuration.yml" (which is selected), "configuration.yml.dist", and "database.yml". The main editor window displays the "configuration.yml" file with the following content:

```
site:
#set layout to use one different than standard befdata
#layout: 'fundiv'

#set the id of a dataset which can be used as an example to show how datasets
example_dataset_id: 1

#Add your google analytics account here if you wish to use analytics.
#google_analytics_account: 'UA-0000000-1'
```

A red arrow points to the line "#layout: 'fundiv'". The bottom panel shows a Rails console session with the command "Rails console: befdata" and the output:

```
from /home/befdata/Desktop/befdata/script/rails:6:in `<top (required)>'  
from -e:1:in `load'  
from -e:1:in `<main>'  
>> Datagroup.find_by_title("BEF research plot name").categories.length  
Datagroup.find_by_title("BEF research plot name").categories.length  
27
```

Restart server

Voilà!



The screenshot shows the homepage of the FunDivEUROPE data portal. At the top left is the project logo, which features a stylized tree with green and red leaves growing from a map of Europe. To the right of the logo, the text "FunDivEUROPE" is written in large, bold, black letters, followed by "Functional significance of forest biodiversity" in a smaller, green font. Below the header, there is a navigation bar with links: "Home", "Projects", "Staff", "Data", "Papers", "Cart", and "Admin". A large, bold, black heading "Welcome to the data portal of FunDivEUROPE." is centered below the navigation bar. At the bottom of the page, a short description reads: "The data portal is the data management tool for the FunDivEUROPE project. Project members are able to upload, v" followed by a small, dark arrow icon pointing to the right.

FunDivEUROPE
Functional significance of forest biodiversity

Home Projects Staff Data Papers Cart Admin

Welcome to the data portal of FunDivEUROPE.

The data portal is the data management tool for the FunDivEUROPE project. Project members are able to upload, v

- copy the complete folder of views/pages/fundiv to views/pages/your_custom_application
- change the environment variable to “your_custom_application”

Welcome page

Welcome Page

What is shown in the root of your website to the visitors is written in app/views/pages/\$PROJECT/_home.html.haml and could contain something like that

```
%h2 Welcome to our data portal
%p
  This is the data portal of our project, you can learn more at this place:
  = link_to "www.bef-china.de", "http://www.bef-china.de"
%p
  Another paragraph where we describe why this website is around
```

Imprint page

Imprint page

In app/views/pages/\$PROJECT/_imprint.html.haml is the place to say who is responsible for this website. Note that technical/legal remarks of the default website are automatically printed below it.

It could look like.

```
-# User id's on your portal, to link to persons profile
- responsible_person_id = 3

%h2
  Imprint
%p
  Responsible for the contents of this website is
  -# link to persons profile
  = link_to "Some Name", {:controller => :users, :action => :show, :id => responsible_person_id}

  -# Good idea to encode email-addresses so it's not so easy for spambots to collect them
  = mail_to("some.name@uni-leipzig.de", nil, :encode => :javascript)

  ...
```

Last edited by hefdata 3 months ago

Header

HTML / Stylesheet / Favicon

Within the file `app/views/pages/$PROJECT/_head.html.haml` you can set your own settings for the HTML head section like so

```
-# The Site title displayed to the users
%title FunDivEUROPE | Functional significance of forest biodiversity in Europe

-# If you choose to have your own stylesheet it is included at this place
= stylesheet_link_tag "fundiv"

-# Your own favicon from an external server
-# %link{"rel" => "icon", "href" => "http://www.fundiveurope.eu/favicon.ico", "type" => "image/x-icon"}
-# If you load a favicon locally from the public folder
%link{"rel" => "icon", "href" => "/favicon.ico", "type" => "image/x-icon"}
```

With your own stylesheet in `public/stylesheets/$PROJECT.css` you can overwrite the default styles from `public/stylesheets/style.css`. And, yes, you can have your own favicon (the small icon which is shown next to the urls in a webbrowser).

Footer

HTML

Your own footer section is filled with content from app/views/pages/\$PROJECT/_footer.html.haml. Here is an example.

```
-# the links to help_path and imprint_path are at the moment only accessible from this place,  
-# so it is a good idea to keep at least the imprint link somewhere in the footer as it contains the legal stuff  
%ul#foot-menu  
  %li= link_to 'Help', help_path  
  %li= link_to 'Imprint', imprint_path  
  
-# Mentioning important friends  
%ul#page-associates  
  - img_height = '50px'  
  %li= link_to image_tag('logo_dfg.png', :height => img_height), "http://www.dfg.de"  
  
...
```

Database backup

Check out our Wiki

- <https://github.com/befdata/befdata/wiki/Backup-your-data>

```
pg_dump -U ${DB_USER} ${DB_NAME} > $BACKUP_FOLDER/${DB_NAME}-${SUFFIX}.sql
```

```
tar -czf $BACKUP_FOLDER/${DB_NAME}-${SUFFIX}-files.tgz files/* public/images/user_avatars/*
```

```
psql -f production_befchina-#${date_and_time}.sql database_name
```

```
tar xfvz path_to_backup/production_befchina-#${date_and_time}-files.tgz
```

Update code

Check out our Wiki

- <https://github.com/befdata/befdata/wiki/Update-the-code-to-the-latest-stable-version>

```
git pull  
bundle install  
rake db:migrate  
  
start server  
  
rake jobs:work
```

Thanks !