IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 20:55

FINAL Version control ATMGui

Main.java ATMGui.java FINAL.iml export.csv DatabaseService.java Auth.java BalanceInquiry.java TransactionManager.java

```java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        Auth auth = new Auth();
        if (!auth.login(scanner)) {
            scanner.close();
            return;
        }

        TransactionManager manager = new TransactionManager();
        manager.loadFromFile();

        boolean running = true;
        while (running) {
            System.out.println("\n   MAIN MENU    ");
            System.out.println("1. Make a Withdrawal");
            System.out.println("2. Make a Deposit");
```

Run Main ATMGui

```
/Library/Java/JavaVirtualMachines/jdk-24.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA CE.app/Contents/lib/idea_rt.jar=61517 -Dfile.encoding=UTF-8
      ATM Login System
Accounts:
  admin / admin123  (ADMIN role)
  user1 / pass123   (USER role)
Username:
```

FINAL > src > Main > readPositiveAmount 129:72 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 20:56

FINAL Version control ATMGui

Main.java | ATMGui.java | FINAL.iml | export.csv | DatabaseService.java | Auth.java | BalanceInquiry.java | TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
```

Run: Main | ATMGui

```
Accounts:
  admin / admin123  (ADMIN role)
  user1 / pass123   (USER role)
Username: user1
Password: pass123
Login successful! Welcome, user1 [USER]
Loaded 3 transaction(s) from file.

   MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option:
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 20:57

FINAL Version control ATMGui

Main.java ATMGui.java FINAL.iml export.csv DatabaseService.java Auth.java BalanceInquiry.java TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
```

Run Main ATMGui

```
Loaded 3 transaction(s) from file.

   MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option: 2
Enter account number: AC001
Enter deposit amount: 500
Transaction #4 added.
Deposit recorded! Deposited $500,00 into account AC001

   MAIN MENU
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 20:57

FINAL Version control ATMGui

Main.java | ATMGui.java | FINAL.iml | export.csv | DatabaseService.java | Auth.java | BalanceInquiry.java | TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
        }
    }
}
```

Run: Main | ATMGui

```
   MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option: 1
Enter account number: AC001
Enter withdrawal amount: 300
Transaction #5 added.
Withdrawal recorded! Withdrew $300,00 from account AC001
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 20:58

FINAL Version control ATMGui

Main.java ATMGui.java FINAL.iml export.csv DatabaseService.java Auth.java BalanceInquiry.java TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
        }
    }
}
```

Run Main ATMGui

```
   MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option: 3
Enter account number: AC001
Transaction #6 added.
Balance inquiry recorded! Balance checked for account AC001
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 20:59

FINAL Version control ATMGui

Main.java | ATMGui.java | FINAL.iml | export.csv | DatabaseService.java | Auth.java | BalanceInquiry.java | TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
```

Run | Main | ATMGui

```
MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option: 4

--- ALL TRANSACTIONS ---
[1] DEPOSIT | Account: ACC001 | 2026-04-19 12:38:32 | Amount: $500,00
[2] WITHDRAWAL | Account: ACC001 | 2026-04-19 12:39:57 | Amount: $100,00
[3] WITHDRAWAL | Account: ACC001 | 2026-04-19 20:52:07 | Amount: $300,00
[4] DEPOSIT | Account: AC001 | 2026-04-19 20:57:16 | Amount: $500,00
[5] WITHDRAWAL | Account: AC001 | 2026-04-19 20:57:43 | Amount: $300,00
[6] BALANCE_INQUIRY | Account: AC001 | 2026-04-19 20:58:43
Total: 6 transaction(s).
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 21:00

FINAL Version control ATMGui

Main.java | ATMGui.java | FINAL.iml | export.csv | DatabaseService.java | Auth.java | BalanceInquiry.java | TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
        }
    }
}
```

Run: Main | ATMGui

```
   MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option: 5
Access denied. Only ADMIN can delete transactions.
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 21:00

FINAL Version control ATMGui

Main.java ATMGui.java FINAL.iml export.csv DatabaseService.java Auth.java BalanceInquiry.java TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
        }
    }
}
```

Run Main ATMGui

```
   MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option: 6
Exported to export.csv
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 21:00

FINAL Version control ATMGui

Main.java | ATMGui.java | FINAL.iml | export.csv | DatabaseService.java | Auth.java | BalanceInquiry.java | TransactionManager.java

```java
public class DatabaseService {  no usages
    public static void insert(String type, double amount) {  no usages
        try (Connection conn = connect();
             PreparedStatement ps = conn.prepareStatement(
                     sql: "INSERT INTO transactions(type, amount) VALUES(?, ?)")) {

            ps.setString( parameterIndex: 1, type);
            ps.setDouble( parameterIndex: 2, amount);
            ps.executeUpdate();

        } catch (Exception e) {
            System.out.println("Insert error");
        }
    }
}
```

Run: Main | ATMGui

```
  MAIN MENU
1. Make a Withdrawal
2. Make a Deposit
3. Check Balance
4. View All Transactions
5. Delete a Transaction     [ADMIN only]
6. Export to CSV
7. Import from CSV
8. Exit
Choose an option: 8
Data saved to transactions.txt
Goodbye! Data saved.
```

FINAL > src > DatabaseService > createTable 16:44 LF UTF-8 4 spaces

IntelliJ IDEA File Edit View Navigate Code Refactor Build Run Tools VCS Window Help Вс, 19 апр. 21:02

FINAL Version control ATMGui

Main.java ATMGui.java FINAL.iml export.csv DatabaseService.java Auth.java BalanceInquiry.java TransactionManager.java

```java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        Auth auth = new Auth();
        if (!auth.login(scanner)) {
            scanner.close();
            return;
        }

        TransactionManager manager = new TransactionManager();
        manager.loadFromFile();

        boolean running = true;
        while (running) {
            System.out.println("\n   MAIN MENU    ");
```

Run ATMGui

```
/Library/Java/JavaVirtualMachines/jdk-24.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA CE.app/Contents/lib/idea_rt.jar=61550 -Dfile.encoding=UTF-8
Loaded 6 transaction(s) from file.
```

FINAL > src > Main > main 5:27 LF UTF-8 4 spaces