

XD Payroll Functions

Reference Guide

PeopleXD Insight

Table of Contents

Document Control	12
1. Overview.....	13
1.1. Purpose of the Guide	13
1.2. XD Functions Overview.....	13
1.3. List of XD functions not covered	14
2. Pay	15
2.1.1. PABI_GET_ALLOW_FRACTION_MONTH	15
2.1.2. PABI_GET_ALLOW_FRACTION_WEEK	15
2.1.3. PABI_GET_ANNUALISED_ALLOWANCE	16
2.1.4. PABI_GET_REFERENCE_PAYREF	18
2.1.5. PABI_GET_REF_DESC_PAYREF2	19
2.1.6. PABI_GET_REF_DESC_POSITION_REF	19
2.2. Person Master	20
2.2.1. PABI_CHECK_ACTIVE_AT_DATE	20
2.2.2. PABI_CHECK_ACTIVE_BEFORE_DATE.....	20
2.2.3. PABI_CHECK_LEFT_BETWEEN_DATES	21
2.2.4. PABI_CHECK_START_BETWEEN_DATES	22
2.2.5. PABI_GET_ANNUALISED_KNOWN_RATE.....	23
2.2.6. PABI_GET_APT_START_DATE	23
2.2.7. PABI_GET_AVG_PAY_SCALE_RATE	25
2.2.8. PABI_GET_CURRENT_GROSS_YTD	26
2.2.9. PABI_GET_CURRENT_LOCATION	26
2.2.10. PABI_GET_CURRENT_PRSI_CLASS	27

Table of Contents

2.2.11.	PABI_GET_EMPLOYEE_STATUS_CODE.....	27
2.2.12.	PABI_GET_EMPLOYMENT_STATUS.....	28
2.2.13.	PABI_GET_INPUT_LOCATION.....	28
2.2.14.	PABI_GET_LATEST_DATE_JOINED.....	29
2.2.15.	PABI_GET_LEAVING_DATE.....	29
2.2.16.	PABI_GET_NETT_PAY_YTD_VALUE.....	30
2.2.17.	PABI_GET_NEXT_ANNUALISED_SCALE.....	30
2.2.18.	PABI_GET_ORIGINAL_DATE_JOINED.....	32
2.2.19.	PABI_GET_PAY_GROUP_CODE.....	32
2.2.20.	PABI_GET_PPS_NUMBER.....	33
2.2.21.	PABI_GET_PRSI_CLASS.....	33
2.2.22.	PABI_GET_REJOINS_BETWEEN_DATES.....	34
2.2.23.	PABI_GET_REJOIN_DATE.....	34
2.2.24.	PABI_GET_WAGES_TYPE.....	35
2.3.	Allowance Profile.....	35
2.3.1.	PABI_GET_ALLOWANCE_END_DATE.....	35
2.3.2.	PABI_GET_ALLOWANCE_START_DATE.....	36
2.3.3.	PABI_GET_ALLOW_COST_EXC_SAL.....	37
2.4.	Cost Allocations.....	38
2.4.1.	PABI_CHECK_FOR_COST_ALLOC.....	38
2.5.	Person Pension Scheme.....	39
2.5.1.	PABI_GET_ACTIVE_PENSION.....	39
2.5.2.	PABI_GET_ACTIVE_PENS_SCHEME.....	40
2.5.3.	PABI_GET_GENERATE_REFUND_IND.....	40
2.5.4.	PABI_GET_PENSION_END_DATE.....	41

Table of Contents

2.5.5.	PABI_GET_PENSION_PERCENT.....	41
2.5.6.	PABI_GET_PENSION_SCHEME_DESC.....	42
2.5.7.	PABI_GET_PENSION_START_DATE.....	42
2.6.	Pay History.....	43
2.6.1.	PABI_GET_ALLOWANCE_REFERENCE	43
2.6.2.	PABI_GET_APPT_ANLCODE_PER_HRS	44
2.6.3.	PABI_GET_APPT_ANLCODE_PER_VAL.....	45
2.6.4.	PABI_GET_APPT_ANLCODE_YTD_HRS.....	46
2.6.5.	PABI_GET_APPT_ANLCODE_YTD_VAL	47
2.6.6.	PABI_GET_APPT_ANLTYPE_PER_HRS.....	48
2.6.7.	PABI_GET_APPT_ANLTYPE_PER_VAL	49
2.6.8.	PABI_GET_APPT_ANLTYPE_YTD_HRS	50
2.6.9.	PABI_GET_APPT_ANLTYPE_YTD_VAL	51
2.6.10.	PABI_GET_APPT_PAYCODE_PER_HRS	52
2.6.11.	PABI_GET_APPT_PAYCODE_PER_VAL.....	53
2.6.12.	PABI_GET_APPT_PAYCODE_YTD_HRS	54
2.6.13.	PABI_GET_APPT_PAYCODE_YTD_VAL.....	55
2.6.14.	PABI_GET_CANCEL_IND	56
2.6.15.	PABI_GET_EMPLOYER_PRSI_TO_DATE.....	56
2.6.16.	PABI_GET_FIRST_PAY_CODE_PERIOD	57
2.6.17.	PABI_GET_GROSS_PAY_VALUE	57
2.6.18.	PABI_GET_GROSS_SALARY_TO_DATE	58
2.6.19.	PABI_GET_MAX_PAYMENT_PERIOD	58
2.6.20.	PABI_GET_MIN_PAYMENT_PERIOD	58
2.6.21.	PABI_GET_MUL_ANAL_PERIOD_VALUE	59

Table of Contents

2.6.22.	PABI_GET_MUL_CODE_PERIOD_VALUE.....	60
2.6.23.	PABI_GET_NETT_PAY_YTD_VALUE.....	61
2.6.24.	PABI_GET_NEXT_ANNUALISED_SCALE	61
2.6.25.	PABI_GET_PAYROLL_COSTS_PERIOD.....	61
2.6.26.	PABI_GET_PEOPLE_PAID.....	62
2.6.27.	PABI_GET_PEOPLE_PAID_IND	63
2.6.28.	PABI_GET_PRSI_CLASS_HISTORY	63
2.6.29.	PABI_GET_PRSI_WEEKS_HISTORY.....	64
2.6.30.	PACI_GET_ANAL_TYPE_VALUE	65
2.7.	Pay Code Reference	65
2.7.1.	PABI_GET_ALLOWANCE_TYPE.....	65
2.7.2.	PABI_GET_ANALYSIS_CODE.....	66
2.7.3.	PABI_GET_ANALYSIS_CODE_DESC.....	67
2.7.4.	PABI_GET_ANALYSIS_TYPE.....	67
2.7.5.	PABI_GET_PAY_CODE_DESCRIPTION	68
2.8.	Audit Details	68
2.8.1.	PABI_GET_AUDIT_TABLE_TYPE_IND	68
2.9.	Auto Enrolment Parameters	69
2.9.1.	PABI_GET_AUTO_ENROL_PARAMS	69
2.10.	Summary Payments.....	70
2.10.1.	PABI_GET_EP_PAYMENT_DATE.....	70
2.10.2.	PABI_GET_PAY_METHOD_VALUE.....	70
2.10.3.	PABI_HISTORIC_PAY_METHOD	71
2.11.	Pay Scales and Rates.....	72
2.11.1.	PABI_GET_FIRST_LSI	72

Table of Contents

2.11.2.	PABI_GET_NEXT_SCALE_POINT.....	73
2.11.3.	PABI_GET_NEXT_SCALE_VALUE	74
2.11.4.	PABI_GET_SCALE_NARRATIVE	75
2.11.5.	PABI_GET_SECOND_LSI	76
2.12.	Tax Certs	77
2.12.1.	PABI_GET_MAX_TAX_CERT_DATE	77
2.13.	Timesheet Details	77
2.13.1.	PABI_GET_OVERTIME_WEEK_ENDING	77
2.14.	Pay Code Rate.....	78
2.14.1.	PABI_GET_PAY_CODE_POINT_FREQ.....	78
2.15.	Personal Rates.....	79
2.15.1.	PABI_GET_PERSONAL_RATE_TYPE	79
2.15.2.	PABI_GET_PREV_RATE_TYPE	79
2.15.3.	PABI_GET_RATE_TYPE_HISTORY	80
2.15.4.	PABI_GET_RATE_WITH_SEQUENCE_NO.....	81
2.16.	Position Rate	82
2.16.1.	PABI_GET_SCALE_MAX.....	82
2.16.2.	PABI_GET_SCALE_MAX_HISTORY.....	83
2.16.3.	PABI_GET_SCALE_MAX_POINT	83
2.16.4.	PABI_GET_SCALE_MAX_POINT_HIST	84
2.16.5.	PABI_GET_SCALE_MIN	85
2.16.6.	PABI_GET_SCALE_MIN_HISTORY	85
2.16.7.	PABI_GET_SCALE_POINT_RATE.....	86
2.16.8.	PABI_GET_SCALE_POINT_RATE_TYPE	87
2.17.	Position Reference	88

Table of Contents

2.17.1.	PABI_GET_POS_REF_GROUP	88
2.17.2.	PABI_GET_POS_REF_MAX_RATE.....	88
2.17.3.	PABI_GET_POS_REF_MIN_RATE	89
2.18.	Person Year End Details.....	90
2.18.1.	PABI_GET_PRSI_INSURABLE_WEEKS	90
2.18.2.	PABI_GET_TAX_TO_DATE.....	90
2.19.	Sickness History	91
2.19.1.	PABI_GET_SICK_ABS_MULTIPLIER	91
2.20.	Auto Enrol Event History	91
2.20.1.	PABI_HISTORIC_SCHEME_EVENT	91
2.21.	Allowance Profile	92
2.21.1.	PABI_CHECK_FOR_ALLOWANCE.....	92
2.21.2.	PABI_GET_ALLOWANCE_STD_VALUE.....	93
3.	Personnel.....	94
3.1.	Appointment History	94
3.1.1.	PABI_GET_APPOINTMENT_DESC	94
3.1.2.	PABI_GET_FTE_HOURS.....	94
3.1.3.	PABI_GET_POST_TYPE.....	95
3.1.4.	PABI_GET_WORKED_HOURS	96
3.2.	Person Salary History.....	97
3.2.1.	PABI_GET_APPOINTMENT_GRADE	97
3.2.2.	PABI_GET_APPOINTMENT_MULT	98
3.2.3.	PABI_GET_APPOINTMENT_POINT	99
3.2.4.	PABI_GET_APPOINTMENT_RATE_DESC.....	100
3.2.5.	PABI_GET_APPOINTMENT_RATE_TYPE	101

Table of Contents

3.2.6.	PABI_GET_APPOINT_FULL_SALARY	101
3.2.7.	PABI_GET_APPOINT_HOURLY_RATE	102
3.2.8.	PACI_GET_PENSION_SALARY.....	103
3.3.	Hr Person Master	103
3.3.1.	PABI_GET_DEPARTMENT	103
3.3.2.	PABI_GET_DEPARTMENT_CODE	104
3.3.3.	PABI_GET_DEPT.....	104
3.3.4.	PABI_GET_DEPARTMENT_DESC	104
3.3.5.	PABI_GET_MANAGEMENT_UNIT_CODE.....	105
3.3.6.	PABI_GET_MANAGEMENT_UNIT_DESC.....	105
3.3.7.	PABI_RETRIEVE_FORENAME	106
3.4.	Hr Position History.....	106
3.4.1.	PABI_GET_HOURLY_RATE_OF_PAY	106
3.4.2.	PABI_GET_MAX_DATE_EFFECTIVE.....	107
3.4.3.	PABI_GET_MAX_DATE_INPUT	107
3.4.4.	PABI_GET_MULTIPLIER_PAY_SEC.....	108
3.4.5.	PABI_GET_POINT_DATE_STARTED.....	108
3.4.6.	PABI_GET_PREV_DATE_EFFECTIVE.....	109
3.4.7.	PABI_GET_PREV_DATE_INPUT	109
3.4.8.	PABI_GET_PREV_PAY_MULTIPLIER	110
3.4.9.	PABI_GET_PREV_POINT.....	110
3.4.10.	PABI_GET_PREV_POSITION	111
3.4.11.	PABI_GET_PREV_RATE.....	111
3.4.12.	PABI_GET_PREV_RATE_SEQUENCE.....	112
3.4.13.	PABI_GET_RATE_WITH_DATE_RANGE.....	113

Table of Contents

3.4.14.	PABI_HISTORIC_ACTUAL_RATE.....	114
3.4.15.	PABI_HISTORIC_DATE_EFFECTIVE	115
3.4.16.	PABI_HISTORIC_MULTIPLIER.....	115
3.4.17.	PABI_HISTORIC_POINT	116
3.4.18.	PABI_HISTORIC_POSITION	116
3.4.19.	PABI_HISTORIC_POSITION_PAY_SEC	117
3.4.20.	PABI_HISTORIC_RATE.....	117
3.4.21.	PABI_HISTORIC_RATE_ANNUAL_SEC	117
3.4.22.	PABI_HISTORIC_RATE_BY_APPT.....	118
3.4.23.	PABI_HISTORIC_RATE_PAY_SEC.....	119
3.4.24.	PABI_HISTORIC_RATE_TYPE	119
3.4.25.	PABI_RATE_TYPE_BY_APPT.....	119
3.4.26.	PABI_RETRIEVE_ANNUALISED_RATE.....	120
3.4.27.	PABI_RETRIEVE_DATE_EFFECTIVE.....	120
3.4.28.	PABI_RETRIEVE_DATE_INPUT.....	121
3.4.29.	PABI_RETRIEVE_PAY_MULTIPLIER	121
3.4.30.	PABI_RETRIEVE_POINT.....	122
3.4.31.	PABI_RETRIEVE_POINT_PAY_SEC.....	122
3.4.32.	PABI_RETRIEVE_POSITION.....	122
3.4.33.	PABI_RETRIEVE_POSITION_PAY_SEC.....	122
3.4.34.	PABI_RETRIEVE_RATE.....	123
3.4.35.	PABI_RETRIEVE_RATE_OF_PAY.....	123
3.4.36.	PABI_RETRIEVE_RATE_PAY_SEC	123
3.4.37.	PABI_RETRIEVE_RATE_SEQUENCE.....	124
3.4.38.	PABI_RETRIEVE_RATE_TYPE.....	124

Table of Contents

3.4.39.	PABI_RETRIEVE_RATE_TYPE_SEC	124
3.4.40.	PABI_RETRIEVE_REFERENCE.....	125
3.4.41.	PABI_RETRIEVE_SURNAME.....	125
3.4.42.	PABI_RETR_POSITION_DATE_EFF	126
3.4.43.	PABI_RETR_POSITION_DATE_EFF	126
3.5.	Person Contact	127
3.5.1.	PABI_RETRIEVE_EMAIL	127
3.6.	Post Person.....	127
3.6.1.	PABI_GET_APT_START_DATE	127
4.	Data Validation	128
4.1.	Payroll Calendar	128
4.1.1.	PABI_CHECK_FOR_53_PAY_DAYS.....	128
4.1.2.	PABI_GET_PERIOD_END_DATE.....	129
4.1.3.	PABI_GET_PERIOD_END_DATE_ORG	129
4.1.4.	PABI_GET_PERIOD_START_DATE	130
4.1.5.	PABI_GET_PERIOD_START_DATE_ORG.....	130
4.1.6.	PABI_GET_PREV_PAYROLL_PERIOD.....	131
4.2.	Pay Group	131
4.2.1.	PABI_GET_COMPANY_CODE	131
4.2.2.	PABI_GET_PAY_PERIOD_START_END.....	132
4.2.3.	PABI_GET_DAYS_IN_PERIOD.....	132
4.2.4.	PABI_GET_DAYS_IN_YEAR.....	133
4.2.5.	PABI_GET_HIST_DAYS_IN_PERIOD.....	133
4.2.6.	PABI_GET_HIST_DAYS_IN_YEAR	134
4.2.7.	PABI_GET_HOURS_IN_PERIOD	134

Table of Contents

4.2.8.	PABI_GET_INCOME_LEVY_CODE.....	135
4.2.9.	PABI_GET_PAY_ANNUAL_ALLOW	135
4.2.10.	PABI_GET_PAY_FREQUENCY	136
4.2.11.	PABI_GET_PAY_FREQ_IC	136
4.2.12.	PABI_GET_PAY_GROUP_CODE_DESC.....	137
4.2.13.	PABI_GET_PAY_GROUP_DAYS.....	137
4.2.14.	PABI_GET_PAY_GROUP_DESCRIPTION.....	137
4.2.15.	PABI_GET_PAY_GROUP_HOURS.....	138
5.	AMS.....	139
5.1.	System Audit Details.....	139
5.1.1.	PABI_GET_AMS_OLD_OR_NEW_VALUE.....	139
6.	Pension	140
6.1.	Pension Master.....	140
6.1.1.	PABI_GET_MUL_PENSION_DESCS.....	140
6.2.	Person Master	140
6.2.1.	PABI_GET_SCHEME_CODE.....	140
6.2.2.	PACI_GET_PENSION_DATES	141

Document Control

Version	Date	Author	Details
1.0	4/12/2024	Kat Murie	Published to Knowledge Base

 **Note:** We suggest downloading a copy of this document to your device for the best experience.

1. Overview

1.1. Purpose of the Guide

The purpose of this document is to provide guidance on the available XD Payroll functions in Insight reports.

 **Note:** This guide is for reference purposes; information on how to use functions and build reports is not included.

1.2. XD Functions Overview

XD functions are standard functions built into Insight. They perform operations using the provided parameters based on XD data fields (e.g. get email address, active pension scheme appointment data etc.). XD functions enable you to define logical columns returning the data without needing knowledge of the underlying data or internal logic.

 **Note:** To avoid complexity and improve performance, it is recommended to get data directly from data views where possible. Before using functions, check to see if the desired information can be returned through the standard views and columns.

XD Functions are used in the following scenarios:

1. Abstract some of the logic for complex operations and data retrieval.
2. Getting data that may not be accessible from the views in your report (for example, employee name or email address).

 **Note:**

- A function isn't capable of retrieving more than one information; that means if you have two different data matching the parameters, the result will be either null or one of them.
- You will need data access to be granted for the function to return a result, for example Payroll functions would only return results for the pay groups you have access to.

1.3. List of XD functions not covered

The following functions are not covered in this document:


- PABI_CHECK_ALPHANUMERIC,
- PABI_CHECK_PAYROLL_SECURITY,
- PABI_CHECK_RTI_INVALID_CHARS,
- PABI_GENERAL_AGGREGATION,
- PABI_GET_ACTIVITY_CODE,
- PABI_GET_ACTIVITY_CODE_DESC,
- PABI_GET_ALLOCATED_COST_CENTRE,
- PABI_GET_ALT_COST_CENTRE,
- PABI_GET_CSO_PARAMETERS,
- PABI_GET_CSO_REF_DATA,
- PABI_GET_DATE_EFFECTIVE,
- PABI_GET_DIVISION_CODE,
- PABI_GET_EMP_STATUS_CSO_IND,
- PABI_GET_GARDA_DATE_STARTED,
- PABI_GET_GL_COST_CENTRE,
- PABI_GET_GL_MATRIX_EXPENSE,
- PABI_GET_LEVY_RATE_DETAIL,
- PABI_GET_MUL_RATE_SEQUENCE,
- PABI_GET_OCCUPATIONAL_SICK_IND,
- PABI_GET_OVERTIME_WK_STARTING,
- PABI_GET_PAYCODE_VALUE,
- PABI_GET_PAYMENT_LOCATION_LINE,
- PABI_GET_PAYREF2_ACTIVE_IND,
- PABI_GET_PAYREF_ACTIVE_IND,
- PABI_GET_PAYROLL_SECURITY,
- PABI_GET_PAYROLL_SECURITY_CHAR,
- PABI_GET_POS_HIST_DATE_EFF,
- PABI_GET_PROJECT_COST_CENTRE,
- PABI_GET_QTR_DATES,
- PABI_GET_SEPA_CONFIG_LEVEL,
- PABI_GET_SLIGO_WTE,
- PABI_GET_WKLY_SICK_REF_DETAIL,
- PABI_VALIDATE_ROSTER_DATE.

Functions for Personnel are covered in [XD Personnel Functions – Reference Guide](#).

2. Pay

2.1.1. PABI_GET_ALLOW_FRACTION_MONTH

This function will return the fraction of days of the month queried the allowance counts, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPLOYEE_NUMBER*

P_PAYCODE*

P_FINANCIAL_PERIOD*

CANCEL OK

P_EMPLOYEE_NUMBER ← Person Reference,

P_PAY_CODE ← Pay Code of the allowance you are looking at,

P_FINANCIAL_PERIOD ← Financial period (Month) you are looking at,

The function will return a number corresponding to the number of days the allowance was valid for the month, divided by the number of days of the month. For example, if the allowance started the 15th of January and didn't end before the 31st, then it would return 17/31.

2.1.2. PABI_GET_ALLOW_FRACTION_WEEK

This function will return the fraction of the week of the Payroll Period queried the allowance counts, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPLOYEE_NUMBER*

P_PAYCODE*

P_PAYROLL_PERIOD*

CANCEL

OK

P_EMPLOYEE_NUMBER ← Person Reference,

P_PAYCODE ← Pay Code of the allowance you are looking at,

P_PAYROLL_PERIOD ← Payroll period (Week) you are looking at,

The function will return a number corresponding to the number of days the allowance was valid for the week divided by the number of days of the week (7). For example, if the allowance started the 15th of November and didn't end before the 19th, then it will be 5/7.

2.1.3. PABI_GET_ANNUALISED_ALLOWANCE

This function will calculate total annualised value for the allowance, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_PAY_CODE *

P_EFFECTIVE_DATE *

P_SALARY *

P_PAY_FREQUENCY *

P_MULTIPLIER *

P_ALLOWANCE_TYPE *

P_VERIFY_SEQUENCE *

P_PERCENT *

P_AMOUNT *

CANCEL

OK

P_EMPNO ← Person Reference,

P_PAY_CODE ← Pay Code you are looking at,

P_EFFECTIVE_DATE ← Date utilized to align the data, SYSDATE for current situation,

P_SALARY ← Salary of the employee,

P_SCALE_POINT ← Scale point of the employee,

P_PAY_FREQUENCY ← Pay frequency the employee is in,

P_PAY_MULTIPLIER ← Pay Multiplier the employee is in,

P_ALLOWANCE_TYPE ← Type of the allowance, for examples:

- '1': Scaled Allowance,
- '2': Fixed Percentage,
- '3': Variable Percentage Allowance,
- '4': Calculated Percentage Allowance,
- '5': Standard Value Allowance,
- '6': Variable Value Allowance,


P_VERIFY_SEQUENCE ← Verify Sequence of the allowance,

P_PERCENT ← Percentage of the allowance,

P_AMOUNT ← Amount of the allowance.

2.1.4. PABI_GET_REFERENCE_PAYREF

This function will return the item Reference1 or Reference2 from the Pay Reference table from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_REFERENCE *

P_REF_CODE *

P_REF_TYPE *


CANCEL OK

P_REFERENCE ← Can be REFERENCE1 or REFERENCE2,

P_REF_CODE ← Reference Code you are looking at,

P_REF_TYPE ← Reference Type you are looking at.

An example for P_REF_TYPE and P_REF_CODE could be EXPS for the type, and 0 for the code. The function will then look to retrieve the item Reference1 or Reference2, depending on the parameter entered for the expense codes found in the Expense/GL Codes screen in the Settings tab of the Payroll dashboard:



Expense/GL Codes

Payroll Dashboard > Expense/GL Codes

Expense/GL Codes

Search [] All []

Expense Code	Description	Tax Code	Do Not Display on ESS Timesheet
0	Default Nominal Code (System)		
1	Balance Sheet		
2	Control Account		
3	Contra Entry		
4	Profit & Loss		
5	P&L Pa		
6	Nett Pay		
15	Research		
17	Marketing		

OPEN LEGACY FORM

ADD EXPENSE/GL CODES

Edit Expense/GL Codes

Expense/GL Codes *

0

Description *

Default Nominal Code (System)

Tax Code

Active []

Do Not Display on ESS Timesheet []

CANCEL OK

2.1.5. PABI_GET_REF_DESC_PAYREF2

This function will return the item Description from the Pay Reference2 table from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_REF_CODE*

P_REF_TYPE*

CANCEL OK

P_REF_CODE ← Reference Code you are looking at,

P_REF_TYPE ← Reference Type you are looking at.

An example for P_REF_TYPE and P_REF_CODE could be COUNTY, then the function will retrieve the description of it.

2.1.6. PABI_GET_REF_DESC_POSITION_REF

This function will return the item Title (Description) from the Position Reference table from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_REF_CODE*

CANCEL OK

P_REF_CODE ← Reference Code you are looking at.

The function will retrieve the information visible in the Position Reference screen in the Settings tab of the Payroll dashboard:

Position	Net Pay Min	Currency	Position Group	Allowance Co.	Annual Leave	Phil Ra.	Round Down	APTH	Part Time	Minimum Rat.	Occupation S.	CSO Contract	ESS Timesheet	ESS Quantity	ESS Fixed Qu.	Active on Staf.	S & S Alleviat	Roll Up Multip	Overtime Hou.
Personal R...	0	GBP	1		0	0													0

2.2. Person Master

2.2.1. PABI_CHECK_ACTIVE_AT_DATE

This function will return an indicator depending on the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON *

P_EFFECTIVE_DATE *

P_CHECK_DATE *

CANCEL OK

P_PERSON ← Person Reference,

P_EFFECTIVE_DATE ← Start of the period you are looking into,

P_CHECK_DATE ← End of the period you are looking at.

If the employee was present during the period defined with the dates in parameters, then the function returns Y, else N. The items used to check the presence are Date Joined this Company and Date Leaving this Company. This can be viewed on the employee's record on the Payroll dashboard.

Sam Adam

Payroll Dashboard > Sam Adam

ACTIONS

SA

Dormant

Employee*

Sam Adam

Employee Reference No 000003

NI Number

Date of Birth 01-Jan-1978

Original Start Date 01-Mar-2014

Leave Date 31-Jul-2014

Period Left 201743

Latest Start Date 01-Mar-2014

Increment Date 01-Mar-2015

Location

2.2.2. PABI_CHECK_ACTIVE_BEFORE_DATE

This function will return an indicator depending on the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_BEFORE_DATE* ▼

CANCEL OK

P_PERSON ← Person Reference,

P_BEFORE_DATE ← Date you want to use,

If the employee was present at the date entered, then the function returns 1, else 0. The items used to check the presence are Date Joined this Company and Date Leaving this Company. This can be viewed on the employee's record on the Payroll dashboard.

Sam Adam

Payroll Dashboard > Sam Adam

ACTIONS ▼

SA

Dormant

Employee*

Sam Adam

Employee Reference No 000003

NI Number

Date of Birth 01-Jan-1978

Original Start Date 01-Mar-2014

Leave Date 31-Jul-2014

Period Left 201743

Latest Start Date 01-Mar-2014

Increment Date 01-Mar-2015

Location

2.2.3. PABI_CHECK_LEFT_BETWEEN_DATES

This function will return an indicator depending on the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_START_DATE* ▼

P_END_DATE* ▼


CANCEL OK

P_EMPNO ← Person Reference,

P_START_DATE ← Start date of the period you want to consider,

P_END_DATE ← End date of the period you want to consider.

If the data Date Leaving This Company from Person Master is between P_START_DATE and P_END DATE, then the indicator will be 1, else 0. This can be viewed on the employee's record on the Payroll dashboard.



Sam Adam
Payroll Dashboard > Sam Adam

SA Dormant

Employee*
Sam Adam

Employee Reference No 000003
NI Number
Date of Birth 01-Jan-1978


Original Start Date 01-Mar-2014
Leave Date 31-Jul-2014
Period Left 201743

Latest Start Date 01-Mar-2014
Increment Date 01-Mar-2015
Location

ACTIONS

2.2.4. PABI_CHECK_START_BETWEEN_DATES

This function will return an indicator depending on the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_START_DATE *

P_END_DATE *


CANCEL OK

P_EMPNO ← Person Reference,

P_START_DATE ← Start date of the period you want to consider,

P_END_DATE ← End date of the period you want to consider.

If the data Date Joined This Company from Person Master is between P_START_DATE and P_END DATE, then the indicator will be 1 else 0. This can be viewed on the employee's record on the Payroll dashboard.



Sam Adam
Payroll Dashboard > Sam Adam

SA Dormant

Employee*
Sam Adam

Employee Reference No 000003
NI Number
Date of Birth 01-Jan-1978


Original Start Date 01-Mar-2014
Leave Date 31-Jul-2014
Period Left 201743

Latest Start Date 01-Mar-2014
Increment Date 01-Mar-2015
Location

ACTIONS

2.2.5. PABI_GET_ANNUALISED_KNOWN_RATE

This function will calculate the Rate for the parameters entered as follows:



P_EMPNO ← Person Reference,

P_RATE ← Rate you are looking at,

P_RATE_TYPE ← Type of the Rate, i.e.

- 'ANNUAL': The rate will be P_RATE above,
- 'WEEKLY': The Rate will be $P_RATE / \text{std_days_pay_period}$ (From the view Pay Group – Data Validation) * days_in_year (From the view Pay Group – Data Validation),
- 'HOURLY': The Rate will be $P_RATE * (\text{Hours (From the view Person Master – Pay If not 0, if 0 std_hours_pay_period from the view Pay Group – Data Validation)} / \text{std_days_pay_period (from the view Pay Group – Data Validation)}) * \text{days_in_year}$ (from the view Pay Group – Data Validation),
- 'DAILY': The Rate will be $P_RATE * \text{days_in_year}$ (from the view Pay Group – Data Validation).

2.2.6. PABI_GET_APT_START_DATE

This function will retrieve the start date of the contract for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_DATE_EFFECTIVE*

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data.

If the system is not a Multi Posts Site, then the start date of the contract will be taken from Person Master (Pay) and will be Date Joined this company or Commission Date if previous is NULL (note that P_APPOINTMENT_ID and P_DATE_EFFECTIVE parameters are irrelevant in that case).

If the system is a Multi Posts Site, then:

- If the parameter EXACT_MATCH on the System Configuration utility screen (CorePay) **Y**:
Start Date will be the start date of the contract for the appointment ID you are looking at (from Post Person, note that the parameter P_DATE_EFFECTIVE is irrelevant here),
- If the parameter EXACT_MATCH on the System Configuration utility screen (CorePay) **N**:
Start Date will be the actual start date of the sequence of the contract for the appointment ID you are looking at (from Appointment History), note that the parameter P_DATE_EFFECTIVE will be used to retrieve the sequence.

2.2.7. PABI_GET_AVG_PAY_SCALE_RATE

This function will calculate the average pay rate for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_SCALE*

CANCEL OK

P_PAY_SCALE ← Position you are looking at.

For each live employee against the position in parameter, the function will store the annual rate from Position Rate or Personal Rate depending on the type of Rate, and divide the result by the number of employees to give an average.

Information for individual employees can be viewed on their employee record.

Amelia May (000021)

People Management > Employee Search > Amelia May (000021)

AM

Active

Business Analyst

Start Date 01-Jan-2021

Payroll Active

Payroll Open for Processing

ACTIONS

Search

Current Salary

Key Information

Contracts

User Defined Data

Cost Allocations

Balances

Probation Details

Change Work Schedule

Contact Information

Manager

Current Salary

Current Salary £ 32,000.00

Including Allowances £ 32,000.00

Next Increment Due N/A

Paygroup 15 - Monthly Payroll (UK)

TIMELINE VIEW

Salary History

Exclude Rate History


Start Date	Rate Effective	Pay Scale / Grade	Point	Rate Type	Rate Amount	Multiplier	Actual Pay	Status	Reason
01-May-2022	01-May-2022	1 - System Position Co.	9999	Annual	£ 33,000.00	1	£ 33,000.00	Pending	Change Of Pay
11-Apr-2022	11-Apr-2022	1 - System Position Co.	9999	Annual	£ 32,000.00	1	£ 32,000.00	Approved	Change Of Pay
01-Jan-2021	01-Jan-2021	1 - System Position Co.	9999	Annual	£ 30,000.00	1	£ 30,000.00	Approved	New Starter

ADD

DELETE

2.2.8. PABI_GET_CURRENT_GROSS_YTD

This function will retrieve the Gross YTD from the view Person Master from Pay for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*


CANCEL OK

P_EMPNO ← Person Reference.

The returned value will be the sum of the Gross To Date and Previous Gross values.

2.2.9. PABI_GET_CURRENT_LOCATION

This function will retrieve the item Location from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

CANCEL OK

P_EMPNO ← Person Reference.

The item Location can be viewed from the employee's record on the Payroll dashboard.



Amelia May
Payroll Dashboard > Amelia May

AM Active

Employee *
Amelia May

Employee Reference No 000021
NI Number
Date of Birth 01-Jan-1990


Original Start Date 01-Jan-2021
Hours 37.5
FTE Hours 37.5

Latest Start Date 01-Jan-2021
Increment Date
Location London

ACTIONS

2.2.10. PABI_GET_CURRENT_PRSI_CLASS

This function will retrieve the item PRSI Class from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters


* Denotes a mandatory parameter

P_EMPNO*

CANCEL OK

P_EMPNO ← Person Reference.

The item PRSI Class can be viewed in the Year to Date area of the employee's record on the Payroll Dashboard.



John May
Payroll Dashboard > John May

Employee * John May
Employee Reference No 000023
PPS Number
Date of Birth 01-Jan-1990

Original Start Date 01-Apr-2021
Hours
FTE Hours

Latest Start Date 01-Apr-2021
Increment Date
Location

Search

Period Selected 202217
Payroll Period* 01-Apr-22 - 30-Apr-22

Payroll Messages

- Warning No expense found on GL matrix for pay code 1000
- Warning Employee has no PPS number
- Warning No expense found on GL matrix for pay code 6017

Period Summary


Gross Pay	2500.00
Taxable Pay	2500.00
Deductions	1300.00 0%

Year to Date

PRSI Class	A1
PRSI Weeks	18
Employee PRSI	1316.19

2.2.11. PABI_GET_EMPLOYEE_STATUS_CODE

This function will retrieve the item Employee Status from the view Person Master from Pay for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve current Employee Status (latest information available).

2.2.12. PABI_GET_EMPLOYMENT_STATUS

This function will retrieve the item Secondary Status (Employment Status) from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

CANCEL OK


P_EMPNO ← Person Reference.

The Secondary Status/Employment Status in standard will be:

- 'Z','DORMANT',
- 'M', 'Maternity',
- 'A', 'Absent With Pay',
- 'N', 'Absent Without Pay',
- 'L', 'Leaving This Period',
- 'S','LIVE'.

2.2.13. PABI_GET_INPUT_LOCATION

This function will return the item Input Location from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPLOYEE_NUMBER*


CANCEL OK

P_EMPLOYEE_NUMBER ← Person Reference.

The function will retrieve the current situation.

2.2.14. PABI_GET_LATEST_DATE_JOINED

This function will return the item Date Joined this Company (called Date Started in the list of items from the view) from the view Person Master from Pay, for the parameter entered as follows:




P_EMPNO ← Person Reference,

The function will retrieve the current situation.

Note: If the item is null, then the function retrieves the Commission Date (called Date Rejoined in the list of items in the view) instead. The function will retrieve the same information as the Latest Start Date data from the same view.

2.2.15. PABI_GET_LEAVING_DATE

This function will return the item Date Leaving this Company (called Date Left in the list of items from the view) from the view Person Master from Pay, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the current situation.

2.2.16. PABI_GET_NETT_PAY_YTD_VALUE

This function will return either the item Nett Pay To Date from the view Person Master from Pay, or sum up the values for pay codes from the view Pay History from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_YEAR*

CANCEL OK


P_EMPNO ← Person Reference,

P_YEAR ← Year you are looking at.

If the year in parameter is the current year, the function returns the item Nett Pay To Date, if the year is in the past, then the function returns the sum of values for pay codes from Pay History when the analysis code is NP (Nett Payment).

2.2.17. PABI_GET_NEXT_ANNUALISED_SCALE

This function will calculate the annualised rate value, depending on the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_POSITION*

P_SCALE_POINT*

CANCEL OK

P_EMPNO ← Person Reference,

P_POSITION ← Position you are looking at,

P_SCALE_POINT ← Scale Point you are looking at.

Positions and Scale Points are set up via the Scale Point Profile screen in the Settings tab of the Payroll dashboard. For each position code, there is a potential list of scale points:

Scale Point Profile

Payroll Dashboard > Scale Point Profile

Scale Point Profile

Position Code

System Position Code

Scale Point	Scale Narrative	Scale Desc.	Bar Point	Age	Ind.	Progression		Years On Point	L.S.I. Ind	APTH Start Pt.	
						Scale	Point				
1	Scale 1										...
2	Scale 2										...
3	Scale 3										...

The function will firstly calculate the rate value as follows:

- If the scale point is 999, then the function will retrieve information from the view Personal Rates from Pay, only the current situation lesser or equal to today's date:
 - If the annual salary for the employee is not null then annual salary,
 - If null then weekly basic,
 - If weekly basic is null then daily rate,
 - If the daily rate is null then basic rate.
- For other scenarios, the function will consider the max Scale Point from Pay Scales and Rates, for the Position in parameter:
 - if the Scale Point in parameter is the same then the function will retrieve information in the same way as above, but this time from the view Pay Scales and Rates from Pay.
 - If the Scale Point in parameter is not the same then for the Scale Point in parameter, the function will retrieve information the same way as above.


That information is called the Rate Value. Depending on the employee rate type:

- ANNUAL, the function retrieves the calculation Rate Value itself,
- WEEKLY, the function retrieves the calculation Rate Value / Standard days in Period (for the pay group the employee is in) x Days in Year (for the pay group the employee is in),

- HOURLY, the function retrieves the calculation $\text{Rate Value} \times \text{Hours}$ (for the employee, if null then the Std Hours Pay Period for the pay group the employee is in will be used) / Standard days in Period (for the pay group the employee is in) $\times$ Days in Year (for the pay group the employee is in),
- DAILY, the function retrieves the calculation $\text{Rate Value} \times \text{Days in Year}$ (for the pay group the employee is in).

2.2.18. PABI_GET_ORIGINAL_DATE_JOINED


This function will retrieve the item Date Joined this Company (Date Started in the view) from the view Person Master from Pay, for the parameter entered as follows:



P_EMPNO ← Person Reference.

2.2.19. PABI_GET_PAY_GROUP_CODE

This function will return the item Pay Group from the view Person Master from Pay, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the Pay Group the employee is in (current situation).

2.2.20. PABI_GET_PPS_NUMBER

This function will return the item PPS Number (PRSI Number) from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference.

2.2.21. PABI_GET_PRSI_CLASS

This function will return the item Prsi Class from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference.

2.2.22. PABI_GET_REJOINS_BETWEEN_DATES

This function will return an indicator depending on the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_START_DATE *

P_END_DATE *

CANCEL OK

P_EMPNO ← Person Reference,


P_START_DATE ← Start Date used to align the data,

P_END_DATE ← End Date used to align the data,

The function will look at the item Date Rejoined (Commission Date) from Person Master from Pay, and if that date is between the two dates entered in the parameters, then the indicator will be 1 else 0.

2.2.23. PABI_GET_REJOIN_DATE

This function will return the item Date Rejoined (Commission Date) from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference.

2.2.24. PABI_GET_WAGES_TYPE

This function will return the item Wages Type from the view Person Master from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference.

2.3. Allowance Profile

2.3.1. PABI_GET_ALLOWANCE_END_DATE

This function will return the End Date of the Allowance from the view Allowance Profile, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

EMPLOYEE_NUMBER *

PAYCODE *

TRANSACTION_REFERENCE *

CANCEL OK

EMPLOYEE_NUMBER ← Person Reference,

PAYCODE ← Pay Code of the Allowance,

TRANSACTION_REFERENCE ← Reference you are looking at.

The function will return the End Date from the Allowances area of the employee's record on the Payroll Dashboard:

The screenshot shows the Payroll Dashboard for Amelia May. The 'Allowances' section is active, displaying a table with the following data:

Allowance	Start	End	Value	Percentage	Reference
BIKE TO WORK 3033	01-Nov-2020	05-Dec-2024	280.00	0	20720224184

The 'End' date field (05-Dec-2024) is highlighted with a red box. The dashboard also includes a sidebar with navigation options like Gross to Net, Redundancy, Additional, Deductions, Pension, Benefit in Kind, Allowances, and Cost Allocations. The top right corner has an 'ACTIONS' button.

2.3.2. PABI_GET_ALLOWANCE_START_DATE

This function will return the Start Date of the Allowance from the view Allowance Profile, for the parameters entered as follows:

The 'Enter Function Parameters' dialog box contains the following fields:

- EMPLOYEE_NUMBER ***: A text input field for the employee's reference.
- PAYCODE ***: A text input field for the allowance's pay code.
- TRANSACTION_REFERENCE ***: A text input field for the allowance's transaction reference.

At the bottom of the dialog are 'CANCEL' and 'OK' buttons. A note at the top states: '* Denotes a mandatory parameter'.

EMPLOYEE_NUMBER ← Person Reference,

PAYCODE ← Pay Code of the Allowance you are looking at,

TRANSACTION_REFERENCE ← Reference you are looking at.

The function will return the Start Date from the Allowances area of the employee's record on the Payroll Dashboard:

Amelia May
Payroll Dashboard > Amelia May

AM

Active

Employee*

Amelia May

Employee Reference No 000021

NI Number

Date of Birth 01-Jan-1990

Original Start Date 01-Jan-2021

Hours 37.5

FTE Hours 37.5

Latest Start Date 01-Jan-2021

Increment Date

Location

ACTIONS

Search

Q

Gross to Nett

Redundancy

Additional

Deductions

Pension

Benefit in Kind

Allowances

Cost Allocations

Allowances

ADD

Allowance	Start	End	Value	Percentage	Reference	
BIKE TO WORK 3033	01-Nov-2020	05-Dec-2024	280.00	0	20720224184	

0 - 0 of 0

2.3.3. PABI_GET_ALLOW_COST_EXC_SAL

This function will return the Cost Centre Code of the Allowance from the view Allowance Profile, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DATE_ACTIVE*

P_PAY_CODE*

CANCEL

OK

P_EMPNO ← Person Reference,
P_DATE_ACTIVE ← Date you want to use to align the data, SYSDATE for current situation,
P_PAY_CODE ← Pay Code of the allowance you are looking at, must be an allowance and not 1040.

The function will return the Cost Centre from the Allowance Details screen on the employee's record.

Allowance

People Management > Employee Search > Amelia May (000021) > Allowance

Allowance Details

Allowance *

Study Leave (Paid)

Allowance Type

Variable Value

Start Date *

09-Dec-2024

End Date

13-Dec-2024

Payroll End Date

Value *

200

Reason *

Change Of Hours

Comments

Additional Information

Cost Centre

Default Cost Centre 1

Project

Expense

Note: In a Post Management system, the allowances are derived from the People Management Dashboard.

2.4. Cost Allocations

2.4.1. PABI_CHECK_FOR_COST_ALLOC

This function will return an indicator depending on the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL

OK

P_EMPNO ← Person Reference.

If the employee has cost allocations (ended or not) then the indicator will be Y, else N. An employee's cost allocations can be viewed from the Cost Allocations area of the employee's record on the Payroll Dashboard.

Ann Simpson

Payroll Dashboard > Ann Simpson

AS

Active

Employee *

Ann Simpson

Employee Reference No 000005

PPS Number

Date of Birth 01-Jan-1980

Original Start Date 01-May-2014

Hours 18.5

FTE Hours 37.5

Latest Start Date 01-May-2014

Increment Date

Location

ACTIONS

Search

Q

Additional

Deductions

Pension

Benefit in Kind

Allowances

Cost Allocations

Temporary Reinstatement

Statutory and Absences

Maintain Statutory

Statutory Payment Profile

SSP History

Home Cost Centre

System Cost Centre

SYST

Appointments

Appointment	Appt Start	Appt End	Status	FTE	Hours
Business Analyst	01-May-2014		Commenced	37.5	18.5

Home Project

Cost Allocations

ADD

Start Date	End Date	Percentage	Cost Centre	Project	Expense
25-Nov-2024	09-Dec-2024	80%	Sales	20	
25-Nov-2024	09-Dec-2024	20%	Marketing	2	

2.5. Person Pension Scheme

2.5.1. PABI_GET_ACTIVE_PENSION

This function will return an indicator from the view Person Pension Scheme, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE_ACTIVE *

CANCEL

OK

P_EMPNO ← Person Reference,
 P_DATE_ACTIVE ← Date will be used to align the data, SYSDATE for current active Pension Scheme.

If the function finds an active Pension Scheme at the date entered in parameter, the indicator will be Y, else N.

2.5.2. PABI_GET_ACTIVE_PENS_SCHEME

This function will return the active scheme code from the view Person Pension Scheme, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_EXCLUDE_SCHEMES

P_DATE_ACTIVE

CANCEL OK

P_EMPNO ← Person Reference,

P_EXCLUDE_SCHEMES ← Schemes to be excluded,

P_DATE_ACTIVE ← Date will be used to align the data, SYSDATE for current active Pension Scheme.

The function will return the most recent Active Scheme Code at P_DATE_ACTIVE.

2.5.3. PABI_GET_GENERATE_REFUND_IND

This function will retrieve the item Generate Refund Ind from the view Person Pension Scheme from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

P_SCHEME_CODE *

P_PAYROLL_PERIOD *

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_SCHEME_CODE ← Scheme Code you are looking at,

P_PAYROLL_PERIOD ← Payroll Period you are looking at.

The function will retrieve the information visible from the Pensions area of an employee's record (as Y or N):

Add Pension
Payroll Dashboard > Holly Gardner > Add Pension

Arrears Details

Capital Sum Balance

Auto Enrolment

Opt Out **Generate Refund** Auto Enrolment Opt In Event

Accumulated unpaid pension

Employee AVC

2.5.4. PABI_GET_PENSION_END_DATE

This function will return the item End Date from the view Person Pension Scheme from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter


P_PERSON_REFERENCE*

CANCEL OK

P_PERSON_REFERENCE ← Person Reference.

2.5.5. PABI_GET_PENSION_PERCENT

This function will return the item Override Ee Percentage 1 from the view Person Pension Scheme from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_SCHEME_CODE*


CANCEL OK

P_EMPNO ← Person Reference,

P_SCHEME_CODE ← Scheme Code you are looking at.

2.5.6. PABI_GET_PENSION_SCHEME_DESC

This function will return the item Pension Scheme Description from the view Person Pension Scheme from Pay for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_SCHEME_CODE*

CANCEL OK

P_SCHEME_CODE ← Scheme Code you are looking at.

2.5.7. PABI_GET_PENSION_START_DATE

This function will return the item Start Date (Date of Joining) from the view Person Pension Scheme from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DATE_ACTIVE

CANCEL OK

P_EMPNO ← Person Reference,


P_DATE_ACTIVE ← Date used to align the data.

The function will retrieve the information at the date entered in the parameter above.

2.6. Pay History

2.6.1. PABI_GET_ALLOWANCE_REFERENCE

This function will return the Reference of the Pay Code from the view Pay History, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPLOYEE_NUMBER*

P_PAYCODE*

P_PERIOD*

CANCEL OK

P_EMPLOYEE_NUMBER ← Person Reference,

P_PAYCODE ← Pay Code of the Allowance you are looking at,

P_PERIOD ← Payroll Period you are looking at.

The function will return the item REFERENCE.

2.6.2. PABI_GET_APPT_ANLCODE_PER_HRS

This function will retrieve the sum of hours for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_ANALYSIS_CODES*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_CODES ← Analysis Codes you are looking at, e.g. 6000, 1000.

The function will sum up the hours from the view Pay History, for all pay codes with an analysis code listed in the parameter above, and the latest payroll period in Pay History for the employee that is between P_START_PERIOD and P_END_PERIOD.

2.6.3. PABI_GET_APPT_ANLCODE_PER_VAL

This function will retrieve the sum of values for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_ANALYSIS_CODES*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_CODES ← Analysis Codes you are looking at, e.g. 6000, 1000.

The function will sum up the values from the view Pay History, for all pay codes with an analysis code listed in the parameter above, and the latest payroll period in Pay History for the employee that is between P_START_PERIOD and P_END_PERIOD.

2.6.4. PABI_GET_APPT_ANLCODE_YTD_HRS

This function will retrieve the sum of hours for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_ANALYSIS_CODES*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_CODES ← Analysis Codes you are looking at, e.g. 6000, 1000.

The function will sum up the hours from the view Pay History, for all pay codes with an analysis code listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD

2.6.5. PABI_GET_APPT_ANLCODE_YTD_VAL

This function will retrieve the sum of values for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

P_START_PERIOD *

P_END_PERIOD *

P_ANALYSIS_CODES *

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_CODES ← Analysis Codes you are looking at, e.g. 6000, 1000.

The function will sum up the values from the view Pay History, for all pay codes with an analysis code listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.6. PABI_GET_APPT_ANLTYPE_PER_HRS

This function will retrieve the sum of Hours for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_ANALYSIS_TYPES*

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_TYPES ← Analysis Types you are looking at, e.g. GP, NT.

The function will sum up the Hours from the view Pay History, for all pay codes with an analysis type listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.7. PABI_GET_APPT_ANLTYPE_PER_VAL

This function will retrieve the sum of Values for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

P_START_PERIOD *

P_END_PERIOD *

P_ANALYSIS_TYPES *

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_TYPES ← Analysis Types you are looking at, e.g. GP, NT.

The function will sum up the Values from the view Pay History, for all pay codes with an analysis type listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.8. PABI_GET_APPT_ANLTYPE_YTD_HRS

This function will retrieve the sum of hours for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_ANALYSIS_TYPES*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_TYPES ← Analysis Types you are looking at, e.g. GP, NT.

The function will sum up the hours from the view Pay History for all pay codes with an analysis Type listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.9. PABI_GET_APPT_ANLTYPE_YTD_VAL

This function will retrieve the sum of values for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

P_START_PERIOD *

P_END_PERIOD *

P_ANALYSIS_TYPES *

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_ANALYSIS_TYPES ← Analysis Types you are looking at, e.g. GP, NT.

The function will sum up the values from the view Pay History, for all pay codes with an analysis type listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.10. PABI_GET_APPT_PAYCODE_PER_HRS

This function will retrieve the sum of Hours for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_PAY_CODES*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_PAY_CODES ← Pay Codes you are looking at, e.g. 2000,8000.

The function will sum up the Hours from the view Pay History, for all pay codes listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.11. PABI_GET_APPT_PAYCODE_PER_VAL

This function will retrieve the sum of Values for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

P_START_PERIOD *

P_END_PERIOD *

P_PAY_CODES *

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_PAY_CODES ← Pay Codes you are looking at, e.g. 800, 7800.

The function will sum up the Values from the view Pay History, for all pay codes listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.12. PABI_GET_APPT_PAYCODE_YTD_HRS

This function will retrieve the sum of hours for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_PAY_CODES*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,

P_END_PERIOD ← Ending Payroll Period,

P_PAY_CODES ← Pay Codes you are looking at, e.g. 8000, 6500.

The function will sum up the hours from the view Pay History, for all pay codes listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.13. PABI_GET_APPT_PAYCODE_YTD_VAL

This function will retrieve the sum of values for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_START_PERIOD*

P_END_PERIOD*

P_PAY_CODES*

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_START_PERIOD ← Starting Payroll Period,


P_END_PERIOD ← Ending Payroll Period,

P_PAY_CODES ← Pay Codes you are looking at, e.g. 8000, 6500.

The function will sum up the values from the view Pay History, for all pay codes listed in the parameter above, and the payroll periods between P_START_PERIOD and P_END_PERIOD.

2.6.14. PABI_GET_CANCEL_IND

This function will retrieve the item Cancelled Indicator from the view Pay History, for the parameters entered as follows:




P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period you are looking at.

2.6.15. PABI_GET_EMPLOYER_PRSI_TO_DATE

This function will calculate the total value for all pay codes with an analysis type = ER from the view Pay History from Pay, for the parameters entered as follows:



P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period upper limit.

The function adds the values from Period YYYY01 to the period entered, the Year will be determined while extracting the first four characters of the prompted period.

2.6.16. PABI_GET_FIRST_PAY_CODE_PERIOD

This function will retrieve the first payroll period the employee was paid, from the view Pay History from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_PAY_CODE *

CANCEL OK

P_EMPNO ← Person Reference,

P_PAY_CODE ← Pay Code that you want to query when it was used for the first time.

2.6.17. PABI_GET_GROSS_PAY_VALUE

This function will sum up the values for the pay codes from the view Pay History from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_FROM_PAYROLL_PERIOD *

P_TO_PAYROLL_PERIOD *

CANCEL OK

P_EMPNO ← Person Reference,

P_FROM_PAYROLL_PERIOD ← Payroll Period From,

P_TO_PAYROLL_PERIOD ← Payroll Period To.

The function will sum up all values for pay codes when the analysis type is GP and the payroll periods are included in the entered parameters.

2.6.18. PABI_GET_GROSS_SALARY_TO_DATE

This function will sum up the values for the pay codes from the view Pay History from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_PAYROLL_PERIOD *

CANCEL OK


P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period To.

The function will sum up all values for pay codes when the analysis type is GP, from the period Year-01 to the payroll period entered in the parameters. The year will be extracted from the period in parameter (1st- 4th characters).

2.6.19. PABI_GET_MAX_PAYMENT_PERIOD

This function will return the latest payroll period from the view Pay History from Pay for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference.

2.6.20. PABI_GET_MIN_PAYMENT_PERIOD

This function will return the 1st payroll period from the view Pay History from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL

OK

P_EMPNO ← Person Reference.

2.6.21. PABI_GET_MUL_ANAL_PERIOD_VALUE

This function will sum the values of pay codes from the view Pay History from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_FROM_PERIOD *

P_TO_PERIOD *

P_ANALYSIS_CODE *

P_ANALYSIS_CODE2

P_ANALYSIS_CODE3

P_ANALYSIS_CODE4

P_ANALYSIS_CODE5

P_ANALYSIS_CODE6

P_ANALYSIS_CODE7

P_ANALYSIS_CODE8

P_ANALYSIS_CODE9

P_ANALYSIS_CODE10

P_ANALYSIS_CODE11

P_ANALYSIS_CODE12

P_ANALYSIS_CODE13

P_ANALYSIS_CODE14

P_ANALYSIS_CODE15

CANCEL

OK

P_EMPNO ← Person Reference,

P_FROM_PERIOD ← Payroll Period From,

P_TO_PERIOD ← Payroll Period To,

P_ANALYSIS_CODE to P_ANALYSIS_CODE15 ← Analysis codes you are looking at.

The function will add the pay code values when the parameters above are satisfied.

2.6.22. PABI_GET_MUL_CODE_PERIOD_VALUE

This function will sum the values of pay codes from the view Pay History from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_FROM_PERIOD *

P_TO_PERIOD *

P_ANALYSIS_CODE *

P_ANALYSIS_CODE2

P_ANALYSIS_CODE3

P_ANALYSIS_CODE4

P_ANALYSIS_CODE5

P_ANALYSIS_CODE6

P_ANALYSIS_CODE7

P_ANALYSIS_CODE8

P_ANALYSIS_CODE9

P_ANALYSIS_CODE10

P_ANALYSIS_CODE11

P_ANALYSIS_CODE12

P_ANALYSIS_CODE13

P_ANALYSIS_CODE14

P_ANALYSIS_CODE15

CANCEL

OK

P_EMPNO ← Person Reference,

P_FROM_PERIOD ← Payroll Period From,

P_TO_PERIOD ← Payroll Period To,

P_PAY_CODE to P_PAY_CODE15 ← Pay codes you are looking at.

The function will add the pay code values when the parameters above are satisfied.

2.6.23. PABI_GET_NETT_PAY_YTD_VALUE

See [section 2.2.16](#) for details.

2.6.24. PABI_GET_NEXT_ANNUALISED_SCALE

See [section 2.2.17](#) for details.

2.6.25. PABI_GET_PAYROLL_COSTS_PERIOD

This function will sum up values for all pay codes from the view Pay History from Pay for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_FROM_PERIOD *

P_TO_PERIOD *

P_ANALYSIS_CODE *

P_ANALYSIS_CODE2

P_ANALYSIS_CODE3

P_ANALYSIS_CODE4

P_ANALYSIS_CODE5

P_ANALYSIS_CODE6

P_ANALYSIS_CODE7

P_ANALYSIS_CODE8

P_ANALYSIS_CODE9

P_ANALYSIS_CODE10

CANCEL

OK

P_FROM_PERIOD ← Starting period you are looking at,


P_TO_PERIOD ← Ending Period you are looking at,

P_ANALYSIS_CODE1 to 10 ← Analysis codes you are looking at. CODE1 is mandatory, the rest is optional.

The function will add the values where the pay codes have an analysis code entered in the parameters.

2.6.26. PABI_GET_PEOPLE_PAID

This function will return an indicator from the view Pay History from Pay for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_PAYROLL_PERIOD* ▼

CANCEL OK


P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period you are looking at.

If the payroll period is found in the view Pay History for the employee in parameter, then the function will return 1, else 0.

2.6.27. PABI_GET_PEOPLE_PAID_IND

This function will return an indicator from the view Pay History from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_PAYROLL_PERIOD* ▼

P_PAY_CODE* ▼

P_PAY_GROUP* ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period you are looking at,


P_PAY_CODE ← Pay Code you are looking at,

P_PAY_GROUP ← Pay Group the employee is in.

If there is a value for the pay code, period in parameter for the employee, then the function will return Y, else N.

2.6.28. PABI_GET_PRSI_CLASS_HISTORY

This function will return the item Prsi Class from the view Pay History from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_PAYROLL_PERIOD* ▼

CANCEL OK


P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period you are looking at.

Note: If the payroll period entered in the parameter doesn't exist on the employee's record, the function will retrieve the Prsi Class from the 1st period lesser than the period in parameter.

2.6.29. PABI_GET_PRSI_WEEKS_HISTORY

This function will sum the item Prsi Weeks from the view Pay History from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_FROM_PAYROLL_PERIOD*

P_TO_PAYROLL_PERIOD*

CANCEL OK

P_EMPNO ← Person Reference,

P_FROM_PAYROLL_PERIOD ← Payroll Period from,

P_TO_PAYROLL_PERIOD ← Payroll Period to.

The function will add the Prsi Weeks value against any pay code described in the payroll parameters as Pay Code Cheque for the company the employee is in (usually pay code 8000), for all periods between the periods in the parameters from and to.

2.6.30. PACI_GET_ANAL_TYPE_VALUE

This function will sum the values against Pay Codes from the view Pay History from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_ANALYSIS_TYPE*

P_FROM_PAYROLL_PERIOD*

P_TO_PAYROLL_PERIOD*

CANCEL OK

P_EMPNO ← Person Reference,

P_ANALYSIS_TYPE ← Analysis Type you are looking at, e.g. GP for Gross Payments,

P_FROM_PAYROLL_PERSON ← Period From used to align the data,

P_TO_PAYROLL_PERSON ← Period To used to align the data.

The function will sum all values against pay codes where the analysis type is matching the parameter entered and the payroll period is between the parameters P_FROM_PAYROLL_PERSON and P_TO_PAYROLL_PERSON.

2.7. Pay Code Reference

2.7.1. PABI_GET_ALLOWANCE_TYPE

This function will return an indicator from the view Pay Code Reference, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_CODE*


CANCEL OK

P_PAY_CODE ← Pay Code of the Allowance you are looking at.

Depending on the type of Allowance:

- Scaled Allowance → 1,
- Calculated Percentage Allowance → 4,
- Fixed Percentage Allowance → 2,
- Variable Percentage Allowance → 3,
- Standard Value Allowance → 5,
- Variable Value Allowance → 6,

The type of the allowance can be viewed on the Pay Code Library screen, from the Settings tab of the Payroll Dashboard:




The screenshot shows the 'Pay Codes' section of the Payroll Dashboard. It features a 'Pay Code Library' table with columns: Pay Code, Description, Type, Subset Type, Summary, and Last Edited. A red box highlights the 'Subset Type' column, which contains the value 'Standard Value' for all listed pay codes.

Pay Code	Description	Type	Subset Type	Summary	Last Edited
1000	Salary	Allowance	Standard Value	The Allowance, 1000 - Salary is Taxable, Nlable, Pensionable EE, Pensionable ER.	10-Jun-2024 By Howard Stark
1002	Salary Arrears	Allowance	Standard Value	The Allowance, 1002 - Salary Arrears is Taxable, Nlable, Pensionable EE, Pensionable ER.	17-Dec-2018 By Howard Stark
1003	Occupational Salary Offset	Allowance	Standard Value	The Allowance, 1003 - Occupational Salary Offset is Taxable, Nlable, Pensionable EE, Pensionabl...	17-Dec-2018 By Howard Stark
1004	Additional Salary Arrears	Allowance	Standard Value	The Allowance, 1004 - Additional Salary Arrears is Taxable, Nlable, Pensionable EE, Pensionable ...	17-Dec-2018 By Howard Stark
1005	Basic Hours	Allowance	Standard Value	The Allowance, 1005 - Basic Hours is Taxable, Nlable, Pensionable EE, Pensionable ER.	17-Dec-2018 By Howard Stark

2.7.2. PABI_GET_ANALYSIS_CODE

This function will return the Analysis Code from the view Pay Code Reference, for the parameter entered as follows:



The dialog box titled 'Enter Function Parameters' contains a text input field with the value 'P_PAY_CODE*'. A note above the field states '* Denotes a mandatory parameter'. At the bottom of the dialog are 'CANCEL' and 'OK' buttons.

P_PAY_CODE ← Pay Code you are looking at.

This will retrieve the data from the Pay Codes Wizard:

The screenshot shows the 'Pay Code Wizard' interface with the following details:

- Pay Code Wizard**
Payroll Dashboard > Pay Codes > Pay Code Wizard
- 1 Pay Code Formula** (selected step)
- 2 Rules**
- 3 General Ledger**
- Details**
 - Pay Code*: 1000
 - Pay Code Description*: Salary
 - Analysis Code*: Basic Pay (highlighted with a red box)
- The Allowance, 1000 - Salary is Taxable, Niable, Pensionable EE, Pensionable ER.
- Hours / Days / Units / Value*: Value
- Hours Days Limit: 1
- Multiplier*: 1
- Standard Value: (empty)
- Formula**
This Allowance is calculated on Value, multiplied by a Multiplier of 1 .

2.7.3. PABI_GET_ANALYSIS_CODE_DESC

This function will return the Analysis Code Description from the view Pay Code Reference, for the parameter entered as follows:

The dialog box titled 'Enter Function Parameters' contains the following elements:

- * Denotes a mandatory parameter
- P_ANALYSIS_CODE* (dropdown menu)
- CANCEL button
- OK button

P_ANALYSIS_CODE ← Analysis Code you are looking at.

2.7.4. PABI_GET_ANALYSIS_TYPE

This function will return the Analysis Type from the view Pay Code Reference, for the parameter entered as follows:


The dialog box titled 'Enter Function Parameters' contains the following elements:

- * Denotes a mandatory parameter
- P_ANALYSIS_CODE* (dropdown menu)
- CANCEL button
- OK button

P_ANALYSIS_CODE ← Analysis Code you are looking at.

2.7.5. PABI_GET_PAY_CODE_DESCRIPTION

This function will return the item Pay Code Description from the view Pay Code Reference from Pay, for the parameter entered as follows:




P_PAY_CODE ← Pay Code you are looking at.

2.8. Audit Details

2.8.1. PABI_GET_AUDIT_TABLE_TYPE_IND

This function will retrieve the name of the table if audited, null if not, for the parameter entered as follows:



P_TABLE_NAME ← Table Name you are looking at.

2.9. Auto Enrolment Parameters

2.9.1. PABI_GET_AUTO_ENROL_PARAMS

This function will retrieve an item from Auto Enrolment Parameters for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_DATE *

P_ITEM *

P_PERIOD *

CANCEL OK

P_DATE ← Date used to align the data, SYSDATE for current situation,

P_ITEM ← Item you are looking at. ITEM can be:

- 'STAGING_PERIOD',
- 'APPLY_AUTO_ENROL',
- 'MIN_ELIGIBLE_AGE',
- 'LOWER_EARNINGS_TRIGGER',
- 'LOWER_EARNINGS_BAND',
- 'RE_ENROL_YEARS',
- 'MULTIPOST_AGGREGATION',
- 'DEFAULT_PENSION_SCHEME',
- 'AGE_MALE',
- 'AGE_FEMALE',
- 'AGE_GENDER_UNKNOWN',
- 'PENSION_RULE',
- 'PENSION_DEFER',
- 'PENSION_EXEMPT',
- 'RE_ENROLMENT_PERIOD',

P_PERIOD ← Year of that period will be used for the ITEMS 'LOWER_EARNINGS_TRIGGER' and 'LOWER_EARNINGS_BAND', these two items will be retrieved from the table Autoenrol Earnings Param.

2.10. Summary Payments

2.10.1. PABI_GET_EP_PAYMENT_DATE

This function will retrieve the item Date Processed (if Null, then Processing Date) from the view Summary Payments from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_PAY_GROUP*

P_PERIOD_NUMBER*

P_PAY_METHOD*

CANCEL

OK

P_EMPNO ← Person Reference,

P_PAY_GROUP ← Pay Group the employee is in,

P_PERIOD_NUMBER ← The Payroll Period you are looking at,

P_PAY_METHOD ← Pay Method the employee is in.

2.10.2. PABI_GET_PAY_METHOD_VALUE

This function will return the item Payment Value from the view Summary Payments from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_PAYROLL_PERIOD*

P_PAY_METHOD*

CANCEL


OK

P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period you are looking at,

P_PAY_METHOD ← Pay Method you are looking at

Pay Methods can be viewed from the Pay Methods screen in the Settings tab of the Payroll dashboard.




Pay Method	Alternative Pay Method All...	Bank Account Details Requ...	Link Pay Method	Court Orders Only	Extract	Account Number Length	GL Expense	Cost Centre	Subhead
Bacs PP	Yes	Yes	No	No					...
Cheque CH	Yes	No	No	No					...
Cheque Order CO	Yes	No	No	Yes	No				...
Payment Order PO	Yes	Yes	No	Yes					...
Local Property Tax LP	Yes	No	No	Yes	No				...
Negative Pay NG	Yes	Yes	No	No	No				...

The function will sum up all payment values satisfying the parameters entered.

2.10.3. PABI_HISTORIC_PAY_METHOD

This function will return the item Pay Method from the view Summary Payments from Pay for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_PERIOD*

CANCEL OK

P_EMPNO ← Person Reference,

P_PERIOD ← Payroll Period you are looking at.

The function will retrieve the Pay Method that was used when a payment was made for the payroll period entered in the parameter.

2.11. Pay Scales and Rates

2.11.1. PABI_GET_FIRST_LSI

This function will retrieve the minimum of the item Scale Point from the view Pay Scale and Rates from Pay for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POSN_CODE*

CANCEL OK

P_POSN_CODE ← Position Code you are looking at.

The function will retrieve the information visible on the Scale Point Profile screen on the Payroll dashboard:

Scale Point Profile

Payroll Dashboard > Scale Point Profile

Scale Point Profile

Position Code

System Position Code

Scale Point	Scale Narrative	Scale Desc.	Bar Point	Age	Ind.	Progression		Years On Point	L.S.I. Ind	APTH Start Pt.	
						Scale	Point				
1	Scale 1										...
2	Scale 2										...
3	Scale 3										...

2.11.2. PABI_GET_NEXT_SCALE_POINT

This function will retrieve the item Scale Point from the view Pay Scales and Rates from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_SCALE *

P_CURRENT_POINT *

CANCEL OK

P_PAY_SCALE ← Position you are looking at,

P_CURRENT_POINT ← Scale Point you are looking at.

The function will retrieve the information visible on the Scale Point Profile screen on the Payroll dashboard:

Scale Point Profile

Payroll Dashboard > Scale Point Profile

Scale Point Profile

Position Code

System Position Code

Scale Point	Scale Narrative	Scale Desc.	Bar Point	Age	Ind.	Progression		Years On Point	L.S.I. Ind	APTH Start Pt.	
						Scale	Point				
1	Scale 1										...
2	Scale 2										...
3	Scale 3										...

The function will retrieve the next point from the point entered in the parameters. For example, if the parameter entered is 2, the function will return 3.

2.11.3. PABI_GET_NEXT_SCALE_VALUE

This function will calculate the rate value depending on the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_POSITION*

P_SCALE_POINT*

CANCEL OK

P_EMPNO ← Person Reference,

P_POSITION ← Position you are looking at,

P_SCALE_POINT ← Scale Point you are looking at.

Positions and Scale Points are set up in the Scale Point Profile screen on the Payroll dashboard:

Scale Point Profile

Payroll Dashboard > Scale Point Profile

Scale Point Profile

Position Code

System Position Code

Scale Point	Scale Narrative	Scale Desc.	Bar Point	Age	Ind.	Progression		Years On Point	L.S.I. Ind	APTH Start Pt.	
						Scale	Point				
1	Scale 1										...
2	Scale 2										...
3	Scale 3										...

The function will calculate the rate value as follows:


- If the scale point is 999 then the function will retrieve information from the view Personal Rates from Pay, only the current situation lesser or equal to today's date:
 - If the annual salary for the employee is not null then annual salary,
 - If null then weekly basic,
 - If weekly basic is null then daily rate,

- If the daily rate is null then basic rate.
- For other scenarios, the function will consider the max Scale Point from Pay Scales and Rates for the Position entered in parameters:
 - if the Scale Point in parameter is the same then the function will retrieve information same way as above, but this time from the view Pay Scales and Rates from Pay.
 - If the Scale Point in parameter is not the same then for the Scale Point in parameter, the function will retrieve information the same way as above.

That information is called the Rate Value.

2.11.4. PABI_GET_SCALE_NARRATIVE

This function will return the item Scale Narrative from the view Pay Scales And Rates from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_POSITION* ▼

P_POINT* ▼

CANCEL OK

P_POSITION ← Position Code you are looking at,

P_POINT ← Scale Point you are looking at.

The function will retrieve the data from the Scale Point Profile screen on the Settings tab of the Payroll Dashboard:

Scale Point Profile

Payroll Dashboard > Scale Point Profile

Scale Point Profile

Position Code
 System Position Code

Scale Point	Scale Narrative	Scale Desc.	Bar Point	Age	Ind.	Progression		Years On Point	L.S.I. Ind	APTH Start Pt.		
						Scale	Point					
1	Scale 1											...
2	Scale 2											...
3	Scale 3											...

2.11.5. PABI_GET_SECOND_LSI

This function will return the item Scale Point Code from the view Pay Scales And Rates from Pay for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POSN_CODE*

CANCEL OK


P_POSN_CODE ← Position you are looking at.

The function will retrieve the maximum of Scale Point for the position entered in the parameter where Years on Point is equal to 1.

2.12. Tax Certs

2.12.1. PABI_GET_MAX_TAX_CERT_DATE

This function will return the latest Date Effective from the view Tax Certs from Pay, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼


CANCEL OK

P_EMPNO ← Person Reference.

2.13. Timesheet Details

2.13.1. PABI_GET_OVERTIME_WEEK_ENDING

This function will retrieve the item Roster Date from the view Timesheet Details from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_PAYROLL_PERIOD* ▼

P_PAY_CODE* ▼

P_TRANSACTION_DATE* ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Payroll Period you are looking at,


P_PAY_CODE ← Pay code you are looking at,

P_TRANSACTION_DATE ← Transaction Date you are looking at.

2.14. Pay Code Rate

2.14.1. PABI_GET_PAY_CODE_POINT_FREQ

This function will return the calculation Frequency from the view Pay Code Rate from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_CODE* ▼

P_PAY_CODE_POINT* ▼

P_EFFECTIVE_DATE* ▼

CANCEL OK

P_PAY_CODE ← Pay Code you are looking at,

P_PAY_CODE_POINT ← Pay Code Point you are looking at,

P_EFFECTIVE_DATE ← Date used to align the data.

The function will investigate the items:


- Annual Rate, if not null then the result will be Annual, else:
- Weekly Basic, if not null then the result will be Weekly, else:
- Daily Rate: if not null then the result will be Daily, else:
- Hourly.

For the latest effective date lesser or equal than the effective date in parameter, and the Pay Code Point in parameter.

2.15. Personal Rates

2.15.1. PABI_GET_PERSONAL_RATE_TYPE

This function will return the item Personal Rate Type from the view Personal Rates from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON*

P_DATE*

CANCEL OK


P_PERSON ← Person Reference Period you are looking at,

P_DATE ← Date used to align the data.

The function will look for the latest date effective lesser or equal to the date entered in the parameter.

2.15.2. PABI_GET_PREV_RATE_TYPE

This function will return Rate Type from the view Personal Rates from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DATE*

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the previous Rate Type against the latest effective date less than the date entered in the parameter.

The Rate Type will be:

- If Annual Salary is not null then ANNUAL,
- If Weekly Basic is not null then WEEKLY,
- If Daily Rate is not null then DAILY,
- Else HOURLY.

 **Note:** If the point is not 9999, then the function will look at the Position Rates instead of Personal Rates.

2.15.3. PABI_GET_RATE_TYPE_HISTORY

This function will retrieve the Rate Type from the view Personal Rates, or the table Position Rates from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POSITION* 

P_POINT* 

P_DATE_EFFECTIVE* 

P_EMPNO* 

P_DATE_INPUT* 

P_RATE_SEQ_NO* 

CANCEL OK

P_POSITION ← Position you are looking at,

P_POINT ← Point you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data,

P_EMPNO ← Person Reference,

P_DATE_INPUT ← Date Input used to align the data,

P_RATE_SEQ_NO ← Sequence Number you are looking at.

- If the employee has an annual salary, then the function will retrieve ANNUAL,
- If the employee's annual salary is null and has a weekly basic value, then the function will retrieve WEEKLY,
- If the employee's weekly basic is null and has a daily rate, then the function will retrieve DAILY,
- If the employee's daily rate is null, then the function will retrieve HOURLY.

Note: If the employee's point is 9999, then the function will look into the Personal Rates (Date Input, Date Effective and Rate Sequence will have to be a perfect match with the dates in parameters above), other cases into the Position Rates (Date Input, Date Effective and Rate Sequence will have to be a perfect match with the dates in parameters above).

2.15.4. PABI_GET_RATE_WITH_SEQUENCE_NO

This function will return the rate value from the view Personal Rates from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_RATE_SEQ_NO*

CANCEL OK

P_EMPNO ← Person Reference,

P_REQ_SEQ_NO ← Rate Sequence Number you are looking at.

The function will retrieve the Rate Value against the latest effective date for the sequence number entered in the parameter.



Note: If the point is not 9999, then the function will look at the Position Rates instead of Personal Rates.

2.16. Position Rate

2.16.1. PABI_GET_SCALE_MAX

This function will return the Rate Value from the table Position Rate from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_SCALE* 

P_PAY_SCALE ← Pay Scale you are looking at.

The function will retrieve the rate value (depending on the Rate Type, Annual Salary, Weekly Basic Daily Rate, Basic Rate) for the max point of the position you are looking at and the sequence number 1:

View Position Rates

Payroll Dashboard > View Position Rates 

Position:  Test Position Code  Date Effective: 

Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

2.16.2. PABI_GET_SCALE_MAX_HISTORY

This function will return the Rate Value from the table Position Rate from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_SCALE*

P_DATE_EFFECTIVE*

CANCEL OK

P_PAY_SCALE ← Pay Scale you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data,

The function will retrieve the rate value (depending on the Rate Type, Annual Salary, Weekly Basic Daily Rate, Basic Rate) for the max point of the position you are looking at and the sequence number 1, and for the latest date effective lesser or equal than the date entered in the parameter:

View Position Rates
Payroll Dashboard > View Position Rates
OPEN LEGACY FORM

Position
Test Position Code X
Date Effective

Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

2.16.3. PABI_GET_SCALE_MAX_POINT

This function will return the maximum Point (Scale Point) from the table Position Rate from Pay, for the parameter entered as follows:

Enter Function Parameters


* Denotes a mandatory parameter

P_PAY_SCALE*

CANCEL OK

P_PAY_SCALE ← Pay Scale you are looking at.

The function will retrieve the maximum point for the latest date effective and the latest date input and where the rate sequence is 1:




The screenshot shows the 'View Position Rates' interface. At the top, there's a breadcrumb 'Payroll Dashboard > View Position Rates' and a button 'OPEN LEGACY FORM'. Below the header, there are two dropdown menus: 'Position' with 'Test Position Code' selected and 'Date Effective'. A table below displays position rates with columns: Rate Seq No, Date Input, Reference, Scale Point, Hourly Rate, Daily Rate, Annual Salary, Weekly Basic, and Unit Rate. The table contains three rows of data.

Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

2.16.4. PABI GET_SCALE_MAX_POINT_HIST

This function will return the maximum Point (Scale Point) from the table Position Rate from Pay, for the parameters entered as follows:




The screenshot shows the 'Enter Function Parameters' dialog box. It has a title bar 'Enter Function Parameters' and a note '* Denotes a mandatory parameter'. There are two input fields: 'P_PAY_SCALE*' and 'P_DATE_EFFECTIVE*', both with dropdown arrows. At the bottom, there are 'CANCEL' and 'OK' buttons.

P_PAY_SCALE ← Pay Scale you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data.

The function will retrieve the maximum point for the date effective lesser or equal than the date entered in the parameter and where the rate sequence is 1:



The screenshot shows the 'View Position Rates' interface, identical to the one above. It displays a table of position rates with columns: Rate Seq No, Date Input, Reference, Scale Point, Hourly Rate, Daily Rate, Annual Salary, Weekly Basic, and Unit Rate. The table contains three rows of data.

Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

2.16.5. PABI_GET_SCALE_MIN

This function will return the Rate Value from the table Position Rate from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_SCALE*

CANCEL OK

P_PAY_SCALE ← Pay Scale you are looking at.

The function will retrieve the Rate Value for the latest date effective and latest date input and where the rate sequence is 1 and the Scale Point is 1:

View Position Rates								
Payroll Dashboard > View Position Rates								
OPEN LEGACY FORM								
Position								
Test Position Code X Date Effective								
Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

2.16.6. PABI_GET_SCALE_MIN_HISTORY

This function will return the Rate Value from the table Position Rate from Pay for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_SCALE*


P_DATE_EFFECTIVE*

CANCEL OK

P_PAY_SCALE ← Pay Scale you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data.

The function will retrieve the Rate Value for the latest date effective lesser or equal to the date in the parameter above and where the rate sequence is 1 and the Scale Point is 1:




The screenshot shows a web interface titled "View Position Rates" with a breadcrumb "Payroll Dashboard > View Position Rates" and a button "OPEN LEGACY FORM". Below the header, there are input fields for "Position" (containing "Test Position Code") and "Date Effective". A table below displays position rates with the following columns: Rate Seq No, Date Input, Reference, Scale Point, Hourly Rate, Daily Rate, Annual Salary, Weekly Basic, and Unit Rate.

Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

2.16.7. PABI_GET_SCALE_POINT_RATE

This function will return the Rate Value from the table Position Rate from Pay, for the parameters entered as follows:



The screenshot shows a dialog box titled "Enter Function Parameters". It includes a note: "* Denotes a mandatory parameter". There are three input fields, each with an asterisk and a dropdown arrow: "P_POSITION*", "P_POINT*", and "P_DATE_EFFECTIVE*". At the bottom, there are "CANCEL" and "OK" buttons.

P_POSITION ← Position Code you are looking at,

P_POINT ← Scale Point you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data.

The function will retrieve the rate value for the latest effective date lesser or equal to the date in the parameter above and where the rate sequence is 1:

View Position Rates
Payroll Dashboard > View Position Rates OPEN LEGACY FORM

Position: X Date Effective:

Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

2.16.8. PABI_GET_SCALE_POINT_RATE_TYPE

This function will return the Rate Type from the table Position Rate from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POSITION*

P_POINT*

P_DATE_EFFECTIVE*

CANCEL OK

P_POSITION ← Position Code you are looking at,

P_POINT ← Scale Point you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data.

The function will retrieve the rate type for the latest effective date lesser or equal to the date in the parameter above and where the rate sequence is 1:

View Position Rates
Payroll Dashboard > View Position Rates OPEN LEGACY FORM

Position: X Date Effective:

Rate Seq No	Date Input	Reference	Scale Point	Hourly Rate	Daily Rate	Annual Salary	Weekly Basic	Unit Rate
1	15-MAY-20		1	0	0	20000	0	0
1	15-MAY-20		2	0	0	30000	0	0
1	15-MAY-20		3	0	0	40000	0	0

Depending on which column above is valued, the rate type will be one of these chains of characters: 'HOURLY', 'DAILY', 'WEEKLY', or 'ANNUAL'.

2.17. Position Reference

2.17.1. PABI_GET_POS_REF_GROUP

This function will return the item Position Group from the table Position Refence from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POSITION*

CANCELOK

P_POSITION ← Position you are looking at.

The function will retrieve the Position Group information from the Position Reference screen in the Settings tab of the Payroll dashboard.

Position Reference

Payroll Dashboard > Position Reference

Position Reference

Search

ADD POSITION REFERENCE

Position	Nett Pay Min/...	Currency	Position Group	Allowance Co...	Annual Leave ...	Phi Ra...	Round Down	APTH	Part Time	Minimum Rat...	Occupation S...	CSO Contract...	ESS Timesheet	ESS Quantity	ESS Fixed Qu...	Active on Stat...	S & S Alleviat...	Roll Up Multip...	Overtime Hos...
Personal R...	0	GBP	1	0	0														0

2.17.2. PABI_GET_POS_REF_MAX_RATE

This function will return the item Nett Pay Max from the table Position Refence from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POSITION*

CANCELOK

P_POSITION ← Position you are looking at.

The function will retrieve the Nett Pay Max information from the Position Reference screen in the Settings tab of the Payroll dashboard.

Position Reference		Payroll Dashboard > Position Reference															
Position Reference		ADD POSITION REFERENCE															
Search																	
Position	Nett Pay Min	Currency	Position Group	Allowance Co.	Annual Leave	Phil Ra.	Round Down	APTH	Part Time	Minimum Rat.	Occupation S.	CSO Contract	ESS Timesheet	ESS Quantity	ESS Fixed Qa.	Active on Staf.	S & S Alleviat
Personal R.	0				0	0											
1	0	GBP	1		0	0											0

2.17.3. PABI_GET_POS_REF_MIN_RATE

This function will return the item Nett Pay Min from the table Position Refence from Pay, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POSITION*

CANCELOK

P_POSITION ← Position you are looking at.


The function will retrieve the Nett Pay Min information from the Position Reference screen in the Settings tab of the Payroll dashboard.

Position Reference		Payroll Dashboard > Position Reference															
Position Reference		ADD POSITION REFERENCE															
Search																	
Position	Nett Pay Min	Currency	Position Group	Allowance Co.	Annual Leave	Phil Ra.	Round Down	APTH	Part Time	Minimum Rat.	Occupation S.	CSO Contract	ESS Timesheet	ESS Quantity	ESS Fixed Qa.	Active on Staf.	S & S Alleviat
Personal R.	0				0	0											
1	0	GBP	1		0	0											0

2.18. Person Year End Details

2.18.1. PABI_GET_PRSI_INSURABLE_WEEKS

This function will return the item Prsi No Of Weeks from the view Person Year End Details from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_YEAR*


CANCEL OK

P_EMPNO ← Person Reference,

P_YEAR ← Year you are looking at.

2.18.2. PABI_GET_TAX_TO_DATE

This function will return the PAYE To Date from the view Person Year End Details from Pay, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_YEAR*

CANCEL OK

P_EMPNO ← Person Reference,

P_YEAR ← Year used to align the data.

The function will calculate the Paye to Date as follows: Item Paye current (Paye to Date) + Paye Previous.

2.19. Sickness History

2.19.1. PABI_GET_SICK_ABS_MULTIPLIER

This function will return the item Pay Multiplier from the view Sickness History from Pay for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON*

P_DATE*

CANCEL

OK

P_PERSON ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the pay multiplier where the illness date is equal to P_DATE parameter entered.

2.20. Auto Enrol Event History

2.20.1. PABI_HISTORIC_SCHEME_EVENT

This function will return the item Event from the view Auto Enrol Event History from Pay, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_SCHEME_CODE*

P_DATE_EFFECTIVE*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_SCHEME_CODE ← Scheme Code you are looking at,

P_DATE_EFFECTIVE ← Date used to align the data.

The function will retrieve the Event where the latest Date Entered (from the same view) is lesser or equal to the date entered in the parameter.



Note: If you don't want to specify the appointment ID, you can enter XXXXX.

2.21. Allowance Profile

2.21.1. PABI_CHECK_FOR_ALLOWANCE

This function will return an indicator depending on the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_PAY_CODE *

P_DATE *

P_EMPNO ← Person Reference,

P_PAY_CODE ← Allowance Pay Code,

P_DATE ← Date used to align the data, SYSDATE for current situation.

If the employee has the allowance pay code set up and active at P_DATE, then the indicator will be Y else N. An employee's allowances can be viewed from the Allowances area of the employee's record on the Payroll Dashboard.

The screenshot shows the 'Amelia May' payroll dashboard. On the left, there's a sidebar with a search bar and a list of categories: Gross to Nett, Redundancy, Additional (selected), Deductions, Pension, Benefit in Kind, and Allowances. The main area displays employee details for Amelia May, including her status as 'Active', employee reference number 000021, NI number, date of birth (01-Jan-1990), original start date (01-Jan-2021), latest start date (01-Jan-2021), hours (37.5), and FTE hours (37.5). Below this, the 'Allowances' section is active, showing a table with columns: Allowance, Start, End, Value, Percentage, and Reference. One allowance is listed: 'BIKE TO WORK' with a value of 280.00 and a reference of 20720224184. An 'ADD' button is visible in the top right of the allowances section.

2.21.2. PACI_GET_ALLOWANCE_STD_VALUE

This function will return the item Allowance Value from the view Allowance Profile from Pay, for the parameters entered as follows:

The dialog box titled 'Enter Function Parameters' contains three mandatory input fields, each marked with an asterisk (*): 'P_PERSON*', 'P_PAY_CODE*', and 'P_DATE*'. Each field has a dropdown arrow. At the bottom of the dialog, there are two buttons: 'CANCEL' and 'OK'.

P_PERSON ← Person Reference,

P_PAY_CODE ← Pay Code you are looking at,

P_DATE ← Date used to align the data.

The function will retrieve the allowance value at the time of the date entered in the parameter (Start Date lesser or equal to P_DATE and End Date is null, or End Date is greater or equal to P_DATE).


Note: If the value is 0, then the function will retrieve the standard value for the pay code from the view Pay Code from Data Validation.

3. Personnel

3.1. Appointment History

3.1.1. PABI_GET_APPOINTMENT_DESC

This function will return the Description for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_APPOINTMENT_ID *


CANCEL OK

P_APPOINTMENT_ID ← Appointment ID you are looking at,

The function will return the Job Title Description for the latest sequence (cannot be in the future), of the appointment ID entered.

3.1.2. PABI_GET_FTE_HOURS

This function will retrieve the item FTE Hours from the view Appointment History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the FTE Hours at the time of the date entered.

3.1.3. PABI_GET_POST_TYPE

This function will return the item Actual Post Type from the view Appointment History from Personnel, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_PAYROLL_PERIOD*

P_ORGZ_REF*

CANCEL OK

P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Will be used to align the data, the item calendar date against the period in parameter will determine the actual start date of the sequence to be considered,

P_ORGZ_REF ← Will be used to pick up the calendar date for the combination Payroll Period / Company Code in the payroll calendar.

The function will retrieve the employee's post type, this can be viewed in the View Contract screen on the employee's record in People Management. The function will return the code, not the description.

View Contract

People Management > Employee Search > Amelia May (000021) > View Contract

1 Organizational Structure

2 Contract Information

Dates

Effective Date*

12-Aug-2024

Target End Date

Planned End Date

Job Title*

Business Analyst

Job Category

Post Type*

Permanent

The codes are set up from the Job Types screen on the Data Centre tab of the People Management dashboard:

Job Types
People Management > View All > Job Types

	Description	Analy... Code	Description	Hourly Holiday Entitlement	HR FTE Ind	Payroll FTE Ind	Active on Staff Req.	
A	Apprentice/Trainee			☒	☒	☒	☐	...
CS	Casual / Zero Hours			☐	☐	☐	☒	...
FT	Fixed Term			☐	☐	☐	☒	...
LE	Leaver (Do Not Remove)			☒	☒	☒	☐	...
NE	3rd Party / Non-Employee			☐	☐	☐	☒	...
O	Other Person Engaged			☒	☒	☒	☐	...
P	Permanent			☐	☐	☐	☒	...
PE	Pensioner			☐	☐	☐	☒	...

3.1.4. PABI_GET_WORKED_HOURS

This function will return the item Hours from the view Appointment History from Personnel, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the Hours for the sequence of the contract valid at the time of the date entered in the parameter.

Note: Even if the employee is ended at SYSDATE, there is no condition on the end date of the contract/appointment, nor on the type on contract, primary or secondary.

3.2. Person Salary History

3.2.1. PABI_GET_APPOINTMENT_GRADE

This function will retrieve the Grade from the view Person Salary History, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_DATE*

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

Please note that the Rate Start date will be aligned with P_DATE, not the effective date. The function will retrieve the information from the Current Salary area on the employee's profile:

Amelia May (000021)

People Management > Employee Search > Amelia May (000021)

AM

Active

Business Analyst

Start Date 01-Jan-2021

Payroll Active

Payroll Open for Processing

ACTIONS

Search

Q

Current Salary

Key Information

Contracts

User Defined Data

Cost Allocations

Balances

Probation Details

Change Work Schedule

Contact Information

Manager

Current Salary

Allowances

Increment History

Current Salary

Current Salary £ 32,000.00

Including Allowances £ 32,000.00

Next Increment Due N/A

Paygroup 15 - Monthly Payroll (UK)

TIMELINE VIEW

Salary History

Exclude Rate History

ADD

Start Date	Rate Effective	Pay Scale / Grade	Point	Rate Type	Rate Amount	Multiplier	Actual Pay	Status	Reason
01-May-2022	01-May-2022	1 - System Position Co.	9999	Annual	£ 33,000.00	1	£ 33,000.00	Pending	Change Of Pay
11-Apr-2022	11-Apr-2022	1 - System Position Co.	9999	Annual	£ 32,000.00	1	£ 32,000.00	Approved	Change Of Pay
01-Jan-2021	01-Jan-2021	1 - System Position Co.	9999	Annual	£ 30,000.00	1	£ 30,000.00	Approved	New Starter

DELETE

3.2.2. PABI_GET_APPOINTMENT_MULT

This function will retrieve the Multiplier from the view Person Salary History, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

Please note that the Rate Start date will be aligned with P_DATE, not the effective date. The function will retrieve the information from the Current Salary area on the employee's profile:

Amelia May (000021)

People Management > Employee Search > Amelia May (000021)

Active Business Analyst Start Date: 01-Jan-2021

Payroll Active Payroll Open for Processing

Current Salary

Current Salary £32,000.00 Including Allowances £32,000.00 Next Increment Due N/A Paygroup 15 - Monthly Payroll (UK)

Salary History

Exclude Rate History

Start Date	Rate Effective	Pay Scale / Grade	Point	Rate Type	Rate Amount	Multiplier	Actual Pay	Status	Reason
01-May-2022	01-May-2022	1 - System Position Co...	9999	Annual	£ 33,000.00	1	£ 33,000.00	Pending	Change Of Pay
11-Apr-2022	11-Apr-2022	1 - System Position Co...	9999	Annual	£ 32,000.00	1	£ 32,000.00	Approved	Change Of Pay
01-Jan-2021	01-Jan-2021	1 - System Position Co...	9999	Annual	£ 30,000.00	1	£ 30,000.00	Approved	New Starter

3.2.3. PABI_GET_APPOINTMENT_POINT

This function will retrieve the Point from the view Person Salary History, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_DATE*

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

Please note that the Rate Start date will be aligned with P_DATE, not the effective date. The function will retrieve the information from the Current Salary area on the employee's profile:

Amelia May (000021)

People Management > Employee Search > Amelia May (000021)

ACTIONS

AM

Active

Business Analyst

Start Date 01-Jan-2021

Payroll Active

Payroll Open for Processing

Search

Q

Current Salary

Key Information

Contracts

User Defined Data

Cost Allocations

Balances

Probation Details

Change Work Schedule

Contact Information

Manager

Current Salary

Allowances

Increment History

Current Salary

Current Salary £ 32,000.00

Including Allowances £ 32,000.00

Next Increment Due N/A

Paygroup 15 - Monthly Payroll (UK)

TIMELINE VIEW

Salary History

Exclude Rate History

ADD

Start Date	Rate Effective	Pay Scale / Grade	Point	Rate Type	Rate Amount	Multiplier	Actual Pay	Status	Reason
01-May-2022	01-May-2022	1 - System Position Co.	9999	Annual	£ 33,000.00	1	£ 33,000.00	Pending	Change Of Pay
11-Apr-2022	11-Apr-2022	1 - System Position Co.	9999	Annual	£ 32,000.00	1	£ 32,000.00	Approved	Change Of Pay
01-Jan-2021	01-Jan-2021	1 - System Position Co.	9999	Annual	£ 30,000.00	1	£ 30,000.00	Approved	New Starter

DELETE

3.2.4. PABI_GET_APPOINTMENT_RATE_DESC

This function will retrieve the Rate Type Description from the view Person Salary History, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_APPOINTMENT_ID* ▼

P_DATE* ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

Please note that the Rate Start date will be aligned with P_DATE, not the effective date. The function will retrieve the description as below:

- If the type is 'A' then 'Annual',
- If the type is 'M' then 'Monthly',
- If the type is 'D' then 'Daily',
- If the type is 'H' then 'Hourly',
- If the type is 'W' then 'Weekly'.

3.2.5. PABI_GET_APPOINTMENT_RATE_TYPE

This function will retrieve the Rate Type Code from the view Person Salary History, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_APPOINTMENT_ID* ▼

P_DATE* ▼

CANCEL OK

P_EMPNO ← Person Reference,


P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

Please note that the Rate Start date will be aligned with P_DATE, not the effective date.

3.2.6. PABI_GET_APPOINT_FULL_SALARY

This function will retrieve the Annualised Pay from the view Person Salary History, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_APPOINTMENT_ID* ▼

P_DATE* ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

Please note that the Rate Start date will be aligned with P_DATE, not the effective date.

3.2.7. PABI_GET_APPOINT_HOURLY_RATE

This function will retrieve the Calculated Hourly Rate from the view Person Salary History, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_APPOINTMENT_ID* ▼

P_DATE* ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

Please note that the Rate Start date will be aligned with P_DATE, not the effective date.

3.2.8. PACI_GET_PENSION_SALARY

This function will return the item Annualised Pay (not in the view) from the table Hr Person Salary History from Personnel, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_APPOINTMENT_ID*

P_DATE*

P_END_DATE*

CANCEL

OK

P_EMPNO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID you are looking at,

P_DATE ← Date used to align the data,

P_END_DATE ← End Date used to align the data.

The function will do the same as the function PABI_GET_APPOINT_FULL_SALARY, the date that is considered is the lesser of the two dates entered in parameters P_DATE and P_END_DATE.

3.3. Hr Person Master

3.3.1. PABI_GET_DEPARTMENT

This function will retrieve the item Department (code and name) from the view Hr Person Master from Personnel, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON_REFERENCE*

CANCEL


OK

P_PERSON_REFERENCE ← Person Reference.

The function will retrieve Department for the substantive contract (latest information available).

3.3.2. PABI_GET_DEPARTMENT_CODE

This function will retrieve the item Department Code from the view Hr Person Master from Personnel, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON_REFERENCE* ▼

CANCEL OK

P_PERSON_REFERENCE ← Person Reference.


The function will retrieve Department Code for the substantive contract (latest information available).

3.3.3. PABI_GET_DEPT

This function retrieves the same as the function PABI_GET_DEPARTMENT_CODE. See [section 3.3.2](#) for details.

3.3.4. PABI_GET_DEPARTMENT_DESC

This function will retrieve the item Department Description from the view Hr Person Master from Personnel for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON_REFERENCE* ▼


CANCEL OK

P_PERSON_REFERENCE ← Person Reference.

The function will retrieve Department Description for the substantive contract (latest information available).

3.3.5. PABI_GET_MANAGEMENT_UNIT_CODE

This function will return the item Management Unit Code from the view Hr Person Master from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the current situation.

3.3.6. PABI_GET_MANAGEMENT_UNIT_DESC

This function will return the item Management Unit Description from the view Hr Person Master from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the current situation.

3.3.7. PABI_RETRIEVE_FORENAME

This function will return the item Forename from the view Hr Person Master from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference.

3.4. Hr Position History

3.4.1. PABI_GET_HOURLY_RATE_OF_PAY

This function will return the item Hourly Rate from the view Hr Position History from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will return the current situation.

3.4.2. PABI_GET_MAX_DATE_EFFECTIVE

This function will return the item Effective Date from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the latest effective date, lesser or equal to the date in the parameter above.

3.4.3. PABI_GET_MAX_DATE_INPUT

This function will return the item Date Input from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the latest Input Date, lesser or equal to the date in the parameter above.

3.4.4. PABI_GET_MULTIPLIER_PAY_SEC

This function will return the Pay Multiplier from the view Hr Position History from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the information for the current situation, and for the primary/substantive contract exclusively.

3.4.5. PABI_GET_POINT_DATE_STARTED

This function will return the item Point from the view Hr Position History from Personnel, for the parameter entered as follows:




P_PERSON ← Person Reference,

The function will look for the latest date effective lesser or equal to the date entered in the parameter.

3.4.6. PABI_GET_PREV_DATE_EFFECTIVE

This function will return the item Date Effective from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the latest date effective less than the date entered in the parameter.

3.4.7. PABI_GET_PREV_DATE_INPUT

This function will return the item Date Input from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the latest date input less than the date entered in the parameter.

3.4.8. PABI_GET_PREV_PAY_MULTIPLIER

This function will return the item Pay Multiplier from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the previous pay multiplier, against the latest effective date less than the date entered in the parameter.

3.4.9. PABI_GET_PREV_POINT

This function will return the item Point from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the previous point, against the latest effective date less than the date entered in the parameter.

3.4.10. PABI_GET_PREV_POSITION

This function will return the item Position from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DATE*

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the previous position, against the latest effective date less than the date entered in the parameter.

3.4.11. PABI_GET_PREV_RATE

This function will return the item Rate Amount from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*


P_DATE*

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the previous Rate Amount, against the latest effective date less than the date entered in the parameter. This can be viewed from the Current Salary screen on the employee record:



The screenshot shows the 'Current Salary' screen for employee Amelia May (000021). The 'Salary History' section contains a table with the following data:

Start Date	Rate Effective	Pay Scale / Grade	Point	Rate Type	Rate Amount	Multiplier	Actual Pay	Status	Reason
01-May-2022	01-May-2022	1 - System Position Co...	9999	Annual	£ 33,000.00	1	£ 33,000.00	Pending	Change Of Pay
11-Apr-2022	11-Apr-2022	1 - System Position Co...	9999	Annual	£ 32,000.00	1	£ 32,000.00	Approved	Change Of Pay
01-Jan-2021	01-Jan-2021	1 - System Position Co...	9999	Annual	£ 30,000.00	1	£ 30,000.00	Approved	New Starter

3.4.12. PABI_GET_PREV_RATE_SEQUENCE

This function will return the item Rate Sequence from the view Hr Position History from Personnel, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the previous Rate Sequence, against the latest effective date less than the date entered in the parameter.

3.4.13. PABI_GET_RATE_WITH_DATE_RANGE

This function will return a value depending on the parameters entered as follows:



P_EMPNO ← Person Reference,

P_FROM_DATE ← Date From used to align the data,

P_TO_DATE ← Date To used to align the data,

The function will firstly retrieve the item Increment Due Date from Person Master from Pay, and the current annual rate as follows:

- If the Rate Type is 'ANNUAL', then Basis Rate from Hr Position History,
- If the Rate Type is 'WEEKLY', then Basic Rate / Std Days Pay Period*Days In Year (for the pay group the employee is in),
- If the Rate Type is 'HOURLY', then Basic Rate * Hours (from Person Master from Pay, if null then it will be Std Hours Pay Period for the Pay Group the employee is in) / Std Days Pay Period * Days In Year (for the pay group the employee is in),
- If the Rate Type is 'DAILY', then Basic Rate * Days In Year (for the pay group the employee is in),

Once these two indicators are retrieved (Increment Due Date and the Current Annual Rate), the function will then calculate the portion of the value to display as follows:


- If the Increment Due Date is between the dates in the parameters above then:
 - $\text{Rate} = \frac{\text{Current Annual Rate}}{\text{Number of days between the 31}^{\text{st}} \text{ of December same year as From Date Year and the 1}^{\text{st}} \text{ of January same year as From Date}} * \text{Number of days between From Date in parameters and Increment Due Date} + \text{Next Annualized Rate Value}$ (Value coming from the function)

GET_NEXT_ANNUALISED_SCALE described earlier) * Number of days between To Date in parameter and Increment Due Date,

- Other scenarios:
 - Rate = Current Annual Rate / Number of days between the 31st of December same year as From Date in Parameters and 1st January same year as From Date in Parameters * Number of days between To Date in parameters and From Date in Parameters.

3.4.14. PABI_HISTORIC_ACTUAL_RATE

This function will return the Weighted Rate Value from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the Rate Value multiplied by the Pay Multiplier (if the pay multiplier is 0 or null at the time of the date in parameter than it will be replaced by 1) at the time of the date entered in the parameter.

3.4.15. PABI_HISTORIC_DATE_EFFECTIVE

This function will return the item Date Effective from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the Effective Date at the time of the date entered in the parameter.

3.4.16. PABI_HISTORIC_MULTIPLIER

This function will return the item Pay Multiplier from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the Pay Multiplier at the time of the date entered in the parameter.

3.4.17. PABI_HISTORIC_POINT

This function will return the item Point from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the Point at the time of the date entered in the parameter.

3.4.18. PABI_HISTORIC_POSITION

This function will return the item Position from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.


The function will retrieve the Position at the time of the date entered in the parameter.

3.4.19. PABI_HISTORIC_POSITION_PAY_SEC

This function is a duplicate of PABI_HISTORIC_POSITION. See [section 3.3.18](#) for details.

3.4.20. PABI_HISTORIC_RATE

This function will return the Rate Value from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the Rate Value at the time of the date entered in the parameter.

3.4.21. PABI_HISTORIC_RATE_ANNUAL_SEC

This function will return the Annualised Rate Value from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.


The function will retrieve the Annualised Rate Value at the time of the date entered in the parameter, depending on the rate type as follows:

- ANNUAL: Rate Value,
- WEEKLY: Rate Value / Std Days Pay Period * Days In Year (for the pay group the employee is currently in),
- HOURLY: Rate Value * Hours (current Hours in Person Master, if null it will be the item Std Hours Pay Period for the pay group the employee is currently in) / Std Days Pay Period * Days In Year (for the pay group the employee is currently in),
- DAILY: Rate Value * Days In Year.

 **Note:** The items for the Pay Group are taken from the view Pay Group from Data Validation.

3.4.22. PABI_HISTORIC_RATE_BY_APPT

This function will return the Rate Value from the view Hr Position History from Personnel for the parameters entered as follows:



P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data,

P_APPOINTMENT ← Appointment ID you are looking at.


The function will retrieve the Rate Value at the time of the date entered in the parameter for a specific contract (appointment ID).

3.4.23. PABI_HISTORIC_RATE_PAY_SEC

This function is a duplicate of the function PABI_HISTORIC_RATE. See [section 3.4.20](#) for details.

3.4.24. PABI_HISTORIC_RATE_TYPE

This function will return the Rate Type from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DATE*

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the Rate Type at the time of the date entered in the parameter.

3.4.25. PABI_RATE_TYPE_BY_APPT

This function will return the Rate Type from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DATE*

P_APPOINTMENT*

CANCEL OK

P_EMPNO ← Person Reference,


P_DATE ← Date used to align the data,

P_APPOINTMENT ← Appointment ID you are looking at.

The function will retrieve the Rate Type for a specific contract (appointment ID) at the time of the date entered in the parameter.

3.4.26. PABI_RETRIEVE_ANNUALISED_RATE

This function will return the Annualised Rate Value from the view Hr Position History from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the Annualised Rate Value at system date.

Note: Depending on the Rate Type (ANNUAL, WEEKLY, HOURLY or DAILY) the rate value is calculated differently (see similar functions, for example PABI_HISTORIC_RATE_ANNUAL_SEC).

3.4.27. PABI_RETRIEVE_DATE_EFFECTIVE

This function will return the item Date Effective from the view Hr Position History from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference,

The function will retrieve the effective date at system date.

3.4.28. PABI_RETRIEVE_DATE_INPUT

This function will return the item Date Input from the view Hr Position History from Personnel for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve the input date at system date.

3.4.29. PABI_RETRIEVE_PAY_MULTIPLIER

This function will return the item Pay Multiplier from the view Hr Position History from Personnel, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve the pay multiplier at system date.

3.4.30. PABI_RETRIEVE_POINT

This function will return the item Point from the view Hr Position History from Personnel, for the parameter entered as follows:



P_EMPNO ← Person Reference.


The function will retrieve the point at system date.

3.4.31. PABI_RETRIEVE_POINT_PAY_SEC

This function is a duplicate of the function PABI_RETRIEVE_POINT. See [section 3.4.30](#) for details.

3.4.32. PABI_RETRIEVE_POSITION

This function will return the item Position from the view Hr Position History from Personnel, for the parameter entered as follows:



P_EMPNO ← Person Reference.


The function will retrieve the position at system date.

3.4.33. PABI_RETRIEVE_POSITION_PAY_SEC

This function is a duplicate of the function PABI_RETRIEVE_POSITION. See [section 3.4.32](#) for details.

3.4.34. PABI_RETRIEVE_RATE

This function will return the Rate Value from the view Hr Position History from Personnel, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve the rate value at system date.

3.4.35. PABI_RETRIEVE_RATE_OF_PAY

This function will return the Rate Value from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_PARAM_DATE* ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_PARAM_DATE ← Date used to align the data.


The function will retrieve the rate value at the time of the date entered in the parameter.

3.4.36. PABI_RETRIEVE_RATE_PAY_SEC

This function is a duplicate of the function PABI_RETRIEVE_RATE. See [section 3.4.34](#) for details.

3.4.37. PABI_RETRIEVE_RATE_SEQUENCE

This function will return the item Rate Sequence from the view Hr Position History from Personnel, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve the rate sequence at system date.

3.4.38. PABI_RETRIEVE_RATE_TYPE

This function will return the Rate Type from the view Hr Position History from Personnel, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference.


The function will retrieve the Rate Type at system date.

3.4.39. PABI_RETRIEVE_RATE_TYPE_SEC

This function is a duplicate of the function PABI_RETRIEVE_RATE_TYPE. See [section 3.4.38](#) for details.

3.4.40. PABI_RETRIEVE_REFERENCE

This function will return the Reference from the view Hr Position History from Personnel, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the reference at system date.

3.4.41. PABI_RETRIEVE_SURNAME


This function will return the item Surname from the view Hr Person Master from Personnel, for the parameter entered as follows:



P_EMPNO ← Person Reference.

3.4.42. PABI_RETR_POSITION_DATE_EFF

This function will return the item Position from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK


P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the position at the time of the date entered in the parameter above.

3.4.43. PABI_RETR_POSITION_DATE_EFF

This function will return the item Position from the view Hr Position History from Personnel, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the position at the time of the date entered in the parameter above.

3.5. Person Contact

3.5.1. PABI_RETRIEVE_EMAIL

This function will return the item Email Address from the view Person Contact from Personnel, for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference,

The function will retrieve the contact text where the contact type is EMAIL. The different contact types are set up from the Contact Types screen on the Data Centre tab of the People Management dashboard:

Contact Type Code	Description	Analysis Code	Description	ESS Display	ESS Update	
EMAIL	Work Email Address			☒	☒	...
HEM	Other Email Address			☒	☒	...
HTN	Home Telephone Number			☒	☒	...
MOB	Mobile Number			☒	☒	...
MOBILE	Work Mobile Number			☒	☒	...
ORUSER	Oracle User Name			☐	☐	...
SLUSER	Salary User			☐	☐	...
WTN	Work Telephone Number			☒	☒	...

3.6. Post Person

3.6.1. PABI_GET_APT_START_DATE

See [section 2.2.6](#) for details.

4. Data Validation

4.1. Payroll Calendar

4.1.1. PABI_CHECK_FOR_53_PAY_DAYS

This function will return an indicator depending on the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_GROUP*

P_YEAR*

CANCEL

OK

P_PAY_GROUP ← Pay Group,

P_YEAR ← Year, e.g. 2010

The function will look at the max payroll period in the payroll calendar for the pay group and year entered. If the number of weeks is greater than 52, then the indicator will be X. Payroll Calendars can be accessed through the Settings tab of the Payroll Dashboard:

Calendars

Payroll Dashboard > Calendars

Calendars

Company

1

Customer Company (Uk)


Amend Dates

Build / Rebuild Year

Week Number	Tax Period	Calendar Period	Week End Date	Production Week	Mth. Seq.	Qtr. Seq.	FNtly Ind.	4 Wkly Ind.	Mont... Ind.	Multi Run	
201701	201701	201704	08-Apr-2017	201701	1	1	N	N	N		...
201702	201701	201704	15-Apr-2017	201702	2	2	Y	N	N		...
201703	201701	201704	22-Apr-2017	201703	3	3	N	N	N		...
201704	201701	201704	29-Apr-2017	201704	4	4	Y	Y	Y		...

4.1.2. PABI_GET_PERIOD_END_DATE

This function will return the item Calendar Date from the view Payroll Calendar from Data Validation, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_PERIOD*

CANCEL OK

P_PERIOD ← Payroll Period you are looking at.

4.1.3. PABI_GET_PERIOD_END_DATE_ORG

This function will return the item Calendar Date from the view Payroll Calendar from Data Validation, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERIOD*

P_ORGZ_REF*


CANCEL OK

P_PERIOD ← Payroll Period you are looking at,

P_ORGZ_REF ← Company Code you are looking at.

4.1.4. PABI_GET_PERIOD_START_DATE

This function will return the Start Date of the period from the view Payroll Calendar from Data Validation, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERIOD*


CANCEL OK

P_PERIOD ← Payroll Period you are looking at.

The start date of the period will be a calculation that adds one day to the end date (calendar date) of the previous period.

4.1.5. PABI_GET_PERIOD_START_DATE_ORG

This function will return the Start Date of the period from the view Payroll Calendar from Data Validation, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERIOD*

P_ORGZ_REF*

CANCEL OK


P_PERIOD ← Payroll Period you are looking at,

P_ORGZ_REF ← Company Code you are looking at.

The start date of the period will be a calculation that adds one day to the end date (calendar date) of the previous period.

4.1.6. PABI_GET_PREV_PAYROLL_PERIOD

This function will return the item Calendar Week from the view Payroll Calendar from Data Validation, for the parameters entered as follows:



P_PAYROLL_PERIOD ← Payroll Period used as a reference,


P_COMPANY ← Company Code the employee is in.

The function will retrieve the previous payroll period from the calendar for the company the employee is in.

4.2. Pay Group

4.2.1. PABI_GET_COMPANY_CODE


This function will retrieve the item Company Code (Orgz Ref) from the view Pay Group for the parameter entered as follows:



P_PAY_GROUP ← Pay Group you are looking at.

4.2.2. PABI_GET_PAY_PERIOD_START_END

This function will return an information from the view Pay Group from Data Validation, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PAY_GROUP* ▼

P_PAYROLL_PERIOD* ▼

P_ITEM* ▼

CANCEL OK

P_PAY_GROUP ← Pay Group you are looking at,


P_PAYROLL_PERIOD ← Payroll Period you are looking at,

P_ITEM ← START or anything else.

If the parameter P_ITEM is START, then the function will retrieve the start date of the period, for anything else, it will be the end date of the period.

4.2.3. PABI_GET_DAYS_IN_PERIOD

This function will retrieve the item Days in Period from the view Pay Group from Data Validation, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve the item corresponding to the Pay Group the employee is in (coming from the view Person Master from Pay, if null, coming from the view Hr Person Master from Personnel, and will then be the Planned Pay Group).

4.2.4. PABI_GET_DAYS_IN_YEAR

This function will retrieve the item Days in Year from the view Pay Group from Data Validation, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve the item corresponding to the Pay Group the employee is in (coming from the view Person Master from Pay, if null, coming from the view Hr Person Master from Personnel, and will then be the Planned Pay Group).

4.2.5. PABI_GET_HIST_DAYS_IN_PERIOD

This function will return the item Std Days Pay Period from the view Pay Group from Data Validation, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_START_PERIOD*

P_END_PERIOD*

CANCEL OK

P_EMPNO ← Person Reference,


P_START_PERIOD ← Payroll Period From,

P_END_PERIOD ← Payroll Period To.

The function will extract the pay group the employee is in for the latest period found between P_START_PERIOD and P_END_PERIOD, and then retrieve the item Std Days Pay Period for that combination.

4.2.6. PABI_GET_HIST_DAYS_IN_YEAR

This function will return the item Days In Year from the view Pay Group from Data, for the parameters entered as follows:



P_EMPNO ← Person Reference,


P_START_PERIOD ← Payroll Period From,

P_END_PERIOD ← Payroll Period To.

The function will extract the pay group the employee is in for the latest period found between P_START_PERIOD and P_END_PERIOD, and then retrieve the item Days In Year for that combination.

4.2.7. PABI_GET_HOURS_IN_PERIOD

This function will return the item Std Hours Pay Period from the view Pay Group from Data Validation for the parameter entered as follows:




P_EMPNO ← Person Reference,

The function will return the data for the Pay Group the employee is in for the current situation.

4.2.8. PABI_GET_INCOME_LEVY_CODE

This function will return the item Pay Code Income Levy from the Payroll parameters, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_COMPANY *

CANCEL OK

P_COMPANY ← Company Code you are looking at.

4.2.9. PABI_GET_PAY_ANNUAL_ALLOW

This function will return the item Pay Annual Allow from the view Pay Group from Data Validation, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference.

The function will return the value for the Pay Group the employee is in (current situation).

4.2.10. PABI_GET_PAY_FREQUENCY

This function will return information from the view Pay Group from Data Validation, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPLOYEE_NUMBER*

CANCEL OK


P_EMPLOYEE_NUMBER ← Person Reference.

The function will retrieve the Pay Group the employee is in (current situation from Person Master from Pay), then look at the item Pay Frequency in the view Pay Group from Data Validation.

- If M then the result will be Monthly,
- If W then the result will be Weekly,
- If F then the result will be Fortnightly,
- If 4 then the result will be Fourweekly, else:
- The result will be Unknown.

4.2.11. PABI_GET_PAY_FREQ_IC

This function will return the item Pay Frequency from the view Pay Group from Data Validation, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*


CANCEL OK

P_EMPNO ← Person Reference.

The function will retrieve the Pay Group the employee is in (current situation from Person Master from Pay), then look at the item Pay Frequency in the view Pay Group from Data Validation, e.g. M, W etc.

4.2.12. PABI_GET_PAY_GROUP_CODE_DESC


This function will return the item Pay Group Description from the view Pay Group from Data Validation, for the parameter entered as follows:



P_PAY_GROUP_CODE ← Pay Group you are looking at.

4.2.13. PABI_GET_PAY_GROUP_DAYS


This function will return the item Days In Year from the view Pay Group from Data Validation, for the parameter entered as follows:



P_PAY_GROUP_CODE ← Pay Group you are looking at.

4.2.14. PABI_GET_PAY_GROUP_DESCRIPTION

This function will return the item Pay Group Description from the view Pay Group from Data Validation, for the parameter entered as follows:




P_EMPNO ← Person Reference.

The function will retrieve the description for the Pay Group the employee is currently in.

4.2.15. PABI_GET_PAY_GROUP_HOURS

This function will return the item Std Hours Pay Period from the view Pay Group from Data Validation, for the parameter entered as follows:



The screenshot shows a dialog box titled "Enter Function Parameters". Inside, there is a note: "* Denotes a mandatory parameter". Below this, the parameter "P_PAY_GROUP_CODE*" is listed next to a dropdown arrow. At the bottom of the dialog, there are two buttons: "CANCEL" and "OK".

P_PAY_GROUP_CODE ← Pay Group you are looking at.

5. AMS

5.1. System Audit Details

5.1.1. PABI_GET_AMS_OLD_OR_NEW_VALUE

This function will return values from the view System Audit Details, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON *

P_FROM_DATE *

P_TO_DATE *

P_TABLE_NAME *

P_COLUMN_NAME *

P_OLD_OR_NEW *

CANCEL

OK

P_PERSON ← Person Reference,

P_FROM_DATE ← Start date of the period you want to investigate,

P_TO_DATE ← End date of the period you want to investigate,

P_TABLE_NAME ← Table you want to investigate,

P_COLUMN_NAME ← Column you want to investigate,


P_OLD_OR_NEW ← OLD or NEW, will indicate if you want to retrieve the OLD value or the NEW value from an Audit perspective.

6. Pension

6.1. Pension Master

6.1.1. PABI_GET_MUL_PENSION_DESCS

This function will return all active Pension Scheme Descriptions from the view Pension Master from Pension, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

CANCEL OK

P_EMPNO ← Person Reference.


The function will return all active pension scheme descriptions for the employee, separated by a comma. The following will not be considered:

- Employees with a start date in the future
- Pension schemes with a start date in the future
- Pension schemes with an end date in the past.

6.2. Person Master

6.2.1. PABI_GET_SCHEME_CODE

This function will return the item Scheme Code from the view Person Master from Pension, for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON* ▼

P_DATE* ▼

CANCEL OK

P_PERSON ← Person Reference,

P_DATE ← Date used to align the data.

The function will retrieve the scheme code that is valid at the date entered in the parameter (rule is: Date of joining lesser or equal than P_DATE and End Date is null or greater than P_DATE).

6.2.2. PACI_GET_PENSION_DATES

This function will return a date from the view Person Master from Pension, for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_SCHEME_CODE* ▼

P_DATE_TYPE* ▼

P_DATE ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_SCHEME_CODE ← Scheme Code you are looking at,

P_DATE_TYPE ← Type of date you are looking at, must be START or END,

P_DATE ← Date used to align the data.

The function will retrieve the item Date of Joining the scheme (if Type above is START) or the item End Date (if Type above is END) for the scheme code at the time of the date entered in the parameter P_DATE.