

XD Personnel Functions

Reference Guide

PeopleXD Insight

Table of Contents

Document Control	10
1. Overview.....	11
1.1. Purpose of the Guide.....	11
1.2. XD Functions Overview.....	11
1.3. List of XD functions not covered	12
2. Personnel.....	13
2.1. Personnel.....	13
2.1.1. PRBI_ACTUAL_ANNUALISED_PAY	13
2.1.2. PRBI_ACTUAL_RATE_OF_PAY.....	14
2.1.3. PRBI_ANNUALISED_RATE_OF_PAY	17
2.1.4. PRBI_GET_APPOINTMENT_USER_DATA.....	18
2.1.5. PRBI_GET_BANK_ADDRESS.....	21
2.1.6. PRBI_GET_BANK_NAME	22
2.1.7. PRBI_GET_BANK_NAME_BY_BIC	23
2.1.8. PRBI_GET_HR_WTE_BY_GRADE.....	23
2.1.9. PRBI_GET_HR_WTE_BY_HIERARCHY.....	26
2.1.10. PRBI_GET_JSR_INDICATOR	28
2.1.11. PRBI_DT_GET_MAP_FROM_CODE :	29
2.1.12. PRBI_DT_GET_MAP_TO_CODE	30
2.1.13. PRBI_GET_FTE_PERCENT	31
2.1.14. PRBI_GET_HIERARCHY_LABEL	32
2.1.15. PRBI_GET_HIERARCHY_LEVEL_TYPE.....	33
2.1.16. PRBI_GET_HR_PAY_FTE_IND.....	34

Table of Contents

2.1.17.	PRBI_ADVERT_TO_INTERVIEW	35
2.1.18.	PRBI_GET_WEEKDAYS	37
2.1.19.	PRBI_GET_WORK_GROUP_DESC	37
2.1.20.	PRBI_HAS_ORG_ROLE	38
2.1.21.	PRBI_IS_FTE_OWNER :	39
2.1.22.	PRBI_RETRIEVE_RECRUIT_AGENCIES	40
2.1.23.	PRBI_TOTAL_LENGTH_OF_SERVICE	41
2.2.	Person Allowances	41
2.2.1.	PRBI_ALLOWANCE_TYPE_PERCENT	41
2.2.2.	PRBI_ALLOWANCE_TYPE_VALUE	42
2.2.3.	PRBI_ALLOW_VERIFY_TYPE_PERCENT	44
2.2.4.	PRBI_ALLOW_VERIFY_TYPE_VALUE	45
2.2.5.	PRBI_GET_APP_ID_ALLOW	47
2.2.6.	PRBI_GET_VERIFY_SEQ	48
2.2.7.	PRBI_TOTAL_ANNUALISED_ALLOW	49
2.3.	Appointment History	50
2.3.1.	PRBI_APPOINTMENT_PAY_SCALE	50
2.3.2.	PRBI_APPOINTMENT_SCALE_POINT	51
2.3.3.	PRBI_CHECK_BREAK_IN_SERVICE :	52
2.3.4.	PRBI_CHECK_FOR_APPOINTMENT	53
2.3.5.	PRBI_CURRENT_GRADE_START_DATE	53
2.3.6.	PRBI_CURRENT_POST_END_DATE	54
2.3.7.	PRBI_CURRENT_POST_START_DATE	54
2.3.8.	PRBI_GET_APPOINTMENT_DATA	55
2.3.9.	PRBI_GET_CONSEC_ACTING_START	56

Table of Contents

2.3.10.	PRBI_GET_CONSEC_GRADE_START	57
2.3.11.	PRBI_GET_CONT_SERVICE_IND.....	59
2.3.12.	PRBI_GET_CURRENT_APP_STATUS.....	60
2.3.13.	PRBI_GET_EMPLOYEE_NOTICE	61
2.3.14.	PRBI_GET_EMPNO_BY_POST_NUMBER.....	62
2.3.15.	PRBI_GET_JOB_START_DATE	62
2.3.16.	PRBI_GET_MAX_ACT_POST_START	63
2.3.17.	PRBI_GET_PERSON_STATUS_HISTORY	63
2.3.18.	PRBI_GET_POST_CATEGORY	64
2.3.19.	PRBI_GET_POST_EE_STATUS.....	65
2.3.20.	PRBI_GET_POST_LOCATION_HIST	66
2.3.21.	PRBI_GET_POST_NUMBER_BY_EMPNO.....	67
2.3.22.	PRBI_GET_POST_PERSON_REFERENCE.....	67
2.3.23.	PRBI_GET_POST_START_DATE	68
2.3.24.	PRBI_GET_POST_SUB_CAT	69
2.3.25.	PRBI_GET_PRIM_APPOINT_DETAIL.....	70
2.3.26.	PRBI_GET_SECONDARY_POST	72
2.3.27.	PRBI_GET_SECONDMENT_INDICATOR.....	72
2.3.28.	PRBI_PRIMARY_POST_CATEGORY	73
2.3.29.	PRBI_PRIMARY_POST_END_DATE	73
2.3.30.	PRBI_PRIMARY_POST_START_DATE	74
2.3.31.	PRBI_SECONDARY_POST_CATEGORY	74
2.4.	Person Appraisal	75
2.4.1.	PRBI_CHECK_FOR_APPRAISAL.....	75
2.5.	HR Person Master.....	75

Table of Contents

2.5.1.	PRBI_DATE_DRIVEN_EMPLOY_STATUS	75
2.5.2.	PRBI_GET_CATEGORY (DO NOT USE PRBI_GET_CATEGORY_CODE).....	76
2.5.3.	PRBI_GET_COST_CENTRE.....	77
2.5.4.	PRBI_GET_DATE_JOINED	77
2.5.5.	PRBI_GET_DATE_LEFT.....	78
2.5.6.	PRBI_GET_DIVISION_CODE.....	78
2.5.7.	PRBI_GET_EMPLOYEE_STATUS.....	79
2.5.8.	PRBI_GET_EMPLOYEE_SUB_STATUS	79
2.5.9.	PRBI_GET_FORENAME.....	80
2.5.10.	PRBI_GET_FTE_PERCENT	80
2.5.11.	PRBI_GET_FULL_TIME_EQUIVALENCE.....	81
2.5.12.	PRBI_GET_GENDER_CODE.....	81
2.5.13.	PRBI_GET_HOURS.....	82
2.5.14.	PRBI_GET_JOB_SHARE_INDICATOR.....	83
2.5.15.	PRBI_GET_JOB_TITLE_CODE	83
2.5.16.	PRBI_GET_KNOWN_AS_NAME	84
2.5.17.	PRBI_GET_LENGTH_OF_SERVICE	84
2.5.18.	PRBI_GET_MANAGEMENT_UNIT	85
2.5.19.	PRBI_GET_PLANNED_PAY_GROUP.....	86
2.5.20.	PRBI_GET_REPORTS_TO.....	86
2.5.21.	PRBI_GET_SURNAME.....	87
2.5.22.	PRBI_GET_WORKSPACE_ID.....	88
2.5.23.	PRBI_IS_NEW_STARTER.....	88
2.6.	Person Salary History.....	90
2.6.1.	PRBI_GET_APP_ID_SAL_APP.....	90

Table of Contents

2.6.2.	PRBI_RETRIEVE_APPOINT_SALARY	91
2.6.3.	PRBI_VERIFY_SEQ_DATE_INPUT	92
2.7.	Person Address.....	92
2.7.1.	PRBI_GET_ADDRESS_DETAIL	92
2.8.	Person Contact	95
2.8.1.	PRBI_GET_CONTACT_TEXT	95
2.9.	Post Profile.....	96
2.9.1.	PRBI_GET_CURRENT_POST_TITLE.....	96
2.9.2.	PRBI_GET_POST_PROFILE_DETAIL.....	97
2.9.3.	PRBI_GET_REPORTS_TO.....	98
2.9.4.	PRBI_POST_TITLE_BY_POST_NUMBER.....	99
2.10.	Core User	100
2.10.1.	PRBI_GET_CORE_USER_DESC.....	100
2.11.	HR Position History	101
2.11.1.	PRBI_GET_EFFECTIVE_DATE	101
2.11.2.	PRBI_GET_REASON_CODE.....	102
2.11.3.	PRBI_GET_REFERENCE	102
2.11.4.	PRBI_HISTORIC_MULTIPLIER_SEC	103
2.11.5.	PRBI_HISTORIC_POINT_PAY_SEC.....	105
2.11.6.	PRBI_HISTORIC_POSITION	105
2.11.7.	PRBI_HISTORIC_RATE_PAY_SEC.....	106
2.11.8.	PRBI_HISTORIC_RATE_TYPE_SEC	108
2.12.	Person General Comments.....	109
2.12.1.	PRBI_GET_GENERAL_COMMENTS.....	109
2.13.	Person Onboarding Detail	110

Table of Contents

2.13.1.	PRCI_GET_CHECKLIST_COMPLETION_DATE	110
2.14.	Hr Reference2.....	111
2.14.1.	PRBI_GET_HR_REF2_ANALYSIS_CODE	111
2.14.2.	PRBI_GET_HR_REF2_LONG_DESC.....	112
2.14.3.	PRBI_GET_HR_REFERENCE2_DESC	114
2.14.4.	PRBI_HR_FTE_IND.....	115
2.14.5.	PRBI_GET_SKILL_DESCRIPTION	116
2.14.6.	PRBI_PAY_FTE_IND	117
2.15.	HR Reference1	118
2.15.1.	PRBI_GET_HR_REFERENCE1_DESC	118
2.15.2.	PRBI_GET_OFFICE_ADDRESS_LINE	119
2.16.	Reference Data.....	120
2.16.1.	PRBI_GET_LANGUAGE_DESCRIPTION.....	120
2.16.2.	PRBI_GET_PROFICIENCY_DESC.....	120
2.16.3.	PRBI_GET_PROFILE_POST_TITLE.....	121
2.17.	Increment Due History	123
2.17.1.	PRBI_GET_MAX_INCREMENT_DATE	123
2.17.2.	PRBI_GET_MGT_UNIT_REF.....	124
2.18.	Onboarding Process	125
2.18.1.	PRBI_GET_ONBOARD_PERC_COMPLETE.....	125
2.19.	Org Group LOV.....	125
2.19.1.	PRBI_GET_ORG_GROUP_DESC.....	125
2.20.	Organisational Roles.....	126
2.20.1.	PRBI_GET_ORG_ROLE_DESC	126
2.20.2.	PRBI_GET_ORG_ROLE_PERSON_REF.....	127

Table of Contents

2.20.3.	PRBI_GET_WRKGRP_MANAGER.....	128
2.20.4.	PRBI_ORG_ROLE_GROUP_ITEM.....	129
2.21.	Post Person.....	132
2.21.1.	PRBI_GET_POST_PERSON_END_DATE.....	132
2.22.	Person Substantive Hist	132
2.22.1.	PRBI_GET_SUBSTANTIVE_INDICATOR	132
2.23.	Terms and Conditions	133
2.23.1.	PRBI_GET_TC_DETAIL.....	133
2.23.2.	PRBI_GET_TC_TEMPLATE.....	134
2.24.	Person User Data.....	135
2.24.1.	PRBI_GET_USER_DATA_FIELD	135
2.25.	Audit Details	137
2.25.1.	PRBI_IS_MADE_LEAVER.....	137
3.	Recruitment.....	138
3.1.	Recruitment.....	138
3.1.1.	PRBI_CHECK_TIME_TO_START.....	138
3.1.2.	PRBI_GET_AGENCY_DESC	139
3.2.	Applicant Master	140
3.2.1.	PRBI_GET_EARLIEST_START_DATE.....	140
3.2.2.	PRBI_GET_FIRST_INTERVIEW	140
3.3.	Competition Events.....	141
3.3.1.	PRBI_GET_EVENT_DATE	141
3.3.2.	PRBI_GET_EVENT_DETAIL	142
3.3.3.	PRBI_GET_EVENT_DETAIL_VER2.....	143
3.4.	Applicant User Data	144

Table of Contents

3.4.1. PRBI_GET_PERSW_USER_DATA_FIELD	144
3.5. Staff Request	145
3.5.1. PRBI_GET_PLANNED_PAY_GROUP	145
3.5.2. PRBI_GET_STAFF_REQ_VALUE	146
3.6. Competition Appointment	147
3.6.1. PRBI_GET_VACANCY_APPT_SEQS	147
4. Training.....	148
4.1. Training.....	148
4.1.1. PRBI_GET_ASSESSMENT_SCORE.....	148
4.1.2. PRBI_GET_TRAINING_SALARY	149
4.2. Training Course Master.....	150
4.2.1. PRBI_GET_COURSE_NAME.....	150
4.3. Training Course Provider	150
4.3.1. PRBI_GET_MAIN_PROVIDER_DETAIL	150
4.3.2. PRBI_GET_PROVIDER_NAME	151
4.3.3. PRBI_GET_PROVIDER_NO	153
4.3.4. PRBI_GET_TRAINING_REFERENCE	154
4.4. Training Log	156
4.4.1. PRBI_GET_MULTI_TRAINING_IND	156

Document Control

Version	Date	Author	Details
1.0	29 th September 2023	Kat Murie	Published to Knowledge Base
1.1	5 th December 2024	Kat Murie	Added link to Payroll guide

1. Overview

1.1. Purpose of the Guide

The purpose of this document is to provide guidance on the available XD functions in Insight reports. This includes the following areas:

- Personnel
- Recruitment
- Training

Note: This guide is for reference purposes; information on how to use functions and build reports is not included.

1.2. XD Functions Overview

XD functions are standard functions built into Insight. They perform operations using the provided parameters based on XD data fields (e.g. get email address, active pension scheme appointment data etc.). XD functions enable you to define logical columns returning the data without needing knowledge of the underlying data or internal logic.

Note: To avoid complexity and improve performance, it is recommended to get data directly from data views where possible. Before using functions, check to see if the desired information can be returned through the standard views and columns.

XD Functions are used in the following scenarios:

1. Abstract some of the logic for complex operations and data retrieval.
2. Getting data that may not be accessible from the views in your report (for example, employee name or email address).

Note: A function isn't capable of retrieving more than one information; that means if you have two different data matching the parameters, the result will be either null or one of

1.3. List of XD functions not covered

The following functions are not covered in this document:

- PRBI_AUDIT_PERSON_REFERENCE
- PRBI_CHECK_USERDEFINED_ACCESS
- PRBI_CONTRACT_BREAK_INDICATOR
- PRBI_GET_ACCIDENT_SEVERITY
- PRBI_GET_ACTIVITY_CODE
- PRBI_GET_ACTIVITY_CODE_DESC
- PRBI_GET_ADDRESS_LINE
- PRBI_GET_ANALYSIS_CODE
- PRBI_GET_APPOINTMENT_ACCESS
- PRBI_GET_AREA_CODE
- PRBI_GET_BENEFIT_RATE
- PRBI_GET_CATEGORY_CODE
- PRBI_GET_CC_FTE
- PRBI_CHECK_FOR_NEXT_CONTRACT
- PRBI_GET_CONSEC_CONTRACT_START
- PRBI_GET_CONTRACT_DETAILS
- PRBI_GET_CONTRACT_END_DATE
- PRBI_GET_CONTRACT_START_DATE
- PRBI_GET_CURRENT_ACTION
- PRBI_GET_CURRENT_DUE_DATE
- PRBI_GET_EMPLOYER_NOTICE
- PRBI_GET_FIELD_DATATYPE (replaced by the insight report Data Dictionary Table)
- PRBI_GET_FTE_FROM_STATUS_IND
- PRBI_GET_FTE_PAY_RANGE
- PRBI_GET_MAX_POST_CONTR_COMM
- PRBI_GET_MAX_POST_CONTR_END
- PRBI_GET_MAX_POST_CONTR_NUM
- PRBI_GET_MAX_POST_CONTR_REASON
- PRBI_GET_MAX_POST_CONTR_START
- PRBI_GET_MAX_CONTRACT_START
- PRBI_GET_MAX_POST_CONTR_TYPE
- PRBI_GET_NO_CON_START_DATE
- PRBI_GET_ONLINE_INDICATOR
- PRBI_GET_PAYROLL_SECURITY
- PRBI_GET_PERS_POST_CC_DEPT
- PRBI_GET_PERS_POST_CC_MGT_UNIT
- PRBI_GET_POSITION_HISTORY_DATA
- PRBI_GET_POST_MANAGEMENT_SEC
- PRBI_GET_POST_USER_DATA
- PRBI_GET_RESULT_TYPE_DESC
- PRBI_GET_ROLLUP_SOURCE
- PRBI_GET_SAL_CURRENCY_CODE
- PRBI_GET_SANCTION_TYPE
- PRBI_GET_SEPA_CONFIG_LEVEL
- PRBI_GET_TEAM_MEMBERS
- PRBI_GET_TEAM_MEMBERS_NEW
- PRBI_GET_UDF_PERSON_REFERENCE
- PRBI_GET_WEEKLY_CONTRACT_HOURS
- PRBI_HISTORIC_POSITION_NO_SEC
- PRBI_HISTORIC_POSITION_PAY_SEC
- PRBI_IS_TERMS_CONDITIONS_COMP
- PRBI_NOTIFICATION_TYPE_DESC
- PRBI_RETRIEVE_HR_SALARY
- PRBI_RETRIEVE_OVERSEAS_SALARY
- PRBI_RETRIEVE_SECONDARY_SALARY

For Payroll functions, see [XD Payroll Functions – Reference Guide](#).

2. Personnel

2.1. Personnel

2.1.1. PRBI ACTUAL ANNUALISED PAY

This function calculates the total salary for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_AMOUNT* 

P_MULTIPLIER* 

P_DAYS_IN_YEAR* 

P_DAYS_IN_PERIOD* 

P_HOURS* 

P_RATE* 

CANCEL OK

The following items from the *Person Salary History* view should be inputted as follows:

P_AMOUNT ← Rate of Pay,

P_MULTIPLIER ← Pay Multiplier,

P_DAYS_IN_YEAR ← Days in Year,

P_DAYS_IN_PERIOD ← Days in Period,

P_HOURS ← Hours in Period,

P_RATE ← 'A' for 'Annual', 'D' for 'Daily', 'H' for 'Hourly', 'W' for 'Weekly' (It is recommended to use the decode function for this)

Information can then be retrieved from the *Salary* screen:

Insight Report:

Rate Type	Actual Annualised Pay	Rate Type Calc
Annual	0.01	A
Weekly	10556	W

Salary Screen (Timeline view):

New Salary €10556

2.1.2. PRBI ACTUAL RATE OF PAY

This function calculates the actual rate of pay for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_AMOUNT* ▼

P_MULTIPLIER* ▼

P_DAYS_IN_YEAR* ▼

P_DAYS_IN_PERIOD* ▼

P_HOURS* ▼

P_RATE* ▼

CANCEL OK

The following items from the *Person Salary History* view should be inputted as follows:

P_AMOUNT ← Rate of Pay,

P_MULTIPLIER ← Pay Multiplier,

P_DAYS_IN_YEAR ← Days in Year,

P_DAYS_IN_PERIOD ← Days in Period,

P_HOURS ← Hours in Period,

P_RATE ← 'A' for 'Annual', 'D' for 'Daily', 'H' for 'Hourly', 'W' for 'Weekly' (It is recommended to use the decode function for this)

Information can then be retrieved from the *Salary* screen:

Insight Report example:

PeopleXD Insight: XD Functions - Reference Guide

Rate Type	Rate Type Calc	Actual Rate of Pay	Rate Of Pay
Annual	A	0.01	0.01
Weekly	W	203	203

Salary Screen:

Actual Pay
€203.00

2.1.3. PRBI ANNUALISED RATE OF PAY

This function calculates the annual rate of pay for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_AMOUNT* 

P_MULTIPLIER* 

P_DAYS_IN_YEAR* 

P_DAYS_IN_PERIOD* 

P_HOURS* 

P_RATE* 

CANCEL OK

The following items from the *Person Salary History* view should be inputted as follows:

P_AMOUNT ← Rate of Pay,

P_MULTIPLIER ← Pay Multiplier,

P_DAYS_IN_YEAR ← Days in Year,

P_DAYS_IN_PERIOD ← Days in Period,

P_HOURS ← Hours in Period,

P_RATE ← 'A' for 'Annual', 'D' for 'Daily', 'H' for 'Hourly', 'W' for 'Weekly' (It is recommended to use the decode function for this)

Information can then be retrieved from the *Salary* screen:

Insight Report :

Rate Of Pay	Rate Type Calc	Annualised rate of Pay
337.7	W	17560.4

Salary Screen (Timeline view) :

Current Salary	Allowances	Increment History
Current Salary		
Current Salary €17,560.40		Including Allowances €17,560.40

2.1.4. PRBI GET APPOINTMENT USER DATA

This function will return data from User Defined Data for the appointment ID (Personnel), the UDF reference code, and the text from the UDF at a certain date entered in parameters as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_APPOINTMENT_ID *

P_REFERENCE_CODE *

P_TEXT *

P_DATE

CANCEL OK

P_APPOINTMENT_ID ← Appointment ID,

P_REFERENCE_CODE ← UDF reference code, this can be found in the *Maintain User Defined Fields* screen:

Maintain User Defined Fields

User Defined Type
All

Reference Code	Description	Security Required	
ABS_01	Adoption - Record Leave/Sap	☐	...
ABS_02	Maternity - Record Leave/Smp	☐	...
ABS_03	Maternity - Change Start Date	☐	...
ABS_04	Paternity - Record Leave/Spp	☐	...
ABS_05	Paternity - Record Leave/Spp Adoption	☐	...
CB	Career Break	☐	...
CC	Contract Change	☐	...
CE	Company Equipment	☐	...
CLIN	Clinical Registration	☐	...
CRB	DBS Checks	☐	...

Cancel
Add Save

P_TEXT ← Text from the UDF you want to retrieve, this can be found in the Data Labels screen:

The Data Labels screen displays a table with the following columns: Active, User Description, Data Type, Reference Type, Description Mode, Mandatory, and Format Mask. Each row represents a data label, and each column has a corresponding control (toggle, dropdown, or text input). To the right of each row is a 'Define List Items' button. At the bottom right are 'OK' and 'CANCEL' buttons.

Active	User Description	Data Type	Reference Type	Description Mode	Mandatory	Format Mask	
☒	Company Laptop	List Item	Choose	Choose	☐		Define List Items
☒	Company Phone	List Item	Choose	Choose	☐		Define List Items
☒	Comments	Text	Choose	Choose	☐		Define List Items
☒	Return Date	Date	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items
☐		Text	Choose	Choose	☐		Define List Items

P_TEXT can be: text1, text2, text3, text4, text5, text6, text7, text8, text9, text10, text11, text12, date1, date2, user_code

User_code can be found on the *User Data* screen:


The User Data screen displays a table with the following columns: User Code, User Code Active, and a menu icon. To the right of the table is a form with input fields for Company Laptop, Company Phone, Comments, and Return Date. At the bottom right are 'Add', 'Save', and 'Cancel' buttons.

User Code	User Code Active	
	☐	...

Company Laptop:
Company Phone:
Comments:
Return Date:

Text 1 to 12 are the 12 items shown above.

Date 1 and 2 are the dates used in the *Advanced Settings* screen:




The screenshot shows the 'Advanced Settings' window for 'CorePortal'. It contains three toggle switches, all of which are turned on (green). The settings are: 'Display on CorePortal', 'Allow Update on CorePortal', and 'Hide Dates on CorePortal'. Below these is a section labeled 'Appointment Specific'.

If not toggled on.

P_DATE ← Date,


The function will return data from the UDF screen on the employee record:



The screenshot shows the 'Company Equipment' UDF screen. It includes a breadcrumb trail: 'People Management > Employee Search > Joe Bloggs (000003) > Company Equipment'. The screen displays a form with the following fields: 'Appointment' (Business Analyst), 'Company Laptop' (Yes), 'Company Phone' (Yes), 'Comments', and 'Return Date' (with a calendar icon). A red 'Ended' button is visible next to the 'Appointment' field.

2.1.5. PRBI_GET_BANK_ADDRESS

This function will return the address of the bank (Personnel) for the sort code as parameter entered as follows:



The screenshot shows the 'Enter Function Parameters' dialog. It contains a text input field labeled 'P_BANK_SORT_CODE*' with a dropdown arrow. Below the input field are two buttons: 'CANCEL' and 'OK'.

P_BANK_SORT_CODE ← Sort code of the bank

The function will return the 4 lines of the bank address concatenated as follows:

address1 || ',' || address2 || ',' || address3 || ',' || address4

This is retrieved from the *Bank Details* screen:

Bank Details

Type
Sort Code

Maintain Sort Code Details

Bank Name	Address Line 1	Address Line 2	Address Line 3	Address Line 4	Sort Code	
HALIFAX PLC	HIGH WYCOMBE				110375	...
HALIFAX PLC	HALIFAX		WOOLSHOPS		110376	...
HALIFAX PLC	HINCKLEY				110377	...

2.1.6. PRBI GET BANK NAME

This function will return the name of the bank (Personnel) for the sort code as parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_BANK_SORT_CODE*

CANCEL OK

P_BANK_SORT_CODE ← Sort code of the bank

The function will retrieve the name of the bank from the *Bank Details* screen:

Bank Details

Type
Sort Code

Maintain Sort Code Details

Bank Name	Address Line 1	Address Line 2	Address Line 3	Address Line 4	Sort Code	
HALIFAX PLC	HIGH WYCOMBE				110375	...
HALIFAX PLC	HALIFAX		WOOLSHOPS		110376	...
HALIFAX PLC	HINCKLEY				110377	...

2.1.7. PRBI GET BANK NAME BY BIC

This function will return the name of the bank (Personnel) for the BIC as parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_BIC *

CANCEL OK

P_BIC ← BIC of the bank

The function will retrieve the name of the bank from the *Bank Details* screen:

Bank Details

Type
BIC

Maintain BIC Details

BIC	Bank Name	Address Line 1	Address Line	Address Line	Address Line	Address Line	Post Code	
IE29AIBK	AIB	AIB	TEST	TEST			4	...
ABNANL2AMAR	ABNANL2A...	HOLLAND	F	GRTR	TR		KLJJK	...
AIBKIE2DXXX	AIB BANK	AIB INTERNA...	IFSC		DUBLIN 1	IRELAND	POB 518	...
ACCBIE2DXXX	ACC BANK ...	CHARLEMON...			DUBLIN 2	IRELAND		...
BOFIE2DXXX	BANK OF IR...	NEW CENTU...	FIRST FLOOR...		DUBLIN 1	IRELAND	POB 2386	...
EBSIIE2DXXX	EBS LIMITED	EBS BUILDING	2 BURLINGT...		DUBLIN 4	IRELAND	POB 76	...

2.1.8. PRBI GET HR WTE BY GRADE

This function will retrieve the Total WTE as a number (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_GRADE* ▼

P_CATEGORY* ▼

P_YEAR* ▼

P_MONTH* ▼

CANCEL OK

P_GRADE ← Position code. This can be found on the *Pay Scales* screen:

Pay Scales								
People Management > Reference Data > Pay Scales								
Position Reference								
Position Code	Description	Nett Pay		Currency	Posn. Group	Allw. Code	Annual Lev 1	Annual Lev 2
		Minimum	Maximum					
1	Personal Rate	0.00	0.00				0.00	
GR1	Grade 1	0.00	0.00				0.00	
GR2	Grade 2	0.00	0.00				0.00	
GR3	Grade 3	0.00	0.00				0.00	
GR4	Grade 4	0.00	0.00				0.00	

P_CATEGORY ← Category. This can be found on the *Category Codes* screen:

Category Codes
People Management > Reference Data > Category Codes

Maintain Employee Categories

Category Code	Description	Analysis Code	Description	
1	Non Applicable - To Be Used For Balances			...
2	PAYE			...
3	Administration			...
4	Senior Management			...
5	Project Manager			...

P_YEAR ← Year, e.g. 2022,

P_MONTH ← Month, e.g. JAN, FEB etc...

The function will use the month and year entered in parameters to retrieve the employee's position and point details at the last day of the month (primary contract only and appointments started in the month-year). If nothing is found, then the actual grade (position) from appointment history will be utilized; the pay scale/grade can be found in the *Current Salary* screen in the employee record:

Business Analyst Start Date 06-Jul-2020 Payroll Inactive Payroll Open for

Current Salary Allowances Increment History

Current Salary

Current Salary £0.00 Including Allowances £0.00 Next Increment Due N/A Paygroup 1 - Monthly Payroll (Uk) TIME

Salary History

Exclude Rate History

Start Date	Rate Effective	Pay Scale / Grade	Point	Rate Type	Rate Amount	Multiplier	Actual Pay	Status	Reason
01-Jan-2023	01-Jan-2023	1 - System Position Code	1	Annual	£0.00	.5	£0.00	Approved	N/A
06-Jul-2020	06-Jul-2020	1 - System Position Code	1	Annual	£0.00	1	£0.00	Approved	N/A

If the Pay Scale found by the function matches the parameter P_GRADE (Position code you are looking at), then :

If Hr Fte Count Ind = Y (from Hr Reference2 view for the reference type = 'EMPS' and the reference codes matching the employee statuses in use in Appointment History view)

- ➔ The function will count the service days between the Actual End Date (or Last day of the month-year defined in the parameter if it's before the Actual End Date – the least of the two dates) and the Actual Start Date (or the 1st of the month-year defined in the parameter if it's after the Actual Start Date – the greatest of the two dates) multiplied by


the FTE from Appointment History. Then, this number will be divided by the number of days in the month-year defined in the parameter.

If Payroll Fte Count Ind = Y (from Hr Reference2 view for the reference type = 'EMPS' and the reference codes matching the employee statuses in use in Appointment History view)

➔ Function will return 0.

Note: The payroll indicator will only be considered if the Hr indicator is not Y.

These indicators can be found in the *Employee Status* screen:



The screenshot shows the 'Employee Status' screen with a breadcrumb trail: People Management > Reference Data > Employee Status. Below the header is a section titled 'Maintain Employee Status Codes' containing a table with columns for status codes and various indicators.

Empl Status	Description	Ana... Code	Description	Hourly Holiday Entitlement	Active	HR FTE Ind	Payroll FTE Ind	Active on Staff Req.	
A	Apprentice/Trainee			☒	☒	☒	☒	☐	...
CS	Casual / Zero Hours			☐	☒	☐	☐	☒	...
FT	Fixed Term			☐	☒	☐	☐	☒	...
LE	Leaver (Coretime-Do N...			☒	☒	☒	☒	☐	...
NE	3rd Party / Non-Empl...			☐	☒	☐	☐	☒	...
O	Other Person Engaged			☒	☒	☒	☒	☐	...
P	Permanent			☐	☒	☐	☐	☒	...

2.1.9. PRBI_GET_HR_WTE_BY_HIERARCHY

This function will do the same as the function PRBI_GET_HR_WTE_BY_GRADE, but instead of analysing a set of employees within a grade, it will analyse a set of employees who fit the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_COMPANY*

P_MANAGEMENT_UNIT*

P_DEPARTMENT*

P_COST_CENTRE*

P_CATEGORY*

P_YEAR*

P_MONTH*

CANCEL

OK

P_COMPANY ← Company code,

P_MANAGEMENT_UNIT ← Management Unit,

P_DEPARTEMENT ← Department,

P_COST_CENTRE ← Cos Centre,

P_CATEGORY ← Category,

P_YEAR ← Year, e.g. 2022,

P_MONTH ← Month, e.g. JAN, FEB etc...

The function will use the month and the year entered in parameters to build up the set of data to analyse (appointments started in the month-year entered in parameter).

2.1.10. PRBI GET JSR INDICATOR

This function will return the Job Seekers Indicator (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_APPOINTMENT_ID *

P_PARAM_DATE *

CANCEL

OK

P_PERSONNEL_NO ← Person reference,

P_APPOINTMENT_ID ← Appointment ID,

P_PARAM_DATE ← Date that will be used to filter the date it was inputted in the system (Date inputted must be <= to the date in the parameter)

The function will return the indicator from the *Job Seekers Register* screen:

Job Seekers Register

People Management > Employee Search > Amelia May (000265) > Job Seekers Register

Job Seekers Register

Person
Amelia May

Appointment Summary

Post Number	Post Sequence	Post Title	Post Title Description	Employee Status	Appointment Status	Start Date	End Date	JSR	JSR Override	Mo
502219	48	BUDA	Budget Analyst	Permanent	Commenced	11-Jan-2021		☐	Calculate	CO



Note: The Job Seekers Register allows you to flag employees that are on a contract coming to an end. They will then be notified of vacancies before anyone else. See PeopleXD People Management: Job Seekers Register - User Guide for guidance.

2.1.11. PRBI DT GET MAP FROM CODE :

This function will show the original value used for mapping purposes in core_api_data_mapping for the reference type and code entered in parameters as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_MAP_CODE* 

P_TO_REF_TYPE* 

P_TO_REF_CODE* 

CANCEL OK

P_MAP_CODE ← Mapping code, e.g. COST for Cost Centres

P_TO_REF_TYPE ← Reference Type (CUSTOM),

P_TO_REF_CODE ← Reference Code To,

The function will return the original reference code (Reference Code From).

2.1.12. PRBI DT GET MAP TO CODE

This function will show the mapped value used for mapping purposes in core_api_data_mapping for the reference type and code entered in parameters as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_MAP_CODE* ▼

P_FROM_REF_TYPE* ▼

P_FROM_REF_CODE* ▼

CANCEL OK

P_MAP_CODE ← Mapping code, e.g. COST for Cost Centres,

P_FROM_REF_TYPE ← Reference Type (COST from example),

P_FROM_REF_CODE ← Reference Code From,

The function will return the new reference code (Reference Code To).

2.1.13. PRBI_GET_FTE_PERCENT

This function will calculate the FTE percent for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_HOURS*

P_FTE_HOURS*

CANCEL OK

P_HOURS ← Number of hours,

P_FTE_HOURS ← Number of FTE hours,

If you want to calculate the FTE % using HOURS and FTE HOURS from the view HR PERSON MASTER, then you will retrieve this information from the employee record:

Budget Analyst

Budget Analyst, Budget

Appointment ID 502219-48

Contract Hours 37.5

FTE 1

Start Date 11-Jan-2021

Started

Start Date 11-Jan-2021

Emp Status Permanent

Start Date 11-Jan-2021

End Date

Substantive 11-Jan-2021

Funding Expiry

Payroll Active

Payroll Closed for Processing

Amendments

Start Date	End Date	Target End Date	Post No	Post Sequence	Reason	Department	Hours	FTE	
11-Jan-2021			502219	48	Hire	Budget	37.5	1	VIEW UPDATE

If there are multiple appointments, from the view *Hr Person Master* the FTE % is calculated for the primary one. Items from Appointment History can be used to calculate the FTE % for all appointments.

2.1.14. PRBI_GET_HIERARCHY_LABEL

This function will retrieve the label of the level code for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_STRUCTURE_CODE*

P_LEVEL*

CANCEL OK

P_STRUCTURE_CODE ← Structure Code,

P_LEVEL ← Level, potentially you can have 12 levels, so in parameter, input 1, 2, 3 etc.. 12 is the last level, if it's in use.

The structure codes can be seen in the *Company Settings* screen:

Company Settings						
People Management > View All > Company Settings						
Company Settings						
Company	RSI Title	Post Code Title	Post Code Prefix Format	Post Code Suffix Format	Structure Code	Structure Description
Abc Solutions	PPS Number				ABC	Abc Solutions
University Irish	PPS Number				1	Customer Group N
UK University	NI Number				1	Customer Group N
Cork University School	PPS Number				S1	Cork University Sch

2.1.15. PRBI_GET_HIERARCHY_LEVEL_TYPE

This function will retrieve the level type of the level code for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_STRUCTURE_CODE*

P_LEVEL *

CANCEL OK

P_STRUCTURE_CODE ← Structure Code,

P_LEVEL ← Level, potentially you can have 12 levels, so in parameter, input 1, 2, 3 etc.. 12 is the last level, if it's in use.

The structure codes can be seen in the *Company Settings* screen:

Company Settings						
People Management > View All > Company Settings						
Company Settings						
Company	RSI Title	Post Code Title	Post Code Prefix Format	Post Code Suffix Format	Structure Code	Structure Description
Abc Solutions	PPS Number				ABC	Abc Solutions
University Irish	PPS Number				1	Customer Group N
UK University	NI Number				1	Customer Group N
Cork University School	PPS Number				S1	Cork University Sci

2.1.16. PRBI GET HR PAY FTE IND

This function will retrieve an information from Hr References where the reference type is EMPS for the parameters entered as such:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPLOYEE_STATUS*

P_TEXT*

CANCEL OK

P_EMPLOYEE_STATUS ← Reference Code, this can be found on the *Employee Status* screen

P_TEXT ← 'HR' (you will retrieve HR_FTE_COUNT_IND) or 'PAY' (you will retrieve)

PAYROLL_FTE_COUNT_IND

The function will retrieve the information from the *Employee Status* screen (Y or N):

Empl Status	Description	An... Code	Description	Hourly Holiday Entitlement	Active	HR FTE Ind	Payroll FTE Ind	Active on Staff Req.	
A	Apprentice/Trainee			☒	☒	☒	☒	☐	...
CS	Casual / Zero Hours			☐	☒	☐	☐	☒	...
FT	Fixed Term			☐	☒	☐	☐	☒	...
LE	Leaver (Coretime-Do N...			☒	☒	☒	☒	☐	...
NE	3rd Party / Non-Empl...			☐	☒	☐	☐	☒	...
O	Other Person Engaged			☒	☒	☒	☒	☐	...
P	Permanent			☐	☒	☐	☐	☒	...
PE	Pensioner			☐	☒	☐	☐	☒	...

2.1.17. PRBI_ADVERT_TO_INTERVIEW

This function indicates whether an applicant has been interviewed within a target window (it will return Y or N) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_APPLICANT_NO*

P_RECRUITMENT_ID*

P_INTERVIEW_DATE*

P_EXTERNAL_OPEN_DATE*

P_TARGET*

CANCEL

OK

P_APPLICANT_NO ← Applicant number from Recruitment module. This is not the person reference,

P_RECRUITMENT_ID ← Recruitment ID from Recruitment module,

P_INTERVIEW_DATE ← The date you want to report on (having the indicator Y or N against the applicant for this date), the interview date must be greater than the open date of the vacancy,

P_EXTERNAL_OPEN_DATE ← The open date of the vacancy,

P_TARGET ← The window you want to report on, i.e. the number of weeks between the open date of the vacancy and the date of the interview,

For example, for the following recruitment ID:

Recruitment Id	Recruit External Open Date
001684	22-Jul-2020

The following applicant exists:

Recruitment Id	Person Reference	Applicant No	Person Forename And Surname	Interview Date
001684	000257	A2273	brian hickey	25-Jul-2020

The applicant was interviewed on the 25-JUL-2020, which is greater than 22-JUL-2020.

The calculation will be written as follows:

Interviewed the opening week

```
PRBI_ADVERT_TO_INTERVIEW(P_APPLICANT_NO=>RTCI_APPLICANT_MASTER.APPLICANT_NO,  
P_RECRUITMENT_ID=>RTCI_APPLICANT_MASTER.RECRUITMENT_ID,  
P_INTERVIEW_DATE=>RTCI_APPLICANT_MASTER.INTERVIEW_DATE,  
P_EXTERNAL_OPEN_DATE=>'22-JUL-2020', P_TARGET=>'1')
```



Note: In this example, the open date was configured as 22-JUL-2020, but alternatively the open date from Competition Master can be used.

The output of the example above would be as follows:

Data as of 04-Nov-2021 11:08 (Record Count: 1)				
ance	Applicant No	Person Forename And Surname	Interview Date	Interviewed the opening week
	A2273	brian hickey	25-Jul-2020	Y

2.1.18. PRBI_GET_WEEKDAYS

This function will count the days (excluding Saturdays and Sundays) between two dates for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_START_DATE *

P_END_DATE *

CANCEL OK

P_START_DATE ← Start date of the period,

P_END_DATE ← End date of the period.

2.1.19. PRBI_GET_WORK_GROUP_DESC

This function will retrieve the Work Group Name for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_WORK_GROUP *

CANCEL OK

P_WORK_GROUP ← Work Group Code.

2.1.20. PRBI HAS ORG ROLE

This function will return an indicator based on the parameters entered as such :

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON*

P_ORG_ROLE*

P_EFFECTIVE_DATE

CANCEL
OK

P_PERSON ← Person Reference,

P_ORG_ROLE ← Organisational Role. This can be found in the *Organisational Role Types* screen:

Organisational Role Types									
People Management > View All > Organisational Role Types									
Maintain Organisational Role Types									
Role Type	Description	Salary Approval Process	Approval Group	Approval Sequence	Active	ESS Approver	Questionnaire Access	Delegate	Manager Rollup
SR1	Staff Request Approval 1	☐	HR		☒	☐	None	☐	☐
SR2	Staff Request Approval 2	☐	HR		☒	☐	None	☐	☐
HR	Hr Salary Approver	☒	HR	1	☒	☒	None	☐	☐
ESSA...	ESS Approval Address	☐			☒	☐	View	☐	☐
ESSN...	ESS Approval Next Of Kin	☐			☒	☐	View	☐	☐
ESSPRO	Ess Approval Personnel Pr...	☐			☒	☐	View	☐	☐
EXPTR	Expense Proxy Trip Record...	☐			☒	☐	View	☐	☐

P_EFFECTIVE_DATE ← Date will be used to align the data, SYSDATE for current situation,


The function will return Y or N.

2.1.21. PRBI IS FTE OWNER :

This function will return an indicator Y or N regarding these options:

- The Person is an Active Employee,
- The Person is a Manager (Identified by the MGRESS Org Role)
- The Person is not a Manager of their Own Work Group
- If the hierarchy point USER CODE 1 is linked to "FTEO Analysis Code" and lower hierarchy levels are blank then Y is returned,
- If not and if the hierarchy point USER CODE 2 is linked to "FTEO Analysis Code" and lower hierarchy levels are blank then Y is returned,
- If not and if the hierarchy point USER CODE 3 is linked to "FTEO Analysis Code" then Y is returned,

Else N is returned. The function will return information for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON*

P_DATE

CANCEL OK

P_PERSON ← Person Reference,

P_DATE ← Date will be used to align the data, SYSDATE for the current situation.

The User Codes (or Fields) 1 to 5 can be found in the following screens:

Reference Data

People Management > Reference Data

User Field Reference Data

Reference Data

User Field 1

User Field 2

User Field 3

User Field 4

User Field 5

The FTEO indicator is configured within each screen:

User Field 1 Types

User Field 1 Code	Description	Analysis Code	Description	Active	
D1	Payroll			☒	...
D2	HR	ESS Documents		☒	...
D3	Contracts	ESSD		☒	...
D4	Recruitment			☒	...
D5	Finance			☒	...
HIST	Historic			☒	...
SYST	System			☒	...

2.1.22. PRBI_RETRIEVE_RECRUIT_AGENCIES

This function will return the Recruitment Agency Names for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_RECRUITMENT_ID*

CANCEL OK

RECRUITMENT_ID ← Recruitment ID,

If more than one ID needs to be entered, they will be separated by a comma.

2.1.23. PRBI TOTAL LENGTH OF SERVICE

This function will calculate the number of years (decimal value, number of months divided by 12) between Date left + 1 day (or Today + 1 day, if Date left is in the future) and the Substantive Start Date for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

CANCEL OK

P_PERSONNEL_NO ← Person Reference.

2.2. Person Allowances

2.2.1. PRBI ALLOWANCE TYPE PERCENT

This function returns the percentage of an allowance from the view Person Allowances (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_PAY_CODE *

P_EFFECTIVE_DATE *

CANCEL OK

P_EMPNO ← Person reference,

P_PAY_CODE ← Pay code for the allowance,

P_EFFECTIVE_DATE ← Will be used to determine the fact that the allowance wasn't ended at that date, so if you use SYSDATE you will return current allowances for the employee.

Insight Report example:

Pay Code	Start Date	End Date	Allowance Type Percent
3049	24-Sep-2020		25
3056	24-Sep-2020		0

The function will retrieve information from the *Allowances* screen:

Allowances screen :

Allowances			
Approval Status*  			
Allowance	Start Date	End Date	Value
Salaries Shift 1/4 Allowance 3049	24-Sep-2020		Percentage 25.00%
Traffic Allowance 3056	24-Sep-2020		Value 2472.07

2.2.2. PRBI ALLOWANCE TYPE VALUE

This function returns the value of an allowance from the view Person Allowances (Personnel) for the parameters entered as follows:

If the type of the allowance is 5 or 6, null for other types (if it is type 5, then it will be the standard value from the pay code reference table), to use when Salary Approvals is off :

- '1' : Scaled Allowance,
- '2' : Fixed Percentage,
- '3' : Variable Percentage Allowance,
- '4' : Calculated Percentage Allowance,
- '5' : Standard Value Allowance,
- '6' : Variable Value Allowance,

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_PAY_CODE *

P_EFFECTIVE_DATE *

CANCEL OK

P_EMPNO ← Person reference,

P_PAY_CODE ← Pay code for the allowance,

P_EFFECTIVE_DATE ← Will be used to determine the fact that the allowance wasn't ended at that date, so if you use SYSDATE you will return current allowances for the employee.

Insight Report example:

Pay Code	Start Date	End Date	Allowance Type Value
2010	27-Sep-2021	22-Oct-2021	0
2080	27-Sep-2021	22-Oct-2021	0
5100	27-Sep-2021	22-Oct-2021	0

The function will retrieve the information from the *Allowances* screen (if the allowance is type 6 – which is not the case here):

Allowances		Increment History	
Start Date	End Date	Value	
27-Sep-2021	22-Oct-2021	Scaled-Point 2	

2.2.3. PRBI_ALLOW_VERIFY_TYPE_PERCENT

This function returns the percentage of an allowance from the view Person Allowances (Personnel) for the parameters entered as follows:

If the type of the allowance is 1, 2, 3, or 4, null for other types 5 and 6 (if it is type 2, then it will be the standard value from the pay code reference table, if it is type 1, then the result will be the pay code point not the percentage), to use when Salary Approvals is on:

- '1' : Scaled Allowance,
- '2' : Fixed Percentage,
- '3' : Variable Percentage Allowance,
- '4' : Calculated Percentage Allowance,
- '5' : Standard Value Allowance,
- '6' : Variable Value Allowance,

Enter Function Parameters
* Denotes a mandatory parameter

P_EMPNO *

P_PAY_CODE *

P_EFFECTIVE_DATE *

CANCEL

OK

P_EMPNO ← Person reference,

P_PAY_CODE ← Pay code for the allowance,

P_EFFECTIVE_DATE ← Will be used to determine the fact that the allowance wasn't ended at that date, so if you use SYSDATE you will return current allowances for the employee.

Insight Report example (here the allowance type is 1, so it returns the pay code point):

Pay Code	Start Date	End Date	Allowance Verif Type Percent
2010	27-Sep-2021	22-Oct-2021	2
2080	27-Sep-2021	22-Oct-2021	1
5100	27-Sep-2021	22-Oct-2021	3

The function will retrieve the information from the *Allowances* screen (if the allowance is not type 5 or 6 – which is the case here) :

Allowance	Start Date	End Date	Value
Learner Child Allow Over 12 2010	27-Sep-2021	22-Oct-2021	Scaled-Point 2
Learner Fuel Allowance 2080	27-Sep-2021	22-Oct-2021	Scaled-Point 1
Meals Learner 5201	27-Sep-2021	22-Oct-2021	Scaled-Point 1
Travel Allowance Learner 5100	27-Sep-2021	22-Oct-2021	Scaled-Point 3

2.2.4. PRBI_ALLOW_VERIFY_TYPE_VALUE

This function returns the value of an allowance from the view Person Allowances (Personnel) for the parameters entered as follows:

If the type of the allowance is 5 or 6, null for other types (please note if type 5 then it will be the standard value from the pay code reference table), to use when Salary Approvals is on:

- '1' : Scaled Allowance,
- '2' : Fixed Percentage,
- '3' : Variable Percentage Allowance,
- '4' : Calculated Percentage Allowance,
- '5' : Standard Value Allowance,
- '6' : Variable Value Allowance,

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_PAY_CODE *

P_EFFECTIVE_DATE *

CANCEL
OK

P_EMPNO ← Person reference,

P_PAY_CODE ← Pay code for the allowance,

P_EFFECTIVE_DATE ← Will be used to determine the fact that the allowance wasn't ended at that date, so if you use SYSDATE you will return current allowances for the employee.

Insight Report example (here the type of the allowance is 1, so it returns null):

Pay Code	Start Date	End Date	Allowance Verif Type Value
2010	27-Sep-2021	22-Oct-2021	0
2080	27-Sep-2021	22-Oct-2021	0
5100	27-Sep-2021	22-Oct-2021	0

The function will retrieve the information from the *Allowances* screen (if the allowance is type 5 or 6 – which is not the case here) :

Allowance	Start Date	End Date	Value
Learner Child Allow Over 12 2010	27-Sep-2021	22-Oct-2021	Scaled-Point 2
Learner Fuel Allowance 2080	27-Sep-2021	22-Oct-2021	Scaled-Point 1
Meals Learner 5201	27-Sep-2021	22-Oct-2021	Scaled-Point 1

2.2.5. PRBI_GET_APP_ID_ALLOW

This function will return the appointment ID from the view Person Allowances (Personnel) when an allowance exists, and the start date of that allowance is equal to the date entered in the parameter. If the function doesn't find any record in Person Allowances, then it will return the appointment ID for the employees from Appointment History view, aligned with the date entered in the parameter as follows (the function will only consider primary appointments):

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON *

P_DATE *

CANCEL OK

P_PERSON ← Person Reference,

P_DATE ← Start date of the allowance,

The function will retrieve the following information from the employee record:

Amelia May (000265)

People Management > Employee Search > Amelia May (000265)

AM Active

Budget Analyst

Budget Analyst, Budget

Appointment ID 502219-48

Contract Hours 37.5

FTE 1

Start Date 11-Jan-2021

Started

Start Date 11-Jan-2021

Payroll Active

Payroll Closed for Processing

Surname*

May

2.2.6. PRBI GET VERIFY SEQ

This function will return the Verify Sequence from the view Person Allowances (Personnel), for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_PAY_CODE *

P_START_DATE *

P_APPOINTMENT_ID *

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_PAY_CODE ← Pay Code,

P_START_DATE ← Start Date of the allowance,

P_APPOINTMENT_ID ← Appointment ID,

Approval Status must be A (Approved).

2.2.7. PRBI_TOTAL_ANNUALISED_ALLOW

This function will calculate the total annualised value for the Allowances from the view Person Allowances (Pay) or Person Allowances (Personnel) when the employee is not in payroll for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_EFFECTIVE_DATE*

P_SALARY*

P_MULTIPLIER*

P_PAY_FREQUENCY*

CANCEL

OK

P_EMPNO ← Person Reference,

P_EFFECTIVE_DATE ← Date utilised to align the data, SYSDATE for current situation,

P_MULTIPLIER ← Pay Multiplier,

P_PAY_FREQUENCY ← Pay Frequency.

2.3. Appointment History

2.3.1. PRBI_APPOINTMENT_PAY_SCALE

This function returns the actual grade from the view Appointment History (Personnel) for the employee entered in the parameter:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

CANCELOK

P_EMPNO ← Person Reference.

The function will then retrieve information from the *Salary* screen:

Insight Report example:

Appointment Pay Scale
LEA02

Salary Screen :

Pay Scale / Grade
Learners

2.3.2. PRBI_APPOINTMENT_SCALE_POINT

This function returns the actual point from the view Appointment History (Personnel) for the employee entered in the parameter:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference,

You will then be able to retrieve the information from that screen :

Insight Report example:


Appointment Scale Point
1

Salary Screen:

Point
9999
1

2.3.3. PRBI CHECK BREAK IN SERVICE :

This function returns an indicator Y or N for break in service, looking at a period of time between the period entered in parameter and the last period present in Summary Payments for the employee entered in the parameters as follows:



The screenshot shows a dialog box titled "Enter Function Parameters". Inside, there is a note: "* Denotes a mandatory parameter". Below this, there are two dropdown menus. The first is labeled "P_EMPNO*" and the second is labeled "P_PAYROLL_PERIOD*". At the bottom of the dialog, there are two buttons: "CANCEL" and "OK".

P_EMPNO ← Person Reference,

P_PAYROLL_PERIOD ← Period to analyse,

When the number of periods when the employee hasn't been paid is equal to 6, then the indicator will be Y, else N.

2.3.4. PRBI CHECK FOR APPOINTMENT

This function returns an indicator Y or N against employees who have an appointment starting the following day of the date entered in parameters as follows (from the view Appointment History – Personnel):

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APP_END_DATE *

CANCEL

OK

P_EMPNO ← Person Reference,

P_APP_END_DATE ← Date to analyse,

When the number of periods when the employee hasn't been paid is equal to 6, then the indicator will be Y, else N.

2.3.5. PRBI CURRENT GRADE START DATE

This function returns the grade start date from the view Appointment History (Personnel) for the grade entered in parameters as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_GRADE *

CANCEL

OK


P_EMPNO ← Person Reference,

P_GRADE ← The grade you want to retrieve the starting date,

The function will return the minimum of Actual Start Date from Appointment history for the grade in parameter (the function will consider the first two characters of the actual grade).

2.3.6. PRBI CURRENT POST END DATE

This function returns the end date of the latest appointment from the view Appointment History (Personnel) for the employee entered in the parameter as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference,

The function will return the actual end date of the current appointment from Appointment history.

2.3.7. PRBI CURRENT POST START DATE

This function returns the start date of the latest appointment from the view Appointment History (Personnel) for the employee entered in the parameter as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference,

The function will return the actual start date of the current appointment from Appointment history.

2.3.8. PRBI_GET_APPOINTMENT_DATA

This function will return data from the appointment from the view Appointment History (Personnel) for the item entered in parameters as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_APPOINTMENT_ID *

P_DATE *

P_ITEM *

CANCEL OK

P_APOINTMENT_ID ← Appointment ID,

P_DATE ← Date (for today you will put in SYSDATE for example),

P_ITEM ← Data you want to retrieve, P_ITEM can be one parameter from the following table:

Parameter	Data Retrieved
APT_TYPE	appointment_type
POST_SEQ	to_char(post_sequence
START_DATE	to_char(actual_start_date,'DD-MON-RRRR'),
END_DATE	to_char(nvl(actual_end_date,ended_date),'DD-MON-RRRR')
STATUS	appointment_status
POST_TYPE	actual_post_type
POST_NO	to_char(post_number)
REASON	reason_code
PEN_IND	pensionable_ind
SEC	secondment

Parameter	Data Retrieved
DEPT	department
FTE	to_char(fte)
COMPANY	company
DIVISION	division
MGMT_UNIT	management_unit
COST_CENTRE	cost_centre
LOCATION	location
WORK_GROUP	work_group
USER_FIELD1	user_code1
USER_FIELD2	user_code2
USER_FIELD3	user_code3
USER_FIELD4	user_code4
USER_FIELD5	user_code5
JOB_TITLE	job_title
CATEGORY	category
EMPLOYEE_STATUS	employee_status
SUB_STATUS	employee_sub_status
HOURS	to_char(hours)
FTE_HOURS	to_char(fte_hours)

2.3.9. PRBI_GET_CONSEC_ACTING_START

This function will return the Actual Start Date of an appointment when the acting up indicator from the view Appointment History (Personnel) is equal to Y for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON* ▼

P_POST_NUMBER* ▼

P_DATE* ▼

CANCEL OK

P_PERSON ← Person Reference,

P_POST_NUMBER ← Post number,

P_DATE ← Date used to isolate an appointment, SYSDATE for the current one,

If there is a valid appointment for the combination Person Reference/Post Number, starting before the date entered in parameter, then the function will return the original Actual Start Date (of the consecutive acting up appointments).

2.3.10. PRBI GET CONSEC GRADE START

This function will return the original start date of the grade from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON* ▼

P_GRADE* ▼

CANCEL OK

P_PERSON ← Person Reference,

P_GRADE ← Grade (User Code 3 or User Field 3),

For the current appointment the function will return the original Start Date of the grade.

2.3.11. PRBI_GET_CONT_SERVICE_IND

This function will return an indicator (Y or N) based on the sub category from the view Appointment History (Personnel) for the parameters as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON* ▼

P_FROM_DATE* ▼

P_TO_DATE* ▼

P_SUB_CATEGORY1* ▼

P_SUB_CATEGORY2 ▼

P_SUB_CATEGORY3 ▼

P_SUB_CATEGORY4 ▼

P_SUB_CATEGORY5 ▼

CANCEL OK

P_PERSON ← Person reference,

P_FROM_DATE and P_TO_DATE ← Used to determine the appointments to consider:

actual_start_date <= p_to_date and (actual_end_date >= p_from_date OR actual_end_Date is null)

P_SUB_CATEGORY1 to 5 ← Number 1 is mandatory, list of sub category you will consider :

sub_category IN (p_sub_Category1, p_sub_Category2, p_sub_Category3, p_sub_Category4, p_sub_Category5)

The function will return an indicator Y or N depending on the sub category for the employee for that period of time (if there is valid appointment between the two dates, and if the sub category is in the list then Y, else N)

2.3.12. PRBI GET CURRENT APP STATUS

This function will return the Appointment Status from the view Appointment History (Personnel) for the parameter entered as such :

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference,

The function will retrieve the status from the employee record for the latest appointment:

Amelia May (000265)

People Management > Employee Search > Amelia May (000265)

ACTIONS

AM

Active

Budget Analyst

Start Date 11-Jan-2021

Payroll Active

Payroll Closed for Processing

Search

Key Information

Budget Analyst, Budget

Appointment ID 502219-48

Contract Hours 37.5

FTE 1

Start Date 11-Jan-2021

Started

Surname*

May

2.3.13. PRBI_GET_EMPLOYEE_NOTICE

This function will return an information (depending on the parameter P_FIELD) from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO*

P_APPOINTMENT_ID*

P_FIELD*

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID,

P_FIELD ← 'NOTICE_PERIOD' or 'NOTICE_TYPE' or 'LEAVE_DATE',

- 'NOTICE_PERIOD': The function will return the Employee Notice Period from the view Terms and Conditions (Personnel) where Level type is ACTUAL:

Level Type	Personnel Terms And Conditions
------------	--------------------------------

- NOTICE_TYPE : The function will return the Employee Notice Type from the view Terms and Conditions (Personnel),
- LEAVE_DATE : The function will return an information depending on this parameter :

Employee Notice Period Type

Months

Days

Months

Years

If 'D' then leave date = sysdate + Employee notice period,

If 'W' then leave date = sysdate + (Employee notice period x 7),

If 'M' then leave date = add_months(sysdate, Employee notice period)-1,

If 'Y' then leave date = add_months(sysdate, (Employee notice period x 12))-1,

2.3.14. PRBI GET EMPNO BY POST NUMBER

This function will return the person reference from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NUMBER* ▼

P_POST_SEQUENCE* ▼

CANCEL OK

P_POST_NO ← Post Number,

P_POST_SEQUENCE ← Post Sequence,

The function will return the person reference attached to that unique combination.

2.3.15. PRBI GET JOB START DATE

This function will return the Actual Start Date of an appointment from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_JOB* ▼

CANCEL OK


P_EMPNO ← Person reference,

P_JOB ← Job Title Code,

The function will retrieve the first actual start date it finds in Appointment History for the combination Person Reference – Job Title Code.

2.3.16. PRBI GET MAX ACT POST START

This function will return the latest Actual Start Date from the view Appointment History (Personnel) for appointments where the Acting Up indicator is positioned as Y for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO *

CANCEL OK

P_EMPNO ← Person reference,

2.3.17. PRBI GET PERSON STATUS HISTORY

This function will return the Actual Post Type from the view Appointment History (Personnel) for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,


P_DATE ← Date utilised to retrieve historical data, SYSDATE for current data,

The function will retrieve the information from the *View Contract* screen (Please note that it will return the code, not the description):



2.3.18. PRBI GET POST CATEGORY

This function will return the Category Code from the view Appointment History (Personnel) for the parameters entered as follows:



P_EMPNO ← Person Reference,

P_DATE_EFFECTIVE ← Date you want to retrieve the data from, SYSDATE for current situation

The function will retrieve the information from the *View Contract* screen:

View Contract
People Management > Employee Search > Amelia May (000265) > View Contract

1 Organizational Structure

2 Contract Information

Dates

Effective Date *	Target End Date	Planned End Date	Job Title *	Job Category
11-Jan-2021			BUDA - Budget Analyst	Administrative / Clerical

Post Type *
P - Permanent

Project

Comments

Job Description

Description

Employee Status *	Sub Status	Category	Sub Category	Contracted Hours
P - Permanent		Administration		37.5

Standard Hours
37.50 Hours

Contracted Weeks
52.14

FTE *
1

Absence FTE

Future Override FTE

UPDATE

2.3.19. PRBI_GET_POST_EE_STATUS

This function will return the Employee Status from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE_EFFECTIVE *

CANCEL **OK**

P_EMPNO ← Person Reference,

P_DATE_EFFECTIVE ← Date you want to retrieve the data from, SYSDATE for current situation

The function will retrieve the information from the *View Contract* screen:

View Contract
People Management > Employee Search > Amelia May (000265) > View Contract

1 Organizational Structure

2 Contract Information

Dates

Effective Date *	Target End Date	Planned End Date	Job Title *	Job Category
11-Jan-2021			BUDA - Budget Analyst	Administrative / Clerical

Post Type *
P - Permanent

Project

Comments

Job Description

Description

Employee Status *	Sub Status	Category	Sub Category	Contracted Hours
P - Permanent		Administration		37.5

Standard Hours
37.50 Hours

Contracted Weeks
52.14

FTE *
1

Absence FTE

Future Override FTE

UPDATE

2.3.20. PRBI_GET_POST_LOCATION_HIST

This function will return the Location from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_DATE *

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_DATE ← Date you want to retrieve the data from, SYSDATE for current situation

You will then retrieve the information from the *View Contract* screen:


View Contract

People Management > Employee Search > Amelia May (000265) > View Contract

1 Organizational Structure	Post	Sequence
	502219 - Budget Analyst	48
2 Contract Information	Company *	Abc Solutions
	Division *	Shared Services
	Management Unit *	Finance
	Department *	FIN2 - Budget
	Cost Centre	Default 1
	Location	Branch Office 1
	Work Group	1 - Default Workgroup

2.3.21. PRBI_GET_POST_NUMBER_BY_EMPNO

This function will return the Post Number from the view Appointment History (Personnel) for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference,

You will then retrieve the Post Number for the primary appointment (latest appointment in the system).

2.3.22. PRBI_GET_POST_PERSON_REFERENCE

This function will return the Person Reference from the view Appointment History (Personnel) for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NUMBER *

P_DATE *

CANCEL OK

P_POST_NUMBER ← Post Number,

P_DATE ← Date that will be used to determine if an employee has an appointment not ended at that time

2.3.23. PRBI GET POST START DATE

This function will return the latest Actual Start Date of an appointment from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE *

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date used to align the data (active appointment at that date), SYSDATE for the current situation.

The function will retrieve the information from the *Contract History* section of the employee record:

David Black (000049)
People Management > Employee Search > David Black (000049)

ACTIONS

DB Active

Budget Manager Start Date 01-Jan-2019 Payroll Inactive Payroll Open for Processing

Search

Key Information

Contact Information

Contract History

Files

User Defined Data

Cost Allocations

Summary

Appointment ID 502218-2 Status Started Emp Status Permanent Start Date 01-Jan-2019 End Date Substantive 01-Jan-2019 Funding Expiry

Amendments

Start Date	End Date	Target End Date	Post No	Post Sequence	Reason	Department	Hours	FTE	
04-Mar-2019			502218	3	Promotion	Budget		1	VIEW UPDATE
01-Jan-2019	03-Mar-2019		502218	2	Promotion	Budget		1	VIEW

2.3.24. PRBI_GET_POST_SUB_CAT

This function will return the Sub Category Code of a sequence of an appointment from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_DATE_EFFECTIVE *

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE_EFFECTIVE ← Date used to align the data (active sequence of an appointment at that date), SYSDATE for the current situation,

The function will retrieve the information from the View Contract Screen:

View Contract

People Management > Employee Search > Amelia May (000265) > View Contract

UPDATE DELETE

1 Organizational Structure

2 Contract Information

Dates

Effective Date * 26-Sep-2023

Target End Date

Planned End Date

Job Title * BUOA - Budget Analyst

Job Category Administrative / Clerical

Post Type * P - Permanent

Project

Comments

Job Description

Description

Employee Status * P - Permanent

Sub Status

Category Administration

Sub Category Reception

Contracted Hours 30.5

Standard Hours 37.50 Hours

Contracted Weeks

Standard Weeks 52.14

FTE * 0.813333

Absence FTE

Future Override FTE

2.3.25. PRBI_GET_PRIM_APPOINT_DETAIL

This function will return an information (Substantive Appointment only) from the view Appointment History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_DATE *

P_ITEM *

CANCEL

OK

P_PERSONNEL_NO ← Person Reference,

P_DATE ← Date used to align the data (valid Appointment at that date, SYSDATE for current data),

P_ITEM ← Item you want to retrieve the data, can be :


Parameter	Description
POST_SEQ	Post Sequence
START_DATE	Actual Start Date
END_DATE	Actual End Date
STATUS	Appointment Status
POST_TYPE	Actual Post Type
POST_NO	Post Number
REASON	Reason Code
PEN_IND	Pensionable indicator
SEC	Secondment
APT_ID	Appointment ID
DEPT	Department
TARGET	Target End Date

Parameter	Description
JOB_CATEGORY	Job Category
DIVISION	division
JOB_TITLE	Job Title
FTE_HOURS	FTE Hours
EMPLOYEE_STATUS	Employee Status
SUB_STATUS	Employee Sub Status
USER_CODE1	User code1
USER_CODE2	User code2
USER_CODE3	User code3
USER_CODE4	User code4
USER_CODE5	User code5
MGMT_UNIT	Management Unit
COMPANY	Company
COST_CENTRE	Cost Centre
LOCATION	Location
PROJECT	Project Code
CATEGORY	Category
SUB_CATEGORY	Sub Category
HOURS	Hours
WEEKS	Weeks
FTE	FTE
OVERRIDE_FTE	Override FTE
ACTION	Action
REPLACES_EMPLOYEE	Replacing Employee
COMMENTS	Comments
PLANNED_END_DATE	Planned End Date
JOB_TITLE	Job Title
ABSENCE_FTE	Absence Fte
WORK_GROUP	Work Group
JOB_TITLE	Job Title

Parameter	Description
STANDARD_WEEKS	FTE Weeks from Personnel Parameters (not Appointment History)

2.3.26. PRBI GET SECONDARY POST

This function will return the Post Number from the view Appointment History (Personnel) for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *


CANCEL OK

P_EMPNO ← Person Reference,

The function will retrieve the Post Number for secondary appointments only (latest one).

2.3.27. PRBI GET SECONDMENT INDICATOR

This function will return the item Secondment Indicator from the view Appointment History (Personnel) for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference,

The function will retrieve the Secondment Indicator for the latest appointment ID/sequence (secondary or primary appointment, depending on what is the latest). Indicator will be Y or N or NULL, from the *View Contract* screen:

View Contract
People Management > Employee Search > Amelia May (000265) > View Contract

1 Organizational Structure

2 Contract Information

Description

Post Type*	P - Permanent	Project	Comments	Job Description
Employee Status*	P - Permanent	Sub Status	Category	Administration
Standard Hours	37.50 Hours	Contracted Weeks	Standard Weeks	52.14
Future Override FTE			FTE*	0.813333
			Sub Category	
			Contracted Hours	30.5
			Absence FTE	

Details

Action	Reason*	Replacing
	COH - Change Of Hours	

Actions

☒ Pensionable ☐ Acting Up ☐ Secondment

2.3.28. PRBI_PRIMARY_POST_CATEGORY

This function will return the Category from the view Appointment History (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference, (it will be the Primary appointment exclusively).

2.3.29. PRBI_PRIMARY_POST_END_DATE

This function will return the current Actual End Date of an appointment from the view Appointment History (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference, (it will be the Primary appointment exclusively).

2.3.30. PRBI_PRIMARY_POST_START_DATE

This function will return the current Actual Start Date of an appointment from the view Appointment History (Personnel) for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference, (it will be the Primary appointment exclusively).

2.3.31. PRBI_SECONDARY_POST_CATEGORY

This function will return the Category from the view Appointment History (Personnel) for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON *


CANCEL OK

P_PERSON ← Person Reference, (data will be retrieved for Secondary Commenced appointments only)

2.4. Person Appraisal

2.4.1. PRBI_CHECK_FOR_APPRAISAL

This function returns an indicator (Y or N) against employees who have an appraisal, for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK


P_EMPNO ← Person Reference,

When the function finds the person reference in the view Person Appraisal (Personnel), then the indicator will be Y, else N.

2.5. HR Person Master

2.5.1. PRBI_DATE_DRIVEN_EMPLOY STATUS

This function returns the employment status S or Z regarding the date left from the view Hr Person Master (Personnel). If the date left is null or greater than the date, the report returns an S, else Z. for the person reference entered in parameter as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference,

The function will return an item as S or Z depending on the date left.

2.5.2. PRBI_GET_CATEGORY (DO NOT USE PRBI_GET_CATEGORY_CODE)

This function will return the category from the view Hr Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Employee,

You will then retrieve the category code from HR Person Master view (from that screen, substantive contract only):

View Contract

People Management > Employee Search > Amelia May (002255) > View Contract

UPDATE DELETE

1 Organizational Structure

2 Contract Information

Dates

Effective Date *	Target End Date	Planned End Date	Job Title *	Job Category
26-Sep-2023			BUDA - Budget Analyst	Administrative / Clerical

Description

Post Type *	Project	Comments	Job Description
P - Permanent			

Employee Status *	Sub Status	Category	Sub Category	Contracted Hours
P - Permanent		Administration		30.5

Standard Hours	Contracted Weeks	Standard Weeks	FTE *	Absence FTE
37.50 Hours		52.14	0.813333	

Future Override FTE

2.5.3. PRBI_GET_COST_CENTRE

This function will return the Cost Centre Code from the view Hr Person Master (Personnel) for the parameter as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

CANCEL

OK

P_PERSONNEL_NO ← Person Reference

2.5.4. PRBI_GET_DATE_JOINED

This function will return the Date Started from the view HR Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *


CANCEL

OK

P_PERSONNEL_NO ← Person Reference

2.5.5. PRBI GET DATE LEFT

This function will return the Date Left from the view HR Person Master (Personnel) for the parameter entered as follows:




The screenshot shows a dialog box titled "Enter Function Parameters". Inside, there is a note: "* Denotes a mandatory parameter". Below this, the parameter "P_PERSONNEL_NO *" is displayed next to a dropdown arrow. At the bottom right of the dialog, there are two buttons: "CANCEL" and "OK".

P_PERSONNEL_NO ← Person Reference

2.5.6. PRBI GET DIVISION CODE

This function will return the Division Code from the view HR Person Master (Personnel) for the parameter entered as follows:



The screenshot shows a dialog box titled "Enter Function Parameters". Inside, there is a note: "* Denotes a mandatory parameter". Below this, the parameter "P_EMPNO *" is displayed next to a dropdown arrow. At the bottom right of the dialog, there are two buttons: "CANCEL" and "OK".

P_EMPNO ← Person Reference

2.5.7. PRBI_GET_EMPLOYEE_STATUS

This function will return the employee status from the view HR Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

CANCEL

OK

P_PERSONNEL_NO ← Person Reference

2.5.8. PRBI_GET_EMPLOYEE_SUB_STATUS

This function will return the employee sub status from the view HR Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

CANCEL

OK

P_PERSONNEL_NO ← Person Reference

2.5.9. PRBI_GET_FORENAME

This function will return the forename from the view Hr Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL

OK

P_EMPNO ← Person Reference

2.5.10. PRBI_GET_FTE_PERCENT

This function will retrieve the Forename Surname from the view Hr Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *


CANCEL

OK

P_PERSONNEL_NO ← Person Reference

2.5.11. PRBI_GET_FULL_TIME_EQUIVALENCE

This function will retrieve the FTE from the view Hr Person Master (Personnel) for the parameter entered as follows:




The screenshot shows a dialog box titled "Enter Function Parameters". Inside, there is a note: "* Denotes a mandatory parameter". Below this, there is a text input field labeled "P_EMPNO *". At the bottom right of the dialog, there are two buttons: "CANCEL" and "OK".

P_EMPNO ← Person Reference

As it comes from the view HR PERSON MASTER, the FTE shown will be the one from the primary appointment.

2.5.12. PRBI_GET_GENDER_CODE

This function will retrieve the Gender Code from the view Hr Person Master (Personnel) for the parameter entered as follows:



The screenshot shows a dialog box titled "Enter Function Parameters". Inside, there is a note: "* Denotes a mandatory parameter". Below this, there is a text input field labeled "P_EMPNO *". At the bottom right of the dialog, there are two buttons: "CANCEL" and "OK".

P_EMPNO ← Person Reference

2.5.13. PRBI GET HOURS

This function will retrieve the hours of the contract from the view Hr Person Master (Current Primary Contract) (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_EMPNO ← Person Reference

The function will retrieve the information from the *Contract History* section of the employee record:

Amelia May (000265)

People Management > Employee Search > Amelia May (000265)

ACTIONS

AM

Active

Budget Analyst

Start Date 11-Jan-2021

Payroll Active Payroll Closed for Processing

Search

Key Information

Contact Information

Contract History

Files

User Defined Data

Cost Allocations

Balances

Probation Details

Change Work Schedule

Terms and Conditions

Summary


Appointment ID 50221... Status **Started** Emp Status **Permanent** Start Date 11-Jan-2021 End Date Substantive 11-Jan-20... Funding Expiry

Amendments

Start Date	End Date	Target End Date	Post No	Post Sequence	Reason	Depart.	Hours	FTE	
26-Sep-2023			502219	62	Chang...	Budget	30.5	.813333	VIEW UPDATE
11-Jan-2021	25-Sep-2023		502219	48	Hire	Budget	37.5	1	VIEW

2.5.14. PRBI_GET_JOB_SHARE_INDICATOR

This function will return the value in the data Job Share Indicator from the view Hr Person Master (Personnel) for the parameter entered as follows (primary and current contract):



Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO *

CANCEL OK

P_EMPNO ← Person reference

2.5.15. PRBI_GET_JOB_TITLE_CODE

This function will return the Job Title Code from the view Hr Person Master (Current Primary Contract) (Personnel) for the parameter entered as follows:



Enter Function Parameters


* Denotes a mandatory parameter

P_EMPNO *

CANCEL OK

P_PERSONNEL_NO ← Person reference,

The function will retrieve the Job Title Code from the employee record:



Budget Analyst

Budget Analyst, Budget

Appointment ID 502219-48

Contract Hours 30.5

FTE .813333

Start Date 11-Jan-2021

Started

2.5.16. PRBI GET KNOWN AS NAME

This function will return the Known as item from the view Hr Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON_REFERENCE *

CANCEL OK

P_PERSONNEL_REFERENCE ← Person reference

The function will retrieve the information from the *Key Information* section of the employee profile:

Amelia May (000265)

People Management > Employee Search > Amelia May (000265)

ACTIONS

AM Active Budget Analyst Start Date 11-Jan-2021 Payroll Active Payroll Closed for Processing

Search

Key Information

Contact Information

Contract History

Files

General

Title Mrs Forename* Amelia Surname* May

Middle Name* S Known As* Amy Initials AM

2.5.17. PRBI GET LENGTH OF SERVICE

This function will calculate the length of service in months between the date started and the date left from the view Hr Person Master (Latest primary appointment) (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

CANCEL OK

P_PERSONNEL_NO ← Person Reference

The function will retrieve the information from the *Key Information* section of the employee record:

Amelia May (000265)

People Management > Employee Search > Amelia May (000265)

ACTIONS

AM

Active

Budget Analyst

Start Date 11-Jan-2021

Payroll Active

Payroll Closed for Processing

Search

Key Information

Contact Information

Contract History

Files

User Defined Data

Cost Allocations

Service Details

Date First Joined
11-Jan-2021

Tupe Date

Override Start Date

Override End Date

Continuous Service Duration
2 Years, 8 Months, 18 Days

Continuous Service Started
11-Jan-2021

Total Length of Service
2 Years, 8 Months, 18 Days

Length of Service
2 Years, 8 Months, 18 Days

2.5.18. PRBI_GET_MANAGEMENT_UNIT

This function will return the Management Unit Code from the view Hr Person Master (Personnel) (Current Primary Contract) for the parameter entered as follows:

Enter Function Parameters


* Denotes a mandatory parameter

P_PERSONNEL_NO *

CANCEL OK

P_PERSONNEL_NO ← Person reference

The function will retrieve the information from the *View Contract* screen:




The screenshot shows the 'View Contract' screen in a web application. The breadcrumb trail at the top reads: 'People Management > Employee Search > Amelia May (000265) > View Contract'. On the left, there are two tabs: '1 Organizational Structure' and '2 Contract Information'. The 'Contract Information' tab is active. The main content area displays the following details:

Field	Value
Post	502219 - Budget Analyst
Sequence	48
Company *	Abc Solutions
Division *	Shared Services
Management Unit *	Finance
Department *	FIN2 - Budget

The 'Management Unit *' field is highlighted with a red rectangular box.

2.5.19. PRBI GET PLANNED PAY GROUP

This function will return the Planned Pay Group from the view Hr Person Master (Personnel) for the parameter entered as follows:



The screenshot shows a dialog box titled 'Enter Function Parameters'. It contains a note: '* Denotes a mandatory parameter'. Below this, there is a text input field labeled 'P_EMPNO *'. At the bottom right of the dialog, there are two buttons: 'CANCEL' and 'OK'.

P_EMPNO ← Person Reference

2.5.20. PRBI GET REPORTS TO

This function will return the Person Reference that the employee reports to from the view Hr Person Master (Personnel), or the view Organisational Roles (Personnel) depending on the configuration for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DIVISION*

P_DEPT*

P_MAN_UNIT*

P_COST_CENTRE*

P_COMPANY*

P_LOCATION*

P_WORKGROUP*

CANCEL

OK

P_EMPNO ← Person Reference,
P_DIVISION ← Division,
P_DEPT ← Department,
P_MAN_UNIT ← Management Unit
P_COST_CENTRE ← Cost Centre,
P_COMPANY ← Company,
P_LOCATION ← Location,
P_WORKGROUP ← Workgroup,

2.5.21. PRBI_GET_SURNAME

This function will return the surname from the view Hr Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

CANCEL

OK

P_EMPNO ← Person Reference

2.5.22. PRBI GET WORKSPACE ID

This function will retrieve the Workspace ID from the view Hr Person Master (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

CANCEL

OK

P_PERSONNEL_NO ← Person Reference

2.5.23. PRBI IS NEW STARTER

This function will return the Date Started (or the Original Date Joined if the Date Started is blank) from the view Hr Person Master (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO * ▼

P_START_DATE ▼

P_END_DATE ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_START_DATE ← Date from,

P_END_DATE ← Date To,

If the employee has a Start Date between Date From and Date To then the Start Date will be displayed, if not, it will be blank.

2.6. Person Salary History

2.6.1. PRBI GET APP ID SAL APP

This function will return the appointment ID from the view Person Salary History (Personnel) if the type is SEC, and for the effective date entered in parameter. If the type is PRIM, then it will return the appointment ID for the employees from Appointment History view aligned with the date entered in parameter as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON* ▼

P_SALARY_TYPE* ▼

P_DATE* ▼

CANCEL OK

P_PERSON ← Person Reference,

P_SALARY_TYPE ← Type of the salary, (SEC or PRIM),

P_DATE ← Start date of the allowance,

2.6.2. PRBI_RETRIEVE_APPOINT_SALARY

This function will return an information from the view Person Salary History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO*

P_DATE*

P_TEXT*

P_APPOINTMENT_ID*

CANCEL
OK

P_EMPNO ← Person Reference,

P_DATE ← Date utilised to align the data, SYSDATE for the current situation,

P_TEXT ← Information you want to retrieve, from the following list:

Input	Description
PAYSCALE	Grade
POINT	Point
MULTIPLIER	Multiplier
AMOUNT	Actual Pay
RATETYPE	Rate Type
PERSRATETYPE	Personnel Rate Type
COMMENTS	Comments
DATE_EFFECTIVE	Effective Date

2.6.3. PRBI_VERIFY_SEQ_DATE_INPUT

This function will return the Input Date from the view Person Salary Approval (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_VERIFY_SEQUENCE *

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_VERIFY_SEQUENCE ← Verify Sequence,

2.7. Person Address

2.7.1. PRBI_GET_ADDRESS_DETAIL

This function will return information for an employee's address from the view Person Address (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON*

P_ADDRESS_TYPE*

P_DETAIL*

P_EFFECTIVE_DATE*

P_REF_CODE*

CANCEL
OK

P_PERSON ← Person Reference,

P_ADDRESS_TYPE ← Type of the address. This can be found in the *Other References* screen:

Reference Type

Reference Type
Description
ADDTYPE
Address Type

Reference Codes

Code	Description	
WORK	Work Address	...
DEFADD	Default Home Address	...
HOME	Home Address	...

P_DETAIL ← Item of the address, from the following list:

- 'LINE1'
- 'LINE2'
- 'LINE3'
- 'LINE4'
- 'LINE5'

- 'COUNTY'
- 'COUNTRY'
- 'POST_CODE_PRE'
- 'POST_CODE_SUF'

P_EFFECTIVE_DATE ← Date used to align data (SYSDATE for current address),

P_REF_CODE ← Can be left NULL or contain the address reference code:

HOME
APPLICANT
TRAPRO
NEXTOFKIN

Standard configuration.

2.8. Person Contact

2.8.1. PRBI_GET_CONTACT_TEXT

This function will return the contact text for items entered in parameter from the view Person Contact (Personnel) as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_CONTACT_TYPE* ▼

CANCEL OK

P_EMPNO ← Person reference,

P_CONTACT_TYPE ← Contact type. These can be retrieved in the *Contact Types* screen:

Contact Type Code	Description	Analysis Code	Description	ESS Display	ESS Update	
EMAIL	Work Email Address			☒	☒	...
HEM	Other Email Address			☒	☒	...
HTN	Home Telephone Number			☒	☒	...
LDAP	Ldap User			☐	☐	...
MOB	Personal Mobile Number			☒	☒	...
MOBILE	Work Mobile Number			☒	☒	...
ORUSER	Oracle User Name			☐	☐	...
SLUSER	Salary User			☐	☐	...
WTN	Work Telephone Number			☒	☒	...

The function will return the data held in the item in parameter from the *Contact Details* screen:

The screenshot shows two sections of a user interface. The top section, titled 'Contact Details', contains a list of fields: Home Telephone Number, Ldap User, Oracle User Name, Other Email Address, Personal Mobile Number, and Salary User. Each field has a small icon to its right. The bottom section, titled 'My Address Details', contains a table with three columns: Address Type, Address, and Date Effective. The table has one row with the following data: Default Home Address, 1a Nottingham Road Attenborough Nottingham NG9 6DN United Kingdom, and 02-Jan-2018. There is an 'ADD' button in the top right corner of the 'My Address Details' section.

Address Type	Address	Date Effective
Default Home Address	1a Nottingham Road Attenborough Nottingham NG9 6DN United Kingdom	02-Jan-2018

2.9. Post Profile

2.9.1. PRBI GET CURRENT POST TITLE

This function will return the Post Title Code from the view Post Profile (Personnel) for the parameter entered as follows:


The screenshot shows a dialog box titled 'Enter Function Parameters'. It contains a text input field with the value 'P_EMPNO *'. Below the input field are two buttons: 'CANCEL' and 'OK'. A note above the input field states '* Denotes a mandatory parameter'.

P_EMPNO ← Person Reference

The function will retrieve the Post Title Code for the employee for the latest appointment.

2.9.2. PRBI GET POST PROFILE DETAIL

This function will return an information from the view Post Profile (Personnel) for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NUMBER*

P_ITEM_TYPE*


CANCEL OK

P_POST_NUMBER ← Post Number,

P_ITEM_TYPE ← Item you want to retrieve the data from, either:

- 'TYPE' to retrieve the Post Type Code,
- 'TITLE' to retrieve the Post Title Code,

The function will retrieve the information from the *Post Details* screen:



Edit Post - 502247

People Management > View All > Post Profile Maintenance > Edit Post - 502247

PLAN ACTIONS

Active Effective Date 01-Jan-2018 Post Number 502247 Post Title Budget Analyst Post FTE 894 Active FTE 68

Overview

Organisational Structure

Post Details

Cost Allocations

Pension Schemes

Effective Date* 01-Jan-2018

Post Title* BUDA - Budget Analyst

Post Type* P - Permanent

Job Description

Auto Authorised

Auto Commenced

2.9.3. PRBI GET REPORTS TO

This function will return the Report To Post item from the view Post Profile (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NUMBER *

CANCEL OK

P_POST_NUMBER ← Post Number,

The function will retrieve the data from the *Post Details* screen:

Edit Post - 502247

People Management > View All > Post Profile Maintenance > Edit Post - 502247

PLAN ACTIONS

Active Effective Date: 01-Jan-2018 Post Number: 502247 Post Title: Budget Analyst Post FTE: 894 Active FTE: 68

Job Description ☐ Auto Authorised ☐ Auto Commenced

Organisational Structure

Post Details

Cost Allocations

Pension Schemes

FTE Maintenance

View Appointments

Terms And Conditions

Certificate Of Sponsorship

Company Equipment

Details

Pay Scale * Grade 1 FTE * 894

Comments

Category Sub Category Standard Hours 37.5

Additional Details

Funding Expiry Date Requisition No Estimated Annual Cost

Analysis Code Reports to Post Substitution Post

2.9.4. PRBI POST TITLE BY POST NUMBER

This function will return the Post Title Code from the view Post Profile (Personnel) for the parameter entered as follow:

Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NUMBER*

CANCEL OK

P_POST_NUMBER ← Post Number

The function will retrieve the data from the *Post Profile Maintenance* screen:

Post No	Title	Type	FTE	Active FTE	Department	Pay Scale	Date Effective		
502198	PeopleXD Consultant	Permanent	999	2		System Position Code	01-Jan-1900	Auto-Commenced	VIEW
502197	PeopleXD Consultant	Other Person Engaged	13	4	H.R.	System Position Code	01-Jan-2017	Auto-Commenced	VIEW
502196	PeopleXD Consultant	Other Person Engaged	12	1	Historic	System Position Code	01-Jan-2017	Authorised	VIEW
502195	PeopleXD Consultant	3rd Party / Non-Employee	3	7	System	System Position Code	01-Jan-2014	Auto-Commenced	VIEW
502194	Business Analyst	Permanent	1	0	System	System Position Code	01-May-2014	Authorised	VIEW
502193	Business Analyst	Permanent	2	1	System	System Position Code	01-May-2014	Authorised	VIEW
502192	Business Analyst	Permanent	1	6.93	System	System Position Code	01-Apr-2014	Auto-Commenced	VIEW
502191	Business Analyst	Permanent	1	0	System	System Position Code	01-Mar-2014	Authorised	VIEW

2.10. Core User

2.10.1. PRBI GET CORE USER DESC

This function will return the description from the view/table Core_user for the parameter as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_USER*

CANCEL OK

P_USER ← Username to retrieve the description,

Note: This function will retrieve a description for Back Office Users exclusively.

The function will retrieve the data from the following Back Office screen:

CoreSecurity 28.0.62 athena36

Action Edit Block Field Record Query Navigate Help Window

User Management

User Information

Username: COREHR

System: COHR CoreHR

Account Profile: DEFAULT

Password:

Identification

Person Ref: PORTALMSS Portal Mss

Network ID: PORTALMSS

Comment: Portal Admin

Account Status

Functions

Create User

Conv User

Reset Password

Expire Password

2.11. HR Position History

2.11.1. PRBI_GET_EFFECTIVE_DATE

This function will return the effective date from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO* ▼

P_DATE* ▼

P_SALARY_TYPE* ▼

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_DATE ← Will position the Effective Date, Effective Date <= P_DATE, function will select the latest of them,

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.11.2. PRBI GET REASON CODE

This function will return the Reason Code from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_DATE *

P_SALARY_TYPE *

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_DATE ← Date used to align the data (SYSDATE for the current situation),

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.11.3. PRBI GET REFERENCE

This function will return the REFERENCE from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO* ▼

P_DATE* ▼

P_SALARY_TYPE* ▼

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_DATE ← Date used to align the data (SYSDATE for the current situation),

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.11.4. PRBI HISTORIC MULTIPLIER SEC

This function will return the Pay Multiplier from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO* ▼

P_DATE* ▼

P_SALARY_TYPE* ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date will be used to align the data, SYSDATE for current situation,

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.11.5. PRBI_HISTORIC_POINT_PAY_SEC

This function will return the Point from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO * ▼

P_DATE * ▼

P_SALARY_TYPE * ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date will be used to align the data, SYSDATE for current situation,

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.11.6. PRBI_HISTORIC_POSITION

This function will return the Position from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO * ▼

P_DATE * ▼

P_SALARY_TYPE * ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date will be used to align the data, SYSDATE for current situation,

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.11.7. PRBI_HISTORIC_RATE_PAY_SEC

This function will return the Rate of Pay from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO * ▼

P_DATE * ▼

P_SALARY_TYPE * ▼

CANCEL OK

P_EMPNO ← Person Reference,

P_DATE ← Date will be used to align the data, SYSDATE for current situation,

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.11.8. PRBI_HISTORIC_RATE_TYPE_SEC

This function will return the Rate Type from the view Hr Position History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO * ▼

P_DATE * ▼

P_SALARY_TYPE * ▼

CANCEL OK

P_EMPNO ← Person Reference,


P_DATE ← Date will be used to align the data, SYSDATE for current situation,

P_SALARY_TYPE ← Salary Type ('PRIM' for Primary Contact , or 'SEC' for Secondary contract)

2.12. Person General Comments

2.12.1. PRBI_GET_GENERAL_COMMENTS

This function will retrieve the Comment from the view Person General Comments (Personnel) for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter


P_EMPNO*

P_REFERENCE_TYPE*

CANCEL OK

P_EMPNO ← Person Reference,

P_REFERENCE_TYPE ← Reference Type. The list of reference types can be found in the *Other References* screen:



Other References

People Management > Reference Data > Other References

Reference Type

Reference Type

ACCIDENT CODES

ACCI

APPRAISAL CODES

ACDIS1

ACDIS2

ACDIS3

ACDIS4

ACDIS5

ACDIS6

ACDIS7

ACDIS8

ACDIS9

ACDIS10

ACDIS11

ACDIS12

ACDIS13

ACDIS14

ACDIS15

ACDIS16

ACDIS17

ACDIS18

ACDIS19

ACDIS20

ACDIS21

ACDIS22

ACDIS23

ACDIS24

ACDIS25

ACDIS26

ACDIS27

ACDIS28

ACDIS29

ACDIS30

ACDIS31

ACDIS32

ACDIS33

ACDIS34

ACDIS35

ACDIS36

ACDIS37

ACDIS38

ACDIS39

ACDIS40

ACDIS41

ACDIS42

ACDIS43

ACDIS44

ACDIS45

ACDIS46

ACDIS47

ACDIS48

ACDIS49

ACDIS50

ACDIS51

ACDIS52

ACDIS53

ACDIS54

ACDIS55

ACDIS56

ACDIS57

ACDIS58

ACDIS59

ACDIS60

ACDIS61

ACDIS62

ACDIS63

ACDIS64

ACDIS65

ACDIS66

ACDIS67

ACDIS68

ACDIS69

ACDIS70

ACDIS71

ACDIS72

ACDIS73

ACDIS74

ACDIS75

ACDIS76

ACDIS77

ACDIS78

ACDIS79

ACDIS80

ACDIS81

ACDIS82

ACDIS83

ACDIS84

ACDIS85

ACDIS86

ACDIS87

ACDIS88

ACDIS89

ACDIS90

ACDIS91

ACDIS92

ACDIS93

ACDIS94

ACDIS95

ACDIS96

ACDIS97

ACDIS98

ACDIS99

ACDIS100

Description

Description

No data to display

Cancel Add Save

For example, if you require the comment for an employee for the accident codes, enter 'ACCI' as the parameter.

2.13. Person Onboarding Detail

2.13.1. PRCI GET CHECKLIST COMPLETION DATE

This function will return Date Complete of the Onboarding or Offboarding from the view Person Onboarding Detail (Personnel) – No view for Offboarding for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_ONBOARDING_OFFBOARDING *

P_ITEM_ID *

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_ONBOARDING_OFFBOARDING ← 'ONBOARDING' or 'OFFBOARDING',

P_ITEM_ID ← Item you want to retrieve, the list of items can be found on the *Checklist* screen:

Add Onboarding Item

People Management > Checklist > [Add Onboarding Item](#)


Item Type*	Onboarding Item*	Title
Input Items Custom Pages User Defined Forms Policies Documents Requested Employee Documents Surveys		

100% remaining

2.14. Hr Reference2

2.14.1. PRBI_GET_HR_REF2_ANALYSIS_CODE

This function will retrieve the analysis code from the view Hr Reference2 for the parameters entered as follows:




The screenshot shows a dialog box titled "Enter Function Parameters". It contains two mandatory parameters, each indicated by an asterisk and a dropdown arrow: "P_REFERENCE_CODE*" and "P_REFERENCE_TYPE*". At the bottom of the dialog are two buttons: "CANCEL" and "OK".

P_REFERENCE_CODE ← Reference Code,

P_REFERENCE_TYPE ← Reference Type,

Reference Types can be found in the *Other References* screen:



The screenshot shows the "Reference Type" screen. It features a "Reference Type" dropdown menu with "Type of Membership Body" selected. Below this is a list of "User Field" options (User Field 1 through User Field 6). To the right, there is a "Description" field and a table with a "Description" header. The table currently displays "No data to display". At the bottom of the screen are "Cancel", "Add", and "Save" buttons.

When a type is selected, the full list of codes will display (the below example uses USER1 as the reference type):

Reference Type

Reference Type

USER1

Description

User Field 1

Reference Codes

Code	Description ↑	
D3	Contracts	...
D5	Finance	...
HIST	Historic	...
D2	HR	...
D1	Payroll	...
D4	Recruitment	...
SYST	System	...

Cancel

Add

Save

The function will return the analysis code for the reference code.

2.14.2. PRBI GET HR REF2 LONG DESC

This function will retrieve the long description from the view Hr Reference2 for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_REFERENCE_CODE *

P_REFERENCE_TYPE *

CANCEL

OK

P_REFERENCE_CODE ← Reference Code,
 P_REFERENCE_TYPE ← Reference Type

Reference Types can be found in the *Other References* screen:

Reference Type

Reference Type

Type of Membership Body

MEMBOD

User Field 1

USER1

User Field 2

USER2

User Field 3

USER3

User Field 4

USER4

User Field 5

USER5

User Field 6

USER6

Description

Ref

User Field 1

USER1

User Field 2

USER2

User Field 3

USER3

User Field 4

USER4

User Field 5

USER5

User Field 6

USER6

Description ↑

No data to display

Cancel

Add

Save

When a type is selected, the full list of codes will display (the below example uses USER1 as the reference type):

Reference Type

Reference Type

USER1

Description

User Field 1

Reference Codes

Code	Description ↑	
D3	Contracts	...
D5	Finance	...
HIST	Historic	...
D2	HR	...
D1	Payroll	...
D4	Recruitment	...
SYST	System	...

Cancel

Add

Save

The function will return the long description (utilised for reporting purposes only) for the reference code.

2.14.3. PRBI GET HR REFERENCE2 DESC

This function will retrieve the description from the view Hr Reference2 for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_REFERENCE_CODE*

P_REFERENCE_TYPE*

P_REFERENCE_CODE ← Reference Code,

P_REFERENCE_TYPE ← Reference Type

The Reference Type can be found in the DM files, or by writing a report from the view Hr Reference2.

For example, if POSTTL (Post Titles) is entered as the type, then the codes would be post title codes.

Post title codes can be found in the *Other References* screen:

Reference Type

Reference Type

POSTTL

Description

Post Title

Reference Codes

Code	Description	Active	
CB	Customer Assistant	☒	...
BA	Business Analyst	☒	...
SYST	PeopleXD Consultant	☒	...
HRM	HR Manager	☒	...

The function will return the description for the reference code.

2.14.4. PRBI HR FTE IND

This function will return the Hr Fte Count Indicator from the view Hr Reference2 (Data Validation) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON_STATUS*

CANCEL OK

P_PERSON_STATUS ← Description of the Status. This can be found on the *Employee Status* screen:

Employee Status

People Management > View All > Employee Status

Maintain Employee Status Codes

Emplo Status	Description	An... Code	Description	Hourly Holiday Entitlement	Active	HR FTE Ind	Payroll FTE Ind	Active on Staff Req.	
A	Apprentice/Trainee			☒	☒	☒	☒	☐	...
CS	Casual / Zero Hours			☐	☒	☐	☐	☒	...
FT	Fixed Term			☐	☒	☐	☐	☒	...
LE	Leaver (Coretime-Do N...			☒	☒	☒	☒	☐	...
NE	3rd Party / Non-Empl...			☐	☒	☐	☐	☒	...
O	Other Person Engaged			☒	☒	☒	☒	☐	...
P	Permanent			☐	☒	☐	☐	☒	...
PE	Pensioner			☐	☒	☐	☐	☒	...

Cancel Add Save

2.14.5. PRBI GET SKILL DESCRIPTION

This function will return the Description from the view Hr Reference2 (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_SKILL *

CANCELOK

P_SKILL ← Skill Code,

The function will retrieve the description from the Other References screen:

Reference Type

Reference Type

SKLL

Description

Skills

Reference Codes

Code	Description
0001	TEST

Cancel

AddSave

2.14.6. PRBI PAY FTE IND

This function will return the Payroll FTE Count Indicator from the view Hr Reference2 (Data Validation) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON_STATUS *

CANCEL OK

P_PERSON_STATUS ← Person Status. This can be found on the *Employee Status* screen:

Employee Status

People Management > View All > Employee Status

Maintain Employee Status Codes

Emplo Status	Description	An... Code	Description	Hourly Holiday Entitlement	Active	HR FTE Ind	Payroll FTE Ind	Active on Staff Req.	
A	Apprentice/Trainee			☒	☒	☒	☒	☐	...
CS	Casual / Zero Hours			☐	☒	☐	☐	☒	...
FT	Fixed Term			☐	☒	☐	☐	☒	...
LE	Leaver (Coretime-Do N...			☒	☒	☒	☒	☐	...
NE	3rd Party / Non-Emplo...			☐	☒	☐	☐	☒	...
O	Other Person Engaged			☒	☒	☒	☒	☐	...
P	Permanent			☐	☒	☐	☐	☒	...
PE	Pensioner			☐	☒	☐	☐	☒	...


Cancel Add Save

The function will then retrieve Y or N, depending on whether the indicator is toggled on or not.

2.15. HR Reference1

2.15.1. PRBI_GET_HR_REFERENCE1_DESC

This function will retrieve the description from the view Hr Reference1 for the parameters entered as follows:



The screenshot shows a dialog box titled "Enter Function Parameters". Inside, there is a note: "* Denotes a mandatory parameter". Below this, there are two input fields, each with a dropdown arrow on the right. The first field is labeled "P_REFERENCE_CODE*" and the second is labeled "P_REFERENCE_TYPE*". At the bottom of the dialog, there are two buttons: "CANCEL" and "OK".

P_REFERENCE_CODE ← Reference Code,

P_REFERENCE_TYPE ← Reference Type,

The Reference Type can be found in the DM files, or by writing a report from the view Hr Reference.

For example, if ORGZ (Organisation Hierarchy) is entered as the reference type, then the codes would be company codes.

2.15.2. PRBI_GET_OFFICE_ADDRESS_LINE

This function will return the address line (1 to 5) from the view Hr Reference1 (Data Validation) for the Reference Type = LOC and for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_LOCATION_CODE*

P_ADDRESS_TYPE*

CANCEL OK

P_LOCATION_CODE ← Reference Code. These can be found in the *Location Codes* screen:

Location Codes

People Management > View All > Location Codes

Location Code	Description	Area Code	Description	Accum. Overseas	
0	0000	1	Default Area Code		...
1	Head Office	1	Default Area Code		...
2	Branch Office 1	1	Default Area Code		...
3	Branch Office1				...
8	Loughsborough	1	Default Area Code		...
9	0009	1	Default Area Code		...
54	Cork Office	1	Default Area Code		...
1000	Branch Office 2	1	Default Area Code		...

Cancel Add Save

P_ADDRESS_TYPE ← '1' then address1, '2' then address2, '3' then address3, '4' then address4, '5' then address5,

The function will return the description for the reference code.

2.16. Reference Data

2.16.1. PRBI_GET_LANGUAGE_DESCRIPTION

This function will return the Language Description item from the Reference data Language Codes (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_LANGUAGE *

CANCEL OK

P_LANGUAGE ← Language Code,

The function will retrieve the information from the *Language Codes* screen:

Language Codes

People Management > View All > Language Codes

Maintain Language Codes

Language Code	Description	Analysis Code	Description
A1	Afar		
A2	Afrikaans		
A3	Akan		
A4	Albanian		
A5	Amharic		
ARAB	Arabic		

2.16.2. PRBI_GET_PROFICIENCY_DESC

This function will return the Description from the reference data (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PROFICIENCY *

CANCEL

OK

P_PROFICIENCY ← Language code. These can be found on the *Language Proficiency Codes* screen:

Language Proficiency Codes

People Management > View All > [Language Proficiency Codes](#)

Maintain Proficiency Codes

Proficiency Code	Description	Analysis Code	Description
BASIC	Basic		
FLU	Fluent		
MOD	Moderate		

2.16.3. PRBI GET PROFILE POST TITLE

This function will return the Description from the reference data (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NUMBER *

CANCEL

OK

P_POST_NUMBER ← Post Number. These can be found on the *Post Profile Maintenance* screen:

PeopleXD Insight: XD Functions - Reference Guide

Post Profile Maintenance

People Management > View All > Post Profile Maintenance

CREATE POSTPOST FILTER

Search Posts	Q	Active							
Post No	Title	Type	FTE	Active FTE	Department	Pay Scale	Date Effective		
502198	PeopleXD Consultant	Permanent	999	2		System Position Code	01-Jan-1900	Auto-Commenced	VIEW
502197	PeopleXD Consultant	Other Person Engaged	13	4	H.R.	System Position Code	01-Jan-2017	Auto-Commenced	VIEW
502196	PeopleXD Consultant	Other Person Engaged	12	1	Historic	System Position Code	01-Jan-2017	Authorised	VIEW
502195	PeopleXD Consultant	3rd Party / Non-Employee	3	7	System	System Position Code	01-Jan-2014	Auto-Commenced	VIEW
502194	Business Analyst	Permanent	1	0	System	System Position Code	01-May-2014	Authorised	VIEW
502193	Business Analyst	Permanent	2	1	System	System Position Code	01-May-2014	Authorised	VIEW
502192	Business Analyst	Permanent	1	6.93	System	System Position Code	01-Apr-2014	Auto-Commenced	VIEW
502191	Business Analyst	Permanent	1	0	System	System Position Code	01-Mar-2014	Authorised	VIEW

2.17. Increment Due History

2.17.1. PRBI_GET_MAX_INCREMENT_DATE

This function will return the latest Increment Due Date from the view Increment Due History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

CANCEL OK

P_EMPNO ← Person reference,

P_APPOINTMENT_ID ← Appointment ID

Note: The latest increment due date might not be the next one.

The function will retrieve the information from the *Current Salary* section of the employee record:

AG

Active

Business Analyst

Start Date 11-Aug-2022

Payroll Inactive

Payroll Open for Processing

Search

Key Information

Contract History

Current Salary

User Defined Data

Cost Allocations

Balances

Probation Details

Current Salary

Allowances

Increment History

Next Increment

Increment Due Date	Comments	On Hold
29-Sep-2023		☐

Increment History

Increment Due Date	Comments	Date / Time Created	Created By	
29-Sep-2023		28-Sep-2023 09:54	Peggy Carter	DELETE

ADD

2.17.2. PRBI GET MGT UNIT REF

This function will return the latest Increment Due Date from the view Increment Due History (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_APPOINTMENT_ID *

CANCEL OK

P_EMPNO ← Person reference,

P_APPOINTMENT_ID ← Appointment ID

Note: The latest increment due date might not be the next one.

The function will retrieve the information from the *Current Salary* section of the employee record:

AG

Active

Business Analyst

Start Date 11-Aug-2022

Payroll Inactive

Payroll Open for Processing

Search

Key Information

Contract History

Current Salary

User Defined Data

Cost Allocations

Balances

Probation Details

Change Work Schedule

Contact Information

Manager

Current Salary

Allowances

Increment History

Next Increment

Increment Due Date	Comments	On Hold
29-Sep-2023		☐

Increment History

Increment Due Date	Comments	Date / Time Created	Created By	
29-Sep-2023		28-Sep-2023 09:54	Peggy Carter	DELETE

1 - 1 of 1

2.18. Onboarding Process

2.18.1. PRBI_GET_ONBOARD_PERC_COMPLETE

This function will return the percentage of completed tasks (Total Completed / Total Tasks) from the onboarding process point of view and for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNELNO*

CANCEL OK

P_PERSONNELNO ← Person Reference

2.19. Org Group LOV

2.19.1. PRBI_GET_ORG_GROUP_DESC

This function will return the description for the parameter entered as follows from the view Org Group Lov (Personnel):

Enter Function Parameters

* Denotes a mandatory parameter

P_ORG_GROUP*

CANCEL OK

P_ORG_GROUP ← Org Group Code, e.g. USER1, PROJ.

2.20. Organisational Roles

2.20.1. PRBI GET ORG ROLE DESC

This function will return the Org Role Name from the view Organizational Roles (Personnel) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_ORG_ROLE *

CANCEL OK

P_ORG_ROLE ← Organisational Role. This can be found in the *Organisational Role Types* screen:

Organisational Role Types

People Management > View All > Organisational Role Types

Maintain Organisational Role Types

Role Type	Description	Salary Approval Process	Approval Group	Approval Sequence	Active	ESS Approver	Questionnaire Access	Delegate	Manager Rollup
SR1	Staff Request Approval 1	☐	HR		☒	☐	None	☐	☐
SR2	Staff Request Approval 2	☐	HR		☒	☐	None	☐	☐
HR	Hr Salary Approver	☒	HR	1	☒	☒	None	☐	☐
ESSA...	ESS Approval Address	☐			☒	☐	View	☐	☐
ESSN...	ESS Approval Next Of Kin	☐			☒	☐	View	☐	☐
ESSPRO	Ess Approval Personnel Pr...	☐			☒	☐	View	☐	☐
EXPTR	Expense Proxy Trip Record...	☐			☒	☐	View	☐	☐
L2	Level 2 Approver	☐	HR		☒	☒	None	☒	☐
L3	Level 3 Approver	☐	HR		☒	☒	None	☒	☐
PAYR...	Payroll Salary Approver	☒	PAYROLL	2	☒	☒	None	☐	☐
MGRE...	Reports To Manager	☐	HR		☒	☒	None	☒	☒
ESSPAY	ESS Approval Pay Details	☐			☒	☐	View	☐	☐
ULADM	Administrator Hourly Time...	☐			☒	☐	View	☐	☐

Cancel Add Save

2.20.2. PRBI GET ORG ROLE PERSON REF

This function will return the Person Reference from the view Organizational Roles (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_ORG_GROUP *

P_ORG_GROUP_ITEM *

P_ORG_ROLE *

P_DATE *

P_EXCL_DELEGATED

CANCEL OK

P_ORG_GROUP ← Org Group,

P_ORG_GROUP_ITEM ← Org Group Item,

P_ORG_ROLE ← Org Role,

P_DATE ← Date used to align the data (SYSDATE for current),

P_EXCL_DELEGATED ← Not mandatory, defaulted to Y, if you require delegation then input N.

The function will retrieve the person reference from the *Organisational Roles Maintenance* screen:

Organisational Roles Maintenance

Structure
ABC Solutions

Organisation Group
Work Group

Search Group Item

Find

Group Item	Description
HR5	HR Admin
HRMU	Human Resources
HR	Human Resources
ITOPS	It Operations
IT3	It Security
ITMU	It Services

☒ Person Notification
☐ Email Notification

Role	Date From	Date To	Personnel Number	Forename	Surname	Interfaced
Reports To Manager	11-Aug-2010	31-Dec-2018	000059	Claire	Smith	☐
Reports To Manager	15-Mar-2016	31-Dec-2018	000155	Dalton	Shepard	☐

2.20.3. PRBI GET WRKGRP MANAGER

This function will retrieve the Manager (Person Reference) from the view Organizational Roles (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NUMBER*

P_POST_SEQ*

P_ORG_ROLE*

P_INCLUDE_DELEGATES

P_EFFECTIVE_DATE

CANCEL OK

P_POST_NUMBER ← Post Number,

P_POST_SEQ ← Post Sequence,

P_ORG_ROLE ← Organisational Role. This can be found in the *Organisational Role Types* screen. By standard it would be 'MGRESS':

Role Type	Description	Salary Approval Process	Approval Group	Approval Sequence	Active	ESS Approver	Questionnaire Access	Delegate	Manager Rollup
SR1	Staff Request Approval 1	☐	HR		☒	☐	None	☐	☐
SR2	Staff Request Approval 2	☐	HR		☒	☐	None	☐	☐
HR	Hr Salary Approver	☒	HR	1	☒	☒	None	☐	☐
ESSA...	ESS Approval Address	☐			☒	☐	View	☐	☐
ESSN...	ESS Approval Next Of Kin	☐			☒	☐	View	☐	☐
ESSPRO	Ess Approval Personnel Pr...	☐			☒	☐	View	☐	☐
EXPTR	Expense Proxy Trip Record...	☐			☒	☐	View	☐	☐
L2	Level 2 Approver	☐	HR		☒	☒	None	☒	☐
L3	Level 3 Approver	☐	HR		☒	☒	None	☒	☐
PAYR...	Payroll Salary Approver	☒	PAYROLL	2	☒	☒	None	☐	☐
MGRE...	Reports To Manager	☐	HR		☒	☒	None	☒	☒

P_INCLUDE_DELEGATES ← 'Y' or 'N' if you want to include delegations for the role,
P_EFFECTIVE_DATE ← Date will be used to align the data, SYSDATE for current situation,

The function will return the Manager Reference who has the role against the Workgroup the employee is in (relates to the Post Number and Sequence you are looking at).

2.20.4. PRBI ORG ROLE GROUP ITEM

This function will return the item Org Group Item from the view Organizational Roles (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON *

P_ORG_ROLE *

P_ORG_GROUP *

P_EFFECTIVE_DATE

P_PERSON ← Person Reference,

P_ORG_ROLE ← Organisational Role. This can be found in the *Organisational Role Types* screen:

PeopleXD Insight: XD Functions - Reference Guide

Role Type	Description	Salary Approval Process	Approval Group	Approval Sequence	Active	ESS Approver	Questionnaire Access	Delegate	Manager Rollup
SR1	Staff Request Approval 1	☐	HR		☒	☐	None	☐	☐
SR2	Staff Request Approval 2	☐	HR		☒	☐	None	☐	☐
HR	Hr Salary Approver	☒	HR	1	☒	☒	None	☐	☐
ESSA...	ESS Approval Address	☐			☒	☐	View	☐	☐
ESSN...	ESS Approval Next Of Kin	☐			☒	☐	View	☐	☐
ESSPRO	Ess Approval Personnel Pr...	☐			☒	☐	View	☐	☐
EXPTR	Expense Proxy Trip Record...	☐			☒	☐	View	☐	☐
L2	Level 2 Approver	☐	HR		☒	☒	None	☒	☐
L3	Level 3 Approver	☐	HR		☒	☒	None	☒	☐
PAYR...	Payroll Salary Approver	☒	PAYROLL	2	☒	☒	None	☐	☐
MGRE...	Reports To Manager	☐	HR		☒	☒	None	☒	☒

P_ORG_GROUP ← Org Group the Org Role is based on. This can be found in the *Maintain Organisational Roles by Person* screen:

P_EFFECTIVE_DATE ← Date will be used to align the data, SYSDATE for current situation.

For example, if the Org Group entered was 'Company', the function will retrieve the item code:

Organisational Roles By Person Maintenance

Personnel No.

Search

Find

Personnel No.

Name

No data to display

Structure
Access

Role	Org Group	Date From	Date To	Org Group Item Code	Org Group Item Description
	Company	16-Jun-2023		HR company 1 1 HR company 2 2	

Cancel

Add

Save

2.21. Post Person

2.21.1. PRBI_GET_POST_PERSON_END_DATE

This function will return the End Date of the appointment from the view Post Person (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO * ▼

P_APPOINTMENT_ID * ▼

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_APPOINTMENT_ID ← Appointment ID

2.22. Person Substantive Hist

2.22.1. PRBI_GET_SUBSTANTIVE_INDICATOR

This function will return an indicator regarding the fact that the appointment you are looking at is the substantive one or not from the view Person Substantive Hist (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO * ▼

P_APPOINTMENT_ID * ▼

P_DATE_EFFECTIVE * ▼

CANCEL OK

P_PERSONNEL_NO ← Person Reference,
P_APPOINTMENT_ID ← Appointment ID,
P_DATE_EFFECTIVE ← Date used to align the data, SYSDATE for the current situation,

If the appointment ID is the substantive one (matching the appointment id in the view Person Substantive Hist) then the indicator will be Y, else N.

2.23. Terms and Conditions

2.23.1. PRBI_GET_TC_DETAIL

This function will return an information from the view Terms And Conditions (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_TEMPLATE

P_POST_NO

P_APPOINTMENT

P_DETAIL *

CANCEL

OK

P_TEMPLATE ← Template Code. This can be found on the *Terms and Conditions Setup* screen:

Terms and Conditions Setup		
People Management > View All > Terms and Conditions Setup		
Search Terms and Conditions		
Template	Description	Reference 1
BA	Business Analyst Terms and Conditions	

The template code parameter can be left blank, in that case, the Post Number or Appointment ID must be populated, the function will retrieve the template code at post level or appointment ID level,

P_POST_NO ← Post number, can be left blank in the parameters,


P_APPOINTMENT ← Appointment ID, can be left blank in the parameters,

P_DETAILS ← Detail required, can be 'SAL_COMMENT' or 'DESCRIPTION'

When P_TEMPLATE is populated, the level of data will be MATRIX, if P_POST_NO is populated, the level of data will be POST, if P_APPOINTMENT is populated then the level of data will be based on the appointment status (Planned or Actual).

2.23.2. PRBI GET TC TEMPLATE

This function will return the Template Code from the view Terms And Conditions (Personnel) for the parameters entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_POST_NO

P_APPOINTMENT

CANCEL OK

P_POST_NO ← Post Number. This can be left blank in the parameter if the Appointment ID is populated,

P_APPOINTMENT ← Appointment ID. This can be left blank in the parameter,

When P_POST_NO is populated, the level of data will be POST, if P_APPOINTMENT is populated, the level of data will be based on the appointment status (Planned or Actual).

2.24. Person User Data

2.24.1. PRBI_GET_USER_DATA_FIELD

This function will return an information from the view Person User Data (Personnel), for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_REFERENCE_CODE *

P_TEXT *

P_DATE

CANCEL

OK

P_EMPNO ← Person Reference,

P_REFERENCE_CODE ← UDF code, this can be found on the *User Defined Objects* screen:

User Defined Objects

People Management > View All > User Defined Objects

Maintain User Defined Fields

User Defined Type

All

Reference Code	Description	Security Required	
1	Description	☐	...
CE	Company Equipment	☐	...
CLIN	Clinical Registration	☐	...
CODE	Description 10	☒	...
CRB	DBS Checks	☐	...
CRER	Contract Request	☐	...

P_TEXT ← Text from the UDF you want to retrieve, this can be found in the Data Labels screen:

Active	User Description	Data Type	Reference Type	Description Mode	Mandatory	Format Mask	
☒	Company Laptop	List Item	Choose	Choose	☐		Define List Items
☒	Company Phone	List Item	Choose	Choose	☐		Define List Items
☒	Comments	Text	Choose	Choose	☐		Define List Items
☒	Return Date	Date	Choose	Choose	☐		Define List Items

P_TEXT can be: text1, text2, text3, text4, text5, text6, text7, text8, text9, text10, text11, text12,
date1, date2, user_code

User_code can be found on the *User Data* screen:

User Code	User Code Active	
	☐	...

Text 1 to 12 are the 12 items shown above.

Date 1 and 2 are the dates used in the *Advanced Settings* screen:

CorePortal

Display on CorePortal ☒

Allow Update on CorePortal ☒

Hide Dates on CorePortal ☒

If not toggled on.

P_DATE ← Date you are looking at, SYSDATE for the current situation.

The function will return data from the UDF screen on the employee record:

Company Equipment
People Management > Employee Search > Joe Bloggs (000003) > Company Equipment

Appointment: Business Analyst (Ended)
Company Laptop: Yes
Company Phone: Yes
Comments:
Return Date:

2.25. Audit Details

2.25.1. PRBI IS MADE LEAVER

This function will return the date and time an employee has been made a leaver from the view Audit Details (Personnel) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *
P_START_DATE
P_END_DATE

CANCEL OK

P_EMPNO ← Person Reference,

P_START_DATE ← Date from,

P_END_DATE ← Date To,

If the date and time occurred between Date From and Date To, and the Date Left is in the past (looking at today's date), then the function will retrieve the Date and Time the change happened.

3. Recruitment

3.1. Recruitment

3.1.1. PRBI CHECK TIME TO START

This function returns an indicator Y, N, or 0 against applicants (Recruitment) who are starting within a target date entered in parameter as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_APPLICANT_NO *

P_RECRUITMENT_ID *

P_START_DATE *

P_EXTERNAL_OPEN_DATE *

P_TARGET *

CANCEL
OK

P_APPLICANT_NO ← Applicant No from Applicant Master view,

P_RECRUITMENT_ID ← Recruitment ID from Applicant Master view or Competition Master view,

P_START_DATE ← Your target date,

P_EXTERNAL_OPEN_DATE ← External Open Date of the competition,

P_TARGET ← The number of days that will define the window around P_START_DATE,

The function will define if the start date is in the window as follows:

$((\text{Start Date of the applicant} - \text{External open date of the recruitment}) / 7) / P_TARGET$

If the result is between -1 and 0 then Y, else if 1 then N, else 0.

The External Opening Date can be found on the *Vacancy Details* screen:

VACANCY DETAILS

Vacancy Details - 1

Description*
Vacancy Test

Status
Being Advertised

Currently*
Open

Number of Positions
2

Closing Date

Default Application Form
Standard Application Form

Internal Application Form

Recruitment

Opening Date*
01-Mar-2022

Opening Time

Closing Date

Closing Time

Internal

Opening Date

Opening Time

Closing Date

Closing Time

External

Opening Date
01-Mar-2022

Opening Time

Closing Date

Closing Time

The Recruitment ID can be found on the *Vacancies* widget:

Budget Manager

ID 001644

Applicants 2

Status Vacancy Open

Start Date 01-Jan-2021

ACTIONS

3.1.2. PRBI GET AGENCY DESC

This function will return the name of the agency (Recruitment) for the code entered in parameter as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_AGENCY_CODE*

CANCEL OK

P_AGENCY_CODE ← Code of the agency,

The function will return the agency's description.

3.2. Applicant Master

3.2.1. PRBI GET EARLIEST START DATE

This function will return the earliest start date from the view Applicant Master (Recruitment) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_RECRUITMENT_ID *

CANCEL OK

P_RECRUITMENT_ID ← Recruitment ID

3.2.2. PRBI GET FIRST INTERVIEW

This function will return the first interview date from the view Applicant Master (Recruitment) for the parameter entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_RECRUITMENT_ID *

CANCEL OK

P_RECRUITMENT_ID ← Recruitment ID. This can be found on the *Vacancies* widget:

Budget Manager

ID 001644

Applicants 2

Status Vacancy Open

Start Date 01-Jan-2021

ACTIONS ▾

The function will look at all the start dates for all applicants, and retrieve the earliest of them.

3.3. Competition Events

3.3.1. PRBI GET EVENT DATE

This function will return the event date from the view Competition Events (Recruitment) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EVENT_TYPE* ▼

P_RECRUITMENT_ID* ▼

CANCEL OK

P_EVENT_TYPE ← Event type. The list of event types can be found in the *Event Types* screen:

Event Type

People Management > Reference Data > Event Type

Maintain Event Details

Event Code	Description	Applicant Set-Up	Vacancy Set-Up	Personnel Appointment	
CV	Cv Received	☒	☐	☐	...
RB	Interview Room Booked	☐	☒	☐	...
SHT	Shortlist Received	☐	☒	☐	...
CRB	Crb Required	☒	☒	☒	...
APP	All Non System Apps Forms Uploaded	☐	☒	☐	...
SHO	Shortlisting Form Uploaded To Portal	☐	☒	☐	...

P_RECRUITMENT_ID ← Recruitment ID

The function will return the date of the event attached to that unique combination.

3.3.2. PRBI GET EVENT DETAIL

This function will return the comments from the view Competition Events (Recruitment) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_RECRUITMENT_ID *

P_EVENT_TYPE *

P_TEXT *

CANCEL OK

P_RECRUITMENT_ID ← Recruitment ID,

P_EVENT_TYPE ← Event type. The list of event types can be found in the *Event Types* screen:

Event Type

People Management > Reference Data > Event Type

Event Code	Description	Applicant Set-Up	Vacancy Set-Up	Personnel Appointment	
CV	Cv Received	☒	☐	☐	...
RB	Interview Room Booked	☐	☒	☐	...
SHT	Shortlist Received	☐	☒	☐	...
CRB	Crb Required	☒	☒	☒	...
APP	All Non System Apps Forms Uploaded	☐	☒	☐	...
SHO	Shortlisting Form Uploaded To Portal	☐	☒	☐	...

P_TEXT ← 'COMMENTS',

The function will return the comments on the event from the *Event Details* screen. The Complete toggle must be enabled, if not the function will not return the comments:

Vacancy Event Details

Event

Advertising Detail Entered On Core

Date

Comments

Complete

CANCEL OK

3.3.3. PRBI_GET_EVENT_DETAIL_VER2

This function will return the date of the event from the view Competition Events (Recruitment) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_RECRUITMENT_ID *

P_EVENT_TYPE *

P_TEXT *

CANCEL OK

P_RECRUITMENT_ID ← Recruitment ID,

P_EVENT_TYPE ← Event type. The list of event types can be found in the *Event Type* screen:

Event Type

People Management > Reference Data > Event Type

Maintain Event Details						
Event Code	Description	Applicant Set-Up	Vacancy Set-Up	Personnel Appointment		
CV	Cv Received	☒	☐	☐	...	
RB	Interview Room Booked	☐	☒	☐	...	
SHT	Shortlist Received	☐	☒	☐	...	
CRB	Crb Required	☒	☒	☒	...	
APP	All Non System Apps Forms Uploaded	☐	☒	☐	...	
SHO	Shortlisting Form Uploaded To Portal	☐	☒	☐	...	

P_TEXT ← 'DATE',

The function will return the date of the event from *Event Details* screen. Only completed events will be considered:

Vacancy Event Details

Event
Advertising Detail Entered On Core

Date

Comments

Complete

CANCEL OK

3.4. Applicant User Data

3.4.1. PRBI_GET_PERSW_USER_DATA_FIELD

This function will return an information from the view Applicant User Data (Recruitment) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_RECRUITMENT_ID *

P_REFERENCE_CODE *

P_TEXT *

CANCEL OK


P_RECRUITMENT_ID ← Recruitment ID,

P_REFERENCE_CODE ← Reference Code,

P_TEXT ← Information required,

Note: This function works the same way as the function *PRBI_GET_APPOINTMENT_USER_DATA*, but from the Applicant point of view.

The function will then retrieve the information from the *Applicant Details* screen:



Applicant Details - John Ryan (A1830)


Recruitment > Applicant Details - John Ryan (A1830)

- ✓ APPLICANT DETAILS
- ✓ DIVERSITY DETAILS
- ^ OTHER INFORMATION
 - Certificate Of Sponsorship
 - Company Equipment
 - Maternity And Paternity Form (Smp, Ospp)
 - Person Id Numbers
 - Right To Work

3.5. Staff Request

3.5.1. PRBI GET PLANNED PAY GROUP

This function will return the Planned Start Date from the view Staff Request (Recruitment) for the parameter entered as follows:



Enter Function Parameters

* Denotes a mandatory parameter

P_REQUEST_NO *

CANCEL OK

P_REQUEST_NO ← Request Number,

The function will retrieve the information from the *Create Request* screen:

Create Request
Manager Dashboard > Create Request

This form is to be used to submit a Manager Request on behalf of an employee. [Click here for additional information on Manager Requests.](#)

Employee Details

Employee: Holly Day Employee ID: 000274 Appointment: IT Operations Manager Request Type: Contract Change (M)

Request Details

Reason for Change: Details of change: Pay Affecting?: Comments: Start Date: [Calendar Icon]

Additional Information:

3.5.2. PRBI GET STAFF REQ VALUE

This function will return the Employee Status from the view Staff Requests (Recruitment) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_REQUEST_NO *

P_FIELD *

CANCEL OK

P_REQUEST_NO ← Request Number,

P_FIELD ← Has to be defaulted to EMPLOYEE_STATUS

3.6. Competition Appointment

3.6.1. PRBI_GET_VACANCY_APPT_SEQS

This function will return the post sequence from the view Competition Appointment (Recruitment), for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_RECRUITMENT_ID *

P_POST_NO *

P_STATUS

CANCEL

OK

P_RECRUITMENT_ID ← Recruitment ID,

P_POST_NO ← Post Number,

P_STATUS ← Can be left null, otherwise it will contain the Appointment Status, e.g. CO.

4. Training

4.1. Training

4.1.1. PRBI GET ASSESSMENT SCORE

This function will return the assessment score from the view Training Assessment (Training) for the person reference, course ID and assessment code as parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_EMPNO *

P_COURSE_ID *

P_ASSESSMENT_CODE *

CANCEL OK

P_EMPNO ← Person Reference,

P_COURSE_ID ← Course ID,

P_ASSESSMENT_CODE ← Code

The function will then retrieve information from the following screen in Back Office:

Maintain Candidate Assessment

Training Course

Course Id
Course Code
Start Date
Category
Comments

End Date

Select Detail
Candidates
Assessment Scores
Examination Results

Assessment scores for

Assessment Code		Possible Score	Weight Value	Assessment Score	Weighted Score
TR1	Training Location	5	5	4	4.00
TR2	Training Provider	5	5	3	3.00
TR3	Training Relevance	5	5	3	3.00
TR4	Training Materials	5	5	4	4.00

4.1.2. PRBI_GET_TRAINING_SALARY

This function will calculate the wages (salary) for the duration of a course (training), for the parameters entered as follows:

Note: The user that runs the XD function needs to be a Cost Administrator within CoreTraining.

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSONNEL_NO *

P_COURSE_ID *

CANCEL OK

P_PERSONNEL_NO ← Person Reference,

P_COURSE_ID ← Course ID,

The function will then round a calculated daily rate multiplied by the duration of the course in days to 2 decimal places.

4.2. Training Course Master

4.2.1. PRBI GET COURSE NAME

This function will return the Course Name from the view Training Course Master (Training) for the parameter as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_COURSE_CODE*

CANCEL OK

P_COURSE_CODE ← Course Code

The function will then retrieve information from the following screen in Back Office:

CorePersonnel athena36 - 28.0.62

Action Edit Block Field Record Query Help Tools Window

Maintain Course Set-Up

Training Course

Course 0001 Course Test

New Search
Detail
Course Elements
Add Course Element

4.3. Training Course Provider

4.3.1. PRBI GET MAIN PROVIDER DETAIL

This function will return an information from the view Training Course Provider (Training) depending on the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_COURSE_ID *

P_ITEM *

CANCEL

OK

P_COURSE_ID ← Course ID,

P_ITEM ← Item required, can be 'CODE' to retrieve the provider code or 'NAME' to retrieve the provider name.

The function will then retrieve information from the following screen in Back Office:

Course Code	Internal Cost	External Cost	Grant Value	Course Duration	Comments

4.3.2. PRBI GET PROVIDER NAME

This function will return the Provider Name from the view Training Course Providers (Training) for the parameter entered as follows:

Enter Function Parameters


* Denotes a mandatory parameter

P_PROVIDER_CODE*

CANCEL OK

P_PROVIDER_CODE ← Provider Code

The function will then retrieve information from the following screen in Back Office:




4.3.3. PRBI GET PROVIDER NO

This function will return the Person Reference from the view Training Course Providers (Training) for the parameter entered as follows:

The screenshot shows a dialog box titled 'Enter Function Parameters'. It contains a text input field labeled 'P_PROVIDER_CODE *'. Below the input field are two buttons: 'CANCEL' and 'OK'. A note above the input field states '* Denotes a mandatory parameter'.

P_PROVIDER_CODE ← Provider Code

The function will then retrieve information from the following screen in Back Office:



4.3.4. PRBI GET TRAINING REFERENCE

This function will return an information from the view Training Course Master (Training) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_REFERENCE_TYPE *

P_REFERENCE_CODE *

P_FIELD_TYPE *

CANCEL OK

P_REFERENCE_TYPE ← Reference Type,

P_REFERENCE_CODE ← Reference Code,

The Type and Code can be retrieved from the *Other References* screen:

Reference Type

Reference Type: TRNLOQ Description: Training Locations

Reference Codes

Code	Description	
L00001	Training Room A	...
L00002	Training Room B	...
OTHER	Other Training Location	...

Cancel Add Save

P_FIELD_TYPE ← Use to retrieve the information required :

- 'DETAIL',
- 'COMMENTS',

- 'MIN_ALLOWED',
- 'MAX_ALLOWED',

The function will then retrieve information from the following screen in Back Office:

The screenshot shows a software window titled "Reference Code Maintenance". The window contains a "Location Profile" section with the following fields:

- Location Detail:** A text box containing the value "1".
- Comments:** A text box containing the value "2".
- Min/Max:** Two small text boxes containing the values "1" and "4", separated by a forward slash (/).

At the bottom of the "Location Profile" section are two buttons: "Save" and "Cancel".

4.4. Training Log

4.4.1. PRBI_GET_MULTI_TRAINING_IND

This function will return an indicator regarding a list of course codes present in the view Training Log (Training) for the parameters entered as follows:

Enter Function Parameters

* Denotes a mandatory parameter

P_PERSON *

P_START_DATE *

P_END_DATE *

P_COURSE_CODE1 *

P_COURSE_CODE2

CANCEL OK

P_PERSON ← Person reference,

P_START_DATE ← Start Date of the period of time,

P_END_DATE ← End Date of the period of time,

(Course must have happened in that period of time)

P_COURSE_CODE1 to 10 ← Course codes (potentially 10, 1st one mandatory).

If one employee followed one of the course codes in parameters during the period of time entered, then the indicator will be Y, else N.