

iCues

User Guide

PeopleXD Insight

Table of Contents

Document Control	4
1. Overview.....	5
1.1. Purpose of the Guide	5
1.2. What are iCues?.....	5
2. How to Use	7
2.1. Overview.....	7
2.2. Download an iCue from the Report Store.	7
2.3. Create an iCue from an Insight Report.....	9
2.4. Define the iCue Settings.	9
2.4.1. What are iCue Settings?.....	9
2.4.2. Where are iCue Settings Defined?	10
2.4.3. iCue Schedule.....	11
2.4.4. iCue Type	11
2.4.5. iCue Recipients.....	12
2.4.6. iCue Header.....	13
2.4.7. iCue Body.....	13
2.4.8. Suggested Correspondence.....	14
2.4.9. Call to Action	14
2.5. Generating iCues.....	15
2.6. Activation & Deactivation.....	16
2.7. Viewing iCue Alerts	16
2.7.1. Feed	16
2.7.2. Portal.....	16
2.7.3. Email.....	17

Table of Contents

2.7.4. Mobile App	17
3. Configuration.....	18
3.1. Access to iCues in Insight	18
3.2. iCue Widget for Portal.....	18
4. iCue Limits.....	19

Document Control

Version	Date	Author	Details
1.0	20/01/2021	Peter Travers	Published to Access LMS
1.1	06/09/2024	Kat Murie	Updated for PeopleXD Evo
1.2	10/11/2025	Georga Edwards	Added section 4. iCue Limits

1. Overview

1.1. Purpose of the Guide

The purpose of this document is to provide guidance on iCues including:

- What are iCues?
- How are they setup and managed?
- Where are the corresponding alerts available and to who?
- How to configure iCues on your PeopleXD instance.

1.2. What are iCues?

iCues are intelligent trigger-based reports, designed to proactively send alerts to stakeholders, when certain thresholds are breached/events are occurring.

Examples of how iCues could be used include:

- Alert a manager when one of their employees is approaching the sick leave threshold.
- Alert a manager of overlapping leave.
- Alert an HRD when attrition rates spike.
- Alert the FD when costs are increasing.
- Alert an employee when they have a large annual leave balance remaining.
- Alert an employee/manager of an important date e.g. anniversary, birthday etc.

The foundation for an iCue is an intelligent report built in Insight or downloaded from the *Report Store*, which is used to trigger a notification to a specified recipient.

- The report includes complex calculations that are used to determine when these thresholds are breached, or events are about to occur.
- PeopleXD runs the iCue report on a specified frequency (daily/weekly/monthly).
- Pre-configured alerts can be sent to a specified recipient via a number of methods
 - Feed alerts from Access button (only available in PeopleXD Evo)
 - *Notification Centre* or *iCue* widget.
 - Email
 - Mobile App Alerts (*Home* screen)

- Alerts may include a *Call to Action*, to redirect the recipient to a widget to complete an associated task e.g. if an employee is being alerted that they have a large outstanding leave balance, you could redirect them to the *My Requests* widget to book some time off.
- Alerts to managers can include *Suggested Correspondence*, to prompt the manager to forward a message directly to the affected employee e.g. if a manager is alerted that their team member is approaching their work anniversary, they may be presented with a pre-configured message that they can update and forward to the employee.

2. How to Use

2.1. Overview

This section provides guidance on how to set up iCues in Insight. The table below provides a high-level overview of the steps involved:

#	Step	Description
1	Download the iCue	Pre-configured iCues are available to download from the <i>Report Store</i> .
2	Create an iCue from Scratch	You can create new reports in Insight as a foundation for an iCue.
3	Update the iCue Settings	Defines who the iCue is sent to, how often and what the message and what actions to take.
4	iCue generates	The iCue report is run based on the specified frequency: i.e. daily, monthly, or weekly.
5	Alerts are sent	If data is found in the iCue report generation, the required alerts are triggered to the specified recipient. This may be via Portal, email and/or Mobile App.
6	Activation	An iCue is activated as soon as the schedule is configured, and recipients are set. The iCue then fires upon the filter condition being met.

2.2. Download an iCue from the Report Store.

iCue reports can be downloaded from the *Report Store* in Insight. This option is particularly useful as the reports available have already been configured to include complex calculations, removing the requirement for you to build these from scratch.

Note: You can also download an iCue to be used as a starting point to create your own iCue report i.e. update the report in Insight to reflect a different type of alert you require.

For example, you could download an iCue that is based on a Sick Leave threshold, as a starting point for another leave type alert you require e.g. annual leave. You can then update the calculations/columns as necessary, making use of the complex calculations already created for the other iCue.

To download an iCue from the Report Store, follow the below steps:

1. Navigate to the Report Store on the Insight Dashboard.
2. Select the **iCues** tab.
3. Select for and select the iCue you require.

Birthdays
CoreInsight > Birthdays

[LEAVE FEEDBACK](#)

Description
This report returns all employees that have a birthday tomorrow. It also has a pre-populated VoxTalk Alert which can be scheduled to send to the relevant employees on a daily basis.

Tags
Birthday Vox

[DOWNLOAD REPORT](#)

8 Download(s)

1 Like

Columns

View Name	Column Name
PRCLHR_PERSON_MASTER	PERSON_REFERENCE
PRCLHR_PERSON_MASTER	FORENAME
PRCLHR_PERSON_MASTER	DATE_OF_BIRTH
Calculation	Birthday This Year
Calculation	Birthday - 1

4. Click **Download Report** to download the required iCue.
5. Click the iCue tab to view all available iCues for your user.

iCues [ACTIONS](#)

All iCues

Search iCues

Person Reference	iCue Owner	Start Date	End Date	Frequency	Locked
Birthdays	Jane Taylor				☐
Excess Annual Leave - 1st September	Jane Taylor				☐
FEED URL	Jane Taylor	26-May-2025		Daily	☐
Family Leave Notification	Jane Taylor				☐
Feed - Cancel Booked Leave Reminder for Leavers	Paul Adams	11-Jun-2025		Daily	☐

6. You can now review and update the iCue report as required by clicking Manage from the 3-dot menu.
7. Follow the steps in the section [Define the iCue Settings](#) to define the iCue settings.

Note: The iCues that are available on the Report Store have been created to run as efficiently as possible. If making changes the report settings, it is recommended that you do not add columns to the report that are irrelevant to the iCue as this impacts the time taken to retrieve the report data and impact the performance. For example, it is not recommended to add a lot of additional organisational data to the report if it's not strictly relevant to retrieving the alert data or the notification that is sent.

2.3. Create an iCue from an Insight Report

iCues can also be created using Insight reports that you or your colleagues have created directly in Insight i.e. they do not have to be downloaded from the Report Store.

Note: If creating your own reports as a basis for iCues, it's recommended to avoid adding unnecessary columns or joins that take a long time to run and create performance issues.

To create an iCue from scratch, follow the below steps:

1. Create a new report on Insight. See [Insight Fundamentals](#) for further details.
2. Define the iCue settings. Follow the steps in the section [Define the iCue Settings](#) to define the iCue settings.

2.4. Define the iCue Settings.

2.4.1. What are iCue Settings?

iCue settings are used to define:

- The frequency that the iCue is run.
- Who is the corresponding alert sent to and how?


- The text for the alert.
- The 'suggested correspondence' for a manager to send, having received an alert for one of their team.
- The 'call to action' from the alert i.e. redirect the recipient to a CorePortal widget to complete an associated task.

Note: When you download an iCue report from the Report Store, these are not all defined, and you must set these up in order for alerts to trigger.

2.4.2. Where are iCue Settings Defined?

To define iCue settings, follow the below steps:

1. Navigate to the iCues screen on the Insight Dashboard.
2. Expand the 3-dot menu on the relevant report and select **View**.
3. Click **Actions** and select **iCues**. The iCue screen opens.



The tabs across the top of the screen allow you to define the various elements of the iCue alert settings.

2.4.3. iCue Schedule

The *iCue Schedule* is the frequency that the iCue report is run and any corresponding alerts are sent. There are 3 options available, optimised to run at times when they have the least impact on other tasks that are being completed on PeopleXD:

Option	Description
Daily	- The report generates between 18:00 and 00.00 every day. - Alerts are sent between 05:00 and 07:00 the following day.
Weekly	- The report generates between 18:00 and 00.00 every Thursday. - Alerts are sent between 05:00 and 07:00 the following day.
Monthly	- The report generates between 18:00 and 00.00 on the last day of the month. - Alerts are sent between 05:00 and 07:00 the following day

To set the iCue frequency:

- Select the required option i.e. **Monthly**, **Weekly** or **Daily**.
 - After selecting an option, the screen updates to provide you with a *Frequency Description*, to define when the iCue is generated and sent.
- Click **Save**.

2.4.4. iCue Type

The *iCue Type* tab allows you to define:

- How the iCue is to be sent.
- Who receives the iCue?

The following table outlines the type of iCues available.

Type	Description
Feed	The iCue alert is available to the recipient in the Feed via Access Button.
Portal	The iCue alert is available to the recipient in the <i>Notification Centre</i> and the <i>iCue</i> widget.
Email	The iCue is sent as an email.
Mobile App	The iCue alert is available in the <i>Native App > Home (Alerts)</i> screen.



Note: Depending on the *iCue Recipient* selected, the *iCue Types* available are impacted.

- If recipient is 'Email', then only Email is available.
- For all other recipients, **Portal** is enabled by default and cannot be switched off. **Mobile App**, **Feed** and **Email** can be switched on/off in addition as required.
- When testing this functionality, be aware of the types chosen as it may result in everyone in your organisation receiving a message.

2.4.5. iCue Recipients

Recipient	Description
Email	Provide an email address that an email alert is sent to e.g. this could be used to send an iCue to a central team mailbox.
Employee	The alert is sent to the actual employee that is included in the report e.g. if it's a birthday alert, it is sent to the employee whose birthday it is.
Employee's Team	The alert is sent to the team of the employee that is included in the report i.e. all the employees that report to the same Report to Manager.
Manager	The alert is sent to the manager of the employee in the report. If this option is selected, an additional tab is available on screen called <i>Suggested Correspondence</i> , which allows you to provide a prompt to the manager for how they may correspond with their employee for this alert e.g. send them a personalised happy birthday message. See 2.4.7 Suggested Correspondence for more details.
Org Role	The alert is sent to all employees on the system that have been assigned the specified Organisational Role.
Person	The alert is sent to a specified person i.e. send to "Alice Jones" only.

To define the iCue Type and Recipients:

1. Select the required option on the *iCue Recipient* list. The *Recipient Description* updates on screen to provide further details of who this is sent to.
2. Provide the extra details where needed i.e.
 - For **Email**, provide the email address.
 - For **Organisational Role**, select the role.
 - For **Person**, select the person.

3. Select the *iCue Type*.
 - For **Email**, only email is available.
 - **Portal** is enabled for all other types by default. Select **Email, Feed** and **Mobile App** as well if required.
4. Click **Save**.

 **Note:** Only one iCue Recipient can be configured per iCue. If a similar iCue is needed for more than one recipient, multiple reports can be configured i.e. copy the report and update the iCue settings.

2.4.6. iCue Header

This is the header/subject text that appears for the alert in the Feed Alert, Notification Centre, Mobile App Alerts, or Email Subject.

To configure the header:

1. Add the *iCue Header Text*.
2. Upload an image if required. This will not appear on Feed alerts.
3. Click **Save**.

 **Note:**

- Both the Portal notification and Mobile notification for an iCue only shows the header information from an iCue, not the iCue body details. Full details do not appear due to GDPR restrictions on a notification.
- A User must navigate to the iCue widget to see the detail in full.

2.4.7. iCue Body

This is the main body of text in the alert. To update the text, follow the below steps:

1. Add text to the *iCue Body*.
2. Apply formatting to the text.

The text editor on screen includes the option to apply html formatting to the text, using the options listed across the top right of the text area. This html friendly formatting is applied for all types of iCue i.e. if sent via Portal, the Mobile App or an email.

- Click the  button to add a hyperlink.
 - Click the  button to add a line.
3. Add variables to the text.
- You can add variable to the text that is updated to include the iCue report data e.g. the employee's name.
- Select all required variables from the *Report Columns* list. They appear in the iCue Body wrapped in <<>>.
 - The list of variables available is restricted to the columns in the report only.
4. Click the  button to preview the iCue body.
5. Click **Save**.

2.4.8. Suggested Correspondence



Note: This tab only appears if the *iCue Recipient* is Manager.

This tab allows you to configure the correspondence that is suggested to a manager, on receipt of the iCue alert. This is presented to the manager in the iCue alert. They can then choose to edit it (optional) and forward to the employee.

The text is updated following same guidance provided in [2.4.6 iCue Body](#).

2.4.9. Call to Action

This tab allows you to add a 'call to action' to each iCue alert. This essentially is a link to direct the recipient to a widget to complete an action related to that alert. For example, if the iCue is related to the employee's underused annual leave balance, you could direct them to the widget to book a new leave request.

Call to Action	Description
Feed	Appears as a link to the widget.
Portal	Appears as a button on the Portal notification.
Email	Available as a URL only.
Mobile App	Not currently available in the Mobile App.

Follow these steps to add a call to action to your iCue.

1. Select a widget from the *System Area* list.
 - This drop-down list contains all of the widgets that are available on Portal.
2. Click **Save**.

2.5. Generating iCues

The iCue is generated based on the frequency that you have defined in the iCue settings i.e. daily, weekly, or monthly.

- During the window of time specified for your chosen [frequency](#), the iCue report is generated to retrieve the data.
- If records are found, alerts are sent the following morning to the specified recipients.
- If no records are found, no alerts are triggered.
- This is repeated based on your iCue frequency i.e. daily, weekly or monthly.

For example: Work Anniversary Alert

- At some point between 18:00 and 00:00, the iCue report is run each day.
 - All employees with a work anniversary the following day are returned on the report.
 - The next morning between 05:00 and 07:00 the Feed, Portal, Email or Mobile App alerts are triggered and sent to the recipient e.g.
 - A Portal notification to the manager with a suggested correspondence to congratulate the employee personally.
- OR**
- A Portal and Mobile App alert to the employee from the organisation to congratulate them on their anniversary.

Note: If an iCue report takes >30 mins to run, the report is disabled, and a notification sent to the Report Owner via the *Notification Centre* to confirm this.


2.6. Activation & Deactivation

An iCue is activated as soon as the schedule is configured, and recipients are set. The iCue then fires upon the filter condition being met.

To deactivate the iCue, you need to remove the details within the iCue Type screen as configured in section [2.4.4 iCue Type](#)


2.7. Viewing iCue Alerts

2.7.1. Feed



2.7.2. Portal


When an iCue is sent to a recipient via "Portal", it can be viewed from both the Notification Centre and the iCues Widget.



2.7.3. Email

When an iCue is sent to a recipient via "Email", this email is available in their inbox to review.


- HTML formatting is applied.
- The **Call to Action** appears as a clickable link at the end of the mail.



2.7.4. Mobile App

When an iCue is sent to a recipient via "Mobile App", this is available on the *Home* tab in the Mobile App.

- Alerts are shared via the *Home* screen, so the alert appears for the user.
- *Call to Action* is not available in the Mobile App.



3. Configuration

3.1. Access to iCues in Insight

The following menu option is required to see the **iCues** tab option on the Insight dashboard.

System	Menu Option
CorePortal	iCues

3.2. iCue Widget for Portal

Follow these steps to add the iCue widget to the Employee Dashboard.

1. Navigate to the Site Manager widget on the Administrator Dashboard.
2. Open **Dashboard Configuration**.
3. Select Employee Dashboard from the *Dashboard Tab* dropdown.
4. Select/add the required tab.
5. In the *Widgets* section, search for and select **iCues**.
 - Changes are saved automatically.
6. Update the position if required.

Access to see this widget is controlled using the same menu option described above in [3.1 Access to iCues in Insight](#).

4. iCue Limits

For performance reasons icues are restricted to 50 Daily and 200 Weekly/Monthly active icues.



Note: The system will inform you when you attempt to setup an active icue that breaches the limits.

When setting up icues it is advisable to be mindful and prioritise what is best suited to being an icue versus what could be set up as a standard insight report.

For example, generally notification to employees and reporting managers are suited to icues, whilst often notifications to emails addresses/admins or org roles in some scenarios may be better suited to standard insight reports.