

External HR Interface

User Guide

Access Limited Distribution

Table of Contents

Document Control	3
1. Overview.....	4
1.1. Purpose of the Guide.....	4
2. Interface Files	5
2.1. Employee Personnel/Master File (EMP&&PAYGROUP.DAT).....	7
2.1.1. Payroll Requirements	7
2.1.2. Additional Fields Available to Add.....	48
2.2. Employee Rates of Pay (RAT&&PAYGROUP.DAT).....	50
2.3. Employee Voluntary Deductions/Permanent Allowances (NON&&PAYGROUP.DAT)	55
2.3.1. Payroll Requirements	55
2.4. Employee Pension Details (PEN&&PAYGROUP.DAT)	68
2.4.1. Payroll Requirements	68
2.5. Employee Timesheet Details (TIM&&PAYGROUP.DAT)	77
2.6. Assumptions/Constraints	83
3. Appendix.....	84
3.1. Appendix A – External HR Interface to PeopleXD (User Documentation) ...	84
3.2. Appendix B – RTI * Auto Enrolment.....	87

Document Control

Version	Date	Author	Details
1.0	9 th December 2022	Isabelle Grey	Published to Customer Success Portal.
1.1	18 th January 2023	Isabelle Grey	Added section 2.1.2. Additional Fields Available to Add

1. Overview

1.1. Purpose of the Guide

This document outlines the data and procedures to enable PeopleXD process input from an External HR System. This interface caters for downloading of data from the External HR System and the validation of this data on PeopleXD. No restriction is put on the number of times the interface may be run e.g. hourly, daily, weekly etc.

2. Interface Files

&&PAYGROUP denotes the payroll pay group code e.g. 0001 or 0010 etc.

- The file EMP&&PAYGROUP.DAT should only contain new employee records or amended existing records.
- The file RAT&&PAYGROUP.DAT should only contain new employee rate of pay records.
- The file NON&&PAYGROUP.DAT should only contain new employee allowance/deduction records or amended existing records.
- The file PEN&&PAYGROUP.DAT should only contain new employee pension records or amended exiting records.

The filename must start with the three letters shown for each file above, then have four digits for the pay group number. After this the client can datestamp the file or use any other identifier. The file should have a .dat extension.

Further information:

- A pipe or comma delimiter can be used or the file can be Fixed Width
- All decimal fields in the flat files should contain a decimal point
- All date fields should be passed across in the date format specified.
- All files must be loaded at the same time as the temporary tables are cleared down initially. ie. if you load the rates file first and then the employee file the insert to Hr_person will fail because it needs rows on the temporary rates table.



Note:

- The External HR Interface can only be installed on clients with Oracle Forms 10G, CorePay 14.1.3 onwards.
- For Clients installed or upgrading to 18.0.0 or higher the field previously referred to as cost centre effective date is now required when sending across an update to hierarchy details. The field has therefore been renamed from cost centre effective date to appointment effective date. The below is a summary of the impact of this change.

The following is a summary of the table transactions from the employee file covering different scenarios:

1. Created new employee – new row on hr_person and pers_post_app
2. Updated name with cc_date_Effective not populated – forename updated on hr_person – no new row ppa
3. Updated name with cc_date_Effective populated with past date– forename updated on hr_person – new row ppa - old row on ppa ended.
4. Updated name with cc_date_Effective not populated – forename updated on hr_person – no new row ppa
5. Updated name with cc_date_Effective populated with past date(same as in 3)– forename updated on hr_person – no new row ppa
6. Updated name with cc_date_Effective populated with later date than in 3 or 5– forename updated on hr_person – new row ppa - old row on ppa ended.
7. No update to file with cc_date_Effective less than actual_start_date on commence app on ppa.- forename NOT updated on hr_person – NO new row ppa
8. No update to file with cc_date_Effective equal to actual_start_date on commence app on ppa.- forename updated on hr_person – NO new row ppa
9. Updated name with cc_date_Effective populated with future date (2015)– forename NOT updated on hr_person – new row ppa with commenced status – old row on ppa not ended.

2.1. Employee Personnel/Master File (EMP&&PAYGROUP.DAT)

This file is used to load up employee personnel and master file information. It should contain one entry at most for an employee.

2.1.1. Payroll Requirements

There are a number of controls that must be built into this interface flat file. They are as follows:

- For employees who are leaving the payroll, their leaving date will be passed across from the external HR interface in the particular period that they are leaving. Payroll will then terminate the employee as normal (status of Z). It is important however, that, from this point onwards the leaving date be passed across as blank, for the employee. In other words it should not be held permanently on their record; it acts as a trigger in the particular period that they are leaving.
- For employees who are rejoining the payroll, their rejoin date will be passed across from the external HR interface in the particular period that they are rejoining. Payroll will then reinstate the employee as normal. It is important however, that, from this point onwards the rejoin date be passed across as blank, for the employee. In other words it should not be held permanently on their record; it acts as a trigger in the particular period that they are rejoining.

The record layout is as follows:



Note:

More than one table or field may be updated. Only one is noted in the TABLENAME.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
PERSON DEMOGRAPHIC DATA							
1	Employee Reference	This is the employee's unique identifier, used throughout the system	Alpha Numeric, Length: 10	Mandatory	The employee number passed must be a valid payroll employee number, except for new employees.	HR_PERSON.PE RSONNEL_NO	Unique identifier
2	Title	This field contains an employee's title e.g. MS, MR etc.	Character, Length: 30	Optional	If specified must be a valid title code in PeopleXD.	HR_PERSON. TITLE	
3	Forename	This field contains an employee's forename.	Character, Length: 40	Mandatory		HR_PERSON.FO RENAME	
4	Surname	This field contains an employee's surname.	Character, Length: 40	Mandatory		HR_PERSON.SU RNAME	
5	Initials	This field contains an employee's initials.	Character Length: 4	Optional		HR_PERSON.INI TIALS	
6	Home Address (line 1)	This field contains the first line of the	Character, Length: 32	Conditional		HR_PERSON.H OME_ADDRESS 1	Required for RTI where employee has no date of birth Rule: minimum 2 lines of address

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		employee's home address.					
7	Home Address (line 2)	This field contains the second line of the employee's home address.	Character, Length: 32	Conditional		HR_PERSON.HOME_ADDRESS2	Required for RTI where employee has no date of birth Rule: minimum 2 lines of address
8	Home Address (line 3)	This field contains the third line of the employee's home address	Character, Length: 32	Optional		HR_PERSON.HOME_ADDRESS3	
9	Home Address (line 4)	This field contains the fourth line of the employee's home address	Character, Length: 32	Optional		HR_PERSON.HOME_ADDRESS4	
10	Home Address (line 5)	This field contains the fifth line of the employee's home address.	Character, Length: 32	Optional		HR_PERSON.HOME_ADDRESS5	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
11	Post Code Prefix	This field contains the first section of an employee post code.	Character Length: 4	Optional		H_PERSON.POS T_CODE_ PREFIX	
12	Post Code Suffix	This field contains the latter section of an employee post code.	Character Length: 4	Optional		H_PERSON.POS T_CODE_ SUFFIX	
13	Gender	This field contains an employee's gender.	Character, Length: 1	Conditional	Valid values are: M - Male F – Female Blank - Unknown	HR_PERSON.GE NDER	Is mandatory for Real Time Information (RTI) and only accepted values are Male or Female for RTI. RTI is a UK legislative reporting requirement where every time you pay employees you need to submit payment details containing up to date cumulative and period payment information to the governing body.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
14	Marital Status	This field contains an employee's marital status.	Character, Length: 1	Optional	Valid values are: Blank S – Single M - Married D - Divorced O - Others Note: The validation program will accept a martial status code once it is set up in PeopleXD	HR_PERSON.MARITAL_STATUS	
15	Date of Birth	This field contains an employee's date of birth.	Date, Length: 8 [format DDMMYYYY]	Conditional	This date must be <= today's date	HR_PERSON.DATE_OF_BIRTH	Mandatory for UK sites as required for RTI Return
16	Old Employee Number	This field contains an employee's old payroll number.	Character, Length: 10	Optional		EMPLOYEE.EXTERNAL_HR_ID	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
17	Home Telephone Area Code	This field contains the employee's home telephone area code	Character, Length: 16	Optional		HR_PERSON.HOME_TEL_AREA_CODE	
18	Home Telephone Number	This field contains the employee's home telephone number	Character, Length: 16	Optional		HR_PERSON.HOME_TEL_NUMBER	
19	Mobile Phone Number	This field contains the employee's mobile phone number	Character, Length: 16	Optional		HR_PERSON_CONTACT.CONTACT_TEXT	
HIRARCHY DATA							
20	Company	This field contains the Employees Payroll Company code. If specified it must be a valid code as per the payroll reference data.	Number Length: 4	Mandatory	This field must contain a valid company code based on the payroll reference data.	HR_PERSON.COMPANY	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
21	Division	This field contains an employee's division for reporting purposes.	Integer Length: 4	Mandatory	This field must contain a valid division code based on the payroll reference data code in PeopleXD	HR_PERSON.DI VISION	
22	Management Unit	This field contains an employee's Management Unit	Character Length: 6	Mandatory	This field must contain a valid management unit based on the payroll reference data.	HR_PERSON.M ANAGEMENT UNIT	
23	Department	This field contains an employee's department code.	Character Length: 4	Mandatory	This field must contain a valid department code based on the payroll reference data.	HR_PERSON.DE PARTMENT	
24	Cost Centre	This field contains an employee's home cost centre code.	Character, Length: 13	Mandatory	This field must contain a valid cost centre code based on the payroll reference data.	HR_PERSON.CO ST_CENTRE	
25	Appointment Effective Date	This field is the date effective for all items in the file. Previously it was the cost centre date effective only.	Date Length: 8 [format DDMMYY Y]	Conditional	Mandatory for employee updates of any item.	EMPLOYEE.COS T_CENTRE_DAT E_EFFECTIVE	Mandatory for employee updates of any appointment item. This is really a File Date effective field. Historically it was used only as the cost centre date effective. If an

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							existing employee and this date is less than Start Date of the Current Appointment (today's date)) then the persons appointment record in PeopleXD is updated. Normally the interface will create a new sequence record for the person's appointment. However under the following circumstances the system will update the person's current (as of today's date) appointment sequence record. Those circumstances are: 1. If the appointment date effective is < the employee's current appointment sequence (as of today's date)

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							2. If the appointment date effective is blank
26	Expense	This field contains the Employees Expense code. If specified it must be a valid code as per the payroll reference data.	Number Length: 8	Optional	This field must contain a valid expense code based on the payroll reference data.	EMPLOYEE.EXP ENSE	
27	Location	This field contains an employee's work location code.	Integer Length : 4	Mandatory	This field must contain a valid location code based on the payroll reference data.	HR_PERSON.LO CATION	
28	Work Group	This field contains an employee's work group code.	Character Length : 4	Mandatory	This field must contain a valid work group code based on the payroll reference data.	HR_PERSON.W ORK_GRO UP	Work Group is a mandatory field but after the original insert for a new joiner this will not be updated on PeopleXD. This is a WFM field and should not be updated via the interface but it is a required on the file as it is mandatory. In other

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							words it should always be populated on the file but it will only insert for a new joiner and won't update for any subsequent records for the same employee.
29	User Field 1	This field contains a further breakdown of the employee's role in the organisation for reporting purposes	Character Length: 6	Optional		HR_PERSON.USER_CODE1	
30	User Field 2	This field contains a further breakdown of the employee's role in the organisation for reporting purposes	Character Length: 6	Optional		HR_PERSON.USER_CODE2	
31	User Field 3	This field contains a further breakdown of the employee's role in	Character Length: 6	Optional		HR_PERSON.USER_CODE3	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		the organisation for reporting purposes.					
32	User Field 4	This field contains a further breakdown of the employee's role in the organisation for reporting purposes.	Character Length: 6	Optional		HR_PERSON.USER_CODE4	
33	User Field 5	This field contains a further breakdown of the employee's role in the organisation for reporting purposes.	Character Length: 6	Optional		HR_PERSON.USER_CODE5	
34	Employee Status	This field contains an employee's status code.	Character, Length: 2	Mandatory	This field must contain a valid employee status code based on the payroll reference data.	HR_PERSON.EMPLOYEE_STATUSES	
35	Sub Status	This field contains an employee's sub status code	Character Length: 2	Optional	This field must contain a valid sub status code based on the payroll reference data	HR_PERSON.EMPLOYEE_SUB_STATUSES	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
36	Category	This field contains an employee's category code.	Character Length: 4	Optional	This field must contain a valid category code based on the payroll reference data.	HR_PERSON.CATEGORY	
37	Sub Category	This field contains an employee's sub category code.	Character Length: 4	Optional	This field must contain a valid sub category code based on the payroll reference data.	HR_PERSON.SUB_CATEGORY	
38	Job Title	This field contains an employees Job Title.	Character Length: 6	Mandatory	If specified, this field must be a valid code as per the Personnel reference Data.	HR_PERSON.POST_TITLE_CODE	
NEXT OF KIN DATA							
39	Next of Kin Forename	This field contains the forename of the employees next of kin.	Character Length: 30	Optional		HR_PERSON.NEXT_OF_KIN_FORENAME	
40	Next of Kin Surname	This field contains the surname of the employees next of kin	Character Length: 30	Optional		HR_PERSON.NEXT_OF_KIN_SURNAME	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
41	Next of Kin Relative	This field contains the employee's next of kin relative	Character Length: 30	Optional		HR_PERSON.NE XT_OF_KIN_REL	
42	Next of Kin Telephone Number	This field contains the telephone number of the employees next of kin.	Character Length: 16	Optional		HR_PERSON.NE XT_OF_KIN_TEL _NUM BER	
43	Next of Kin Address (line 1)	This field contains the 1st line of the employee's next of kin address.	Character Length: 32	Optional		HR_PERSON.NE XT_OF_KIN_AD DRESS 1	
44	Next of Kin Address (line 2)	This field contains the 2nd line of the employee's next of kin address.	Character Length: 32	Optional		HR_PERSON.NE XT_OF_KIN_AD DRESS 2	
45	Next of Kin Address (line 3)	This field contains the 3rd line of the	Character Length: 32	Optional		HR_PERSON.NE XT_OF_KIN_AD DRESS 3	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		employee's next of kin address.					
46	Next of Kin Address (line 4)	This field contains the 4th line of the employee's next of kin address.	Character Length: 32	Optional		HR_PERSON.NEXT_OF_KIN_ADDRESS 4	
47	Next of Kin Address (line 5)	This field contains the 5th line of the employee's next of kin address.	Character Length: 32	Optional		HR_PERSON.NEXT_OF_KIN_ADDRESS 5	
PAYROLL DATA							
48	Payroll Join Date	This field contains an employee's payroll join date.	Date, Length: 8 [format DDMMYYYY]	Mandatory		HR_PERSON.DATE_STARTED, HR_PERSON.ORIGINAL_DATE_JOINED	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
49	Payroll Leaving Date	This field contains an employee's payroll leaving date.	Date, Length: 8 [format DDMMYY Y]	Optional	For employees who are leaving the payroll, their leaving date will be passed across from the external HR interface in the particular period that they are leaving. Payroll will then terminate the employee as normal (status of Z). It is important however, that, from this point onwards the leaving date be passed across as blank, for the employee. In other words it should not be held permanently on their record; it acts as a trigger in the particular period that they are leaving.	HR_PERSON.DA TE_LEFT	Note: Leave date should never be less than employee join date. Should only be populated in the period they leave.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENNAME. FIELDNAME	Comments
50	Payroll Rejoin Date	This field contains an employee's payroll rejoin date i.e. the date on which they are rejoining the payroll.	Date, Length: 8 [format DDMMYYYY]	Optional	For employees who are rejoining the payroll, their rejoin date will be passed across from the external HR interface in the particular period that they are rejoining. Payroll will then reinstate the employee as normal. It is important however, that, from this point onwards the rejoin date be passed across as blank, for the employee. In other words it should not be held permanently on their record; it acts as a trigger in the particular period that they are rejoining.	EMPLOYEE.REJOIN_DATE	Should only be populated in the period they rejoin. Should never be less than payroll join date.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
51	Pay Group	This field contains an employee's pay group code.	Integer, Length: 4	Mandatory	This field must contain a valid pay group code based on the payroll reference data.	HR_PERSON.PL ANNED_PAY_G ROUP	
52	Input Location	This field contains an employee's input location code.	Integer, Length: 8	Mandatory	This field must contain a valid input location code based on the payroll reference data.	EMPLOYEE.INP UT_LOCATION	
53	Payslip Address Indicator	This field contains an employee's payslip address indicator	Character Length: 1	Optional	Valid values are Blank H - Home address W -Work Address C - Cost Centre P - Payslip	EMPLOYEE.PAY SLIP_ADDRESS_ INDICATOR	
54	Payslip Location	This field contains an employee's payslip location code.	Character Length: 8	Mandatory, if employee's payslip address indicator is	If MANDATORY, this field must contain a valid payslip location code based on the payroll reference data.	If MANDATORY, this field must contain a valid payslip location code based on	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
				blank. Otherwise it must be space filled.		the payroll reference data.	
PAYMENT METHODS							
55	Pay Method	This field contains an employee's pay method code e.g. paypath, cheque etc.	Character, Length: 2	Mandatory	This field must contain a valid pay method code based on the payroll reference data.	HR_PERSON.PAY_METHOD	This field is mandatory for new employees but if pay method is not maintained on the HR system, the interface can be configured to ignore the pay method on the file for any updates to an employee record. This means that it won't overwrite the pay method which is maintained within PeopleXD
56	Bank Sort Code	This field contains an employee's bank sort code for paypath processing.	Integer, Length : 6	Optional	If specified it must be a valid sort code.	HR_PERSON.BANK_SORT_CODE	If bank sort code is not maintained on the HR system, the interface can be configured to ignore the bank sort code on the file for any

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							updates to an employee record. This means that it won't overwrite the bank sort code which is maintained within PeopleXD.
57	Bank Account Number	This field contains an employee's bank account number for paypath processing.	Integer Length : 8	Optional		HR_PERSON.BANK_ACCOUNT_NO	If bank account number is not maintained on the HR system, the interface can be configured to ignore the bank account number on the file for any updates to an employee record. This means that it won't overwrite the bank account number which is maintained within PeopleXD.
58	Building Society Reference	This field contains the Employees Building Society Reference	Character Length: 20	Optional		HR_PERSON.BUILDING_SOCIETY_REF	If supplying this field, then the Building Society/Credit Union's bank details should be held in the Bank Sort Code and Bank Account Number fields.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
59	Alternative Pay Method	This field contains an employee's alternative pay method code e.g. paypath, cheque etc.	Character, Length: 2	Optional	This field must contain a valid pay method code based on the payroll reference data.	HR_PERSON.AL TERNATE_PAY_METHOD	
60	Alternative Bank Sort Code	This field contains an employee's alternative bank sort code for paypath processing.	Integer, Length : 6	Optional	If supplied this should be a valid sort code	HR_PERSON.AL TERNATE_BANK_SORT_CODE	
61	Alternative Bank Account Number	This field contains an employee's bank account number for paypath processing.	Integer Length : 8	Optional		HR_PERSON.AL TERNATE_BANK_ACCOUNT_NO	
62	Alternative Pay Percent	This field contains the percentage of Net Pay to be paid via the	Decimal (5,2)	If Alternative Pay Method has been selected,		HR_PERSON.AL T_PAY_PCENT	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		alternative pay method		either Alternative Pay Percent or Alternative Pay Value must be populated.			
63	Alternative Pay Value	This field contains the amount of Net Pay to be paid via the alternative pay method	Decimal (6,2)	If Alternative Pay Method has been selected, either Alternative Pay Percent or Alternative Pay Value		HR_PERSON.AL T_PAY_VALUE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
				must be populated.			
64	Alternative Payee Name	This field contains the name to which the alternative pay value or percent is to be paid	Character, Length: 20	Optional		HR_PERSON.AL T_PAYEE_NAME	
65	Alternative Cost Centre	This field contains the cost centre for the Net Pay to be paid via the alternative pay method	Character, Length: 13	Optional	If specified, this field must contain a valid cost centre code based on the payroll reference data	HR_PERSON.AL TERNATE_COST _CENTRE	
WORKING HOURS DATA							
66	Hours	This field contains an employee's contract hours.	Decimal (2 places of decimals) Length: 7	Optional		HR_PERSON.H OURS	The interface can be configured to ignore the hours on the file for any updates to an employee record. If the employee contract hours change then "Appointment Date

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							effective" must be supplied (See Hierarchy Section)
67	Filler Date	This field contains the effective date of the change in an employee's default/contract hours	Date, Length: 8 [format DDMMYYYY]	Optional		PERS_POST_APPOINTMENT.EFFECTIVEDATE	This field is no longer required from version 20 of PeopleXD Pre version 20 of PeopleXD: If both the Hours Effective Date and Cost Centre Effective Date are provided in the same record, the date must be the same.
68	FTE Hours	This field contains the FTE Hours. It is a reference item which must be set up in People Management.	Number Length: 5 99.99	Optional	If specified must be a valid FTE.	HR_PERSON.FTE_HOURS	
69	FTE	This field contains the employee's contracted FTE.	Decimal (3 places of decimals) Length: 5	Optional		HR_PERSON.FULLTIME_EQUIVALENCE	This is the contracted hours divided by the FTE Hours.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
70	Days Worked	This field contains the number of days that the employee is contracted to work in a week. This may be displayed on the Sundry Profile screen.	Number Length: 3	Optional		EMPLOYEEADD DAYS_WORKED	
TAX AND NIC/PRSI DATA							
71	NI/PPS Number	In UK Payrolls this field is the NI Number. In Ireland this field contains an employee's PPS number.	Character Length: 12	Conditional		HR_PERSON.RSI _NUMBER	Mandatory If required
72	NIC Letter/PRSI Class	For UK Payrolls this is the NI Letter but for IRISH this field contains an	Character Length: 2	Optional	If specified, this field must contain a valid NI Letter/PRSI class based on the payroll reference data. If not specified	EMPLOYEE.PRSI _CLASS	Note: Needs to be amended for UK companies to default for NI letter. Need to add a field to statutory pay parameters for default NI letter.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		employee's PRSI class.			for new employees, then for Irish PRSI class will default to 'M'. For any subsequent updates to an employee, if the field is blank, no update will be done to PRSI class.		PeopleXD will default to M for new joiners, will not change for existing employees if it is blank on the file.
73	PAYE Code	This field contains an employee's PAYE Code.	Character Length: 1	Optional	If specified, this field must contain a valid PAYE code based on the payroll reference data. If not specified for new employees, the PAYE code will default to 'E'. For any subsequent updates to an employee, if the field is blank, no update will be done to PAYE code.	EMPLOYEE.PAY E_CODE	Note: Will default to M for new joiner. Should be amended to derive the PAYE letter from the default tax code as specified in the Statutory Pay Parameters screen. PeopleXD will default to E for new joiners, will not change for existing employees if it is blank on the file.
74	Annual Tax Credit	Applicable to Irish payrolls only this field	Decimal (2 places of	Optional		EMPLOYEE.TFA	Will not change for existing employees if it is blank on the file.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		contains an employee's ANNUAL tax credit.	decimals) Length: 13				
75	Week One Indicator	This field contains an employee's week one indicator.	Character Length: 1	Optional	Valid values are: Blank Y - Yes N - No	EMPLOYEE.WEEK_ONE	Will not change for existing employees if it is blank on the file.
76	Cut Off Point	Applicable to Irish payrolls only this field contains an employee's cut off point for PAYE.	Decimal (2 places of decimals) Length: 13	Mandatory, if employee's PAYE code is A.		EMPLOYEE.UPPER_LIMIT	Will not change for existing employees if it is blank on the file.
77	Single Year Tax Cert Indicator	Applicable to Irish payrolls only This field contains an employee's single year tax cert indicator.	Character Length: 1	Optional	Valid values are: Blank Y - Yes N - No	EMPLOYEE.SINGLE_YEAR_IND	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
78	New PAYE Code	Applicable to Irish payrolls only This field contains an employee's new PAYE code. This is populated normally at tax year end from ROS.	Character Length: 1	Optional	This field must contain a valid PAYE code based on the Payroll reference data.	EMPLOYEE.NE W_PAYE_CODE	
79	New Annual Tax Credit	Applicable to Irish payrolls only this field contains an employee's ANNUAL tax credit.	Decimal (2 places of decimals) Length: 13	Optional		EMPLOYEE.NE W_TFA	
80	New Week One Indicator	Applicable to Irish payrolls only This field contains an employee's new week one indicator This is	Character Length: 1	Optional	Valid values are: Blank Y - Yes N - No	EMPLOYEE.NE W_WEEK_ONE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		populated normally at tax year end from the ROS.					
81	New Cut Off Point	Applicable to Irish payrolls only This field contains an employee's new cut off point for PAYE This is populated normally at tax year end from the ROS	Decimal (2 places of decimals) Length: 13	Optional		EMPLOYEE.NEW_UPPER_LIMIT	
82	New Single Year Tax Cert Indicator	Applicable to Irish payrolls only This field contains an employee's new single year tax cert indicator This is populated normally	Character Length: 1	Optional	Valid values are: Blank Y - Yes N - No	EMPLOYEE.NEW_SINGLE_YEAR_IND	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		at tax year end from ROS					
UK FIELDS							
83	PAYE CODE (UK)	This field contains an employee's UK Tax code as determined by Inland Revenue	Character Length: 6	Optional	If specified, this field must contain a valid PAYE code based on the payroll reference data. If not specified for new employees, the PAYE code will default to default tax code as specified in the statutory pay parameters screen.	EMPLOYEE.PAY E_CODE_ UK	
84	SSP Qualifying day (Sunday)	This field indicates whether or not an employee qualifies for SSP on Sundays.	Character Length: 1	Optional	If specified, this field must contain a Y or N If not. If left blank then the system will use the default setting on the statutory pay parameters screen.	SSP_PROFILE.Q D_SUN	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
85	SSP Qualifying day (Monday)	This field indicates whether or not an employee qualifies for SSP on Mondays.	Character Length: 1	Optional	If specified, this field must contain a Y or N If not. If left blank then the system will use the default setting on the statutory pay parameters screen.	SSP_PROFILE.Q D_MON	
86	SSP Qualifying day (Tuesday)	This field indicates whether or not an employee qualifies for SSP on Tuesdays.	Character Length: 1	Optional	If specified, this field must contain a Y or N If not. If left blank then the system will use the default setting on the Statutory pay parameters screen.	SSP_PROFILE.Q D_TUE	
87	SSP Qualifying day (Wednesday)	This field indicates whether or not an employee qualifies for SSP on Wednesdays	Character Length: 1	Optional	If specified, this field must contain a Y or N If not. If left blank then the system will use the default setting on the statutory pay parameters screen.	SSP_PROFILE.Q D_WED	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
88	SSP Qualifying day (Thursday)	This field indicates whether or not an employee qualifies for SSP on Thursdays	Character Length: 1	Optional	If specified, this field must contain a Y or N If not. If left blank then the system will use the default setting on the statutory pay parameters screen.	SSP_PROFILE.Q D_THU	
89	SSP Qualifying day (Friday)	This field indicates whether or not an employee qualifies for SSP on Fridays.	Character Length: 1	Optional	If specified, this field must contain a Y or N If not. If left blank then the system will use the default setting on the statutory pay parameters screen.	SSP_PROFILE.Q D_FRI	
90	SSP Qualifying day (Saturday)	This field indicates whether or not an employee qualifies for SSP on Saturdays.	Character Length: 1	Optional	If specified, this field must contain a Y or N If not. If left blank then the system will use the default setting on the statutory pay parameters screen.	SSP_PROFILE.Q D_SAT	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
OTHER FIELDS							
91	Citizen Status	This field contains the Employees Citizen status code. If specified it must be a valid code as per Core Personnel reference data.	Character Length: 13	Optional		HR_PERSON.CITIZEN_STATUS	
92	Visa Type	This field contains the Employees Visa Type. If specified it must be a valid code as per Core Personnel reference data.	Character Length: 13	Optional		HR_PERSON.VISA_TYPE	
93	VISA Expiry Date	This field contains an employee's Visa Expiry Date	Date Length: 8 [format	Optional		HR_PERSON.WORK_PERMIT_EXPIRY	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
			DDMMYYYY Y]				
94	Holiday Type	This field contains an employee's holiday type.	Character Length: 1	Optional	Valid values are: D - Days H - Hours Blank	HR_PERSON.H OLIDAY_TYPE	
95	Manual Clocks	This field contains an employee's manual clocks indicator	Character Length: 1	Optional	Valid values are: A - Automatic M - Manual Blank	HR_PERSON.M ANUAL_CLOCK S	
96	Generate Overtime	This field contains an employee's indicator for generating overtime.	Character Length: 1	Mandatory	Valid values are: Y -Yes N -No	HR_PERSON.GE NERATE_OT	Generate Overtime is a mandatory field but after the original insert for a new joiner this will not be updated on PeopleXD. This is a WFM field and should not be updated via the interface but it is a required on the file as it is mandatory. In other words it

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							should always be populated on the file but it will only insert for a new joiner and won't update for any subsequent records for the same employee.
97	Fire Point	This field contains an employee's fire point code.	Character Length: 6	Mandatory	This field must contain a valid fire point code based on the payroll reference data.	HR_PERSON.FIRE_POINT	Fire Point is a mandatory field but after the original insert for a new joiner this will not be updated on PeopleXD. This is a WFM field and should not be updated via the interface but it is a required on the file as it is mandatory. In other words it should always be populated on the file but it will only insert for a new joiner and won't update for any subsequent records for the same employee.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
98	CSO Indicator	This field contains an employee's CSO indicator. This is probably not used anymore.	Character Length: 1	Optional	If specified, this field must contain a valid CSO indicator, based on the payroll reference data.	HR_PERSON.CSO_INDICATOR	
99	Increment Due Date	This field contains an employee's increment due date i.e. the date on which they are due an increment.	Date Length: 8 [format DDMMYYYY]	Optional		HR_PERSON.INCREMENT_DUE_DATE	
100	Average Commission Entitlement Indicator	This field indicates if the employee is entitled to an Average Commission payment.	Character Length: 1	Optional	Valid values are: Blank Y -Yes N -No	EMPLOYEE.AVERAGE_COMMISSION_ENTITLEMENT	
101	Average Late Night	This field indicates if the employee is	Character Length: 1	Optional	Valid values are: Blank	EMPLOYEE.AVERAGE_LATE_NI	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
	Entitlement Indicator	entitled to an Average Late Night payment.			Y -Yes N -No	GHT_ENTITLEMENT	
102	Average Lock Up Entitlement Indicator	This field indicates if the employee is entitled to an Average Lock Up payment.	Character Length: 1	Optional	Valid values are: Blank Y -Yes N -No	EMPLOYEE.AVERAGE_LOCK_UP_ENTITLEMENT	
103	Holiday Entitlement	This field contains the number of days holidays PA	Number Length: 2	Optional		EMPLOYEE.HOLIDAY_ENTITLEMENT	
104	Post Number	This field contains the employee post number	Number Length: 6	Optional		PERS_POST_APPOINTMENT.POST_NUMBER	
105	Absence Management FTE	This is a WFM field which can be turned on on Personnel Profile screen	Decimal (4 places of decimals) Length: 6	Optional		PERSONNEL_PROFILE.ABSENCE_FTE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
106	Project	This field contains an employee's home Project code	Character Length: 13	Optional	If specified, this field must contain a valid Project code based on the payroll reference data.	HR_PERSON.PR OBJECT	
107	BIC	This field contains the employees BIC code	Character Length : 11	Optional	If specified, this must be a valid BIC code	HR_PERSON.BI C	
108	IBAN	This field contains the employees IBAN code	Character Length : 34	Optional		HR_PERSON.IB AN	
109	Alternative BIC	This field contains the employees alternative BIC code	Character Length : 11	Optional	If specified, this must be a valid BIC code	HR_PERSON.AL TERNATE_BIC	
110	Alternative IBAN	This field contains the employees alternative IBAN code	Character Length : 34	Optional		HR_PERSON.AL TERNATE_IBAN	
111	Email address	Employees email address	Alphanumeric Length: 60	Optional		HR_PERSON_C ONTACT.CONT ACT_TEXT	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
112	Second Forename	This field contains the second forename of an employee	Alphanumeric, Length: 35	Optional		HR_PERSON.Middle_Name	
113	Passport Number	This field holds the employees Passport Number.	Alphanumeric, Length: 35	Optional		HR_PERSON.Passport_Number	
114	Aggregated Service Date	This is used in Absence Management to determine an employees length of service when calculating occupational absences other than OMP	Date, Length: 8 [format DDMMYYYY]	Optional	If specified, can be any valid date not greater than employee Start Date. May be earlier than employees Start Date.	HR_PERSON.AGGREGATED_SERVICE_DATE	Allows Aggregated Date < Start Date as employee may have been an employee of the organisation before joining the current payroll

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
115	Continuous Service Date	This is used in Absence Management to determine an employees length of service when calculating OMP	Date, Length: 8 [format DDMMYYYY]	Optional	If specified, can be any valid date not greater than employee Start Date. May be earlier than employees Start Date	HR_PERSON.CS_START_DATE and HR_PERSON.CS_OVERRIDE_START_DATE	Allows Aggregated Date < Start Date as employee may have been an employee of the organisation before joining the current payroll
116	Starter Declaration	This is the starter declaration required for UK RTI returns to identify.	Varchar2(1)	Conditional	Mandatory for new starters and re joiners in the UK as it's a mandatory field for RTI returns. Must be a valid value as per HMRC starter declaration values i.e. (A, B or C). Can be NULL for existing employees (i.e. not new starters or re joiners) or Irish employees.	HR_PERSON.STARTER_DECLARATION	A – This is their first job. B – This is currently their only job. C – They have another job or pension. HMRC current Guidance is where unknown 'C' should be used. Field available for PeopleXD V21 or greater.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
117	Leaving Reason Code	Leaving Reason Code against the employee	Number(4)	Optional	Must be a valid Leaving Reason Code as set up in PeopleXD.	HR_PERSON.LEAVING_REASON_CODE	The reason codes must be set up in PeopleXD first or they will be rejected as invalid. Field available for PeopleXD V21 or greater
118	Positive Input	This field determines if the employee is to be paid a salary	Varchar2(1)	Optional	Valid values are: Blank Y -Yes N -No	EMPLOYEE.CONTRACT_TYPE	If employee Salary only then Positive Input should be blank. If employee Timesheet only then Positive Input should be Y. Note: if Positive Input is ticked on then this means that an employee will never get a salary generated and will only get a permanent allowance generated if the

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							employee has timesheets for the current period. Field available for PeopleXD V22 or greater
119	Absence Category	Absence Category against the employee	VARCHAR2 (13)	Optional	Must be a valid Absence Category Code as set up in PeopleXD.	HR_PERSONSICKNESS_CATEGORY_CODE	The reason codes must be set up in PeopleXD first or they will be rejected as invalid. Field only available for PeopleXD V22 or greater
120	Country Code	Country code for employee's address	VARCHAR2 (13)	Optional	Must be a valid Country Code as set up in PeopleXD.	HR_ADDRESS_DATA.COUNTRY_CODE	The country codes must be set up in PeopleXD first or they will be rejected as invalid. Field only available for PeopleXD V22 or greater

2.1.2. Additional Fields Available to Add

Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLERNAME. FIELDNAME	Comments
NetworkID	The employees login username.	VarChar2(60)	Optional		HR_PERSON_CONTACT.CONTACT_TEXT	This field will store the networkID as a contact type of "LDAP" against the person. This field is used in conjunction with ESS Portal Provisioning where the employee's login for portal authentication is not based on their email address. Please see relevant Portal Account Provisioning documentation for more details on that process. Field only available for PeopleXD V22 or greater
ASC Status Code	This field determines an employee's ASC Status	Character length: 13	Optional	If specified, this field must contain a valid ASC Status Code, based on payroll reference data.	EMPLOYEE.ASC_CATEGORY	

Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
ASC Basis	This field indicates if an employee's ASC is on a week one basis	Character length: 1	Optional	Valid values are: Blank Y -Yes N -No	EMPLOYEE.ASC _WEEK_ONE	
Hold Increment Feature	If this field is set to N, the incremented salary amendment will not be created for the salary as long as indicator is enabled.	Character length: 1	Optional	Valid values are: Blank Y -Yes N -No	EMPLOYEE.HOLD_INCR HR_PERSON.INCREMENT_HOLD_IND	
GL Code	This field contains mapping to an employee's GL Code.	Character length: 5	Optional	If specified, this field must contain a valid GL Code, based on payroll reference data.	EMPLOYEE.GL_CODE	

2.2. Employee Rates of Pay (RAT&&PAYGROUP.DAT)

This file holds details of employee rates of pay. This is held as a position code and a scale point. It supports both personal and grade rates. All records in this file will be considered additions to the database i.e. rates of pay for employees cannot be amended.

Note that whilst an Annual, Weekly, Daily and Hourly rate could all be entered for an employee (although it would be unlikely to enter more than 2 of these) only one rate can be displayed on the Pay Profile section of the Personnel Profile Screen. If more than one rate has been added then the order for determining which one to display on the Personnel Profile Screen will be Annual, Weekly, Daily and then Hourly rate.

The record layout is as follows:



Note:

More than one table or field may be updated. Only one is noted in the 'TABLENAME.
FIELDNAME' column.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABlename. FIELDNAME	Comments
1	Employee Reference	This is the employee's unique identifier, used throughout the system	Character, Length:10	Mandatory	The employee number passed must be a valid payroll employee number	POSITION_HIST ORY.EMPNO OR PERSONAL_RAT E.EMPNO	
2	Position Code	This field contains the employee's payroll position code (pay grade).	Character Length: 6	Mandatory	This field must contain a valid payroll position code based on the payroll reference data.	POSITION_HIST ORY.POSITION OR PERSONAL_RAT E.POSN_CODE	
3	Point	This field details an employee's point on the specified position scale. A point of 9999 denotes a personal rate.	Character Length: 4	Mandatory	If the point is not 9999, this field must contain a valid payroll point based on the payroll reference data.	POSITION_HIST ORY.POINT	
4	Effective Date	This field holds the effective date for the rate of pay.	Date Length: 8 [format DDMMYYYY]	Mandatory		POSITION_HIST ORY.DATE_EFFE CTIVE OR	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
						PERSONAL_RATE.DATE_EFFECTIVE	
5	Pay Multiplier	This field contains an employee's reduced pay multiplier (if applicable).	Decimal Length: 8 (5 places of decimals)	Optional	If specified the value should be between 0.0001 and 1.00000.	POSITION_HISTORY.PAY_MULTIPLIER	
6	Annual Rate of Pay	This field details an employee's annual rate of pay. It only applies to personal rate entries. If the employee is not on a personal rate this field should not be populated. If the employee is on a personal rate the field should be populated based on their annual rate of pay.	Decimal Length: 13 (5 places of decimals)	Optional	A value specified here must be > 0 and <= 9999999.99999	PERSONAL_RATE.ANNUAL_SALARY	
7	Hourly Rate of Pay	This field details an employee's hourly rate of pay. It only applies to personal rate entries. If the employee is not on a personal rate this field should not be	Decimal Length: 13 (5 places of decimals)	Optional	A value specified here must be > 0 and <= 9999999.99999	PERSONAL_RATE.BASIC_RATE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		populated. If the employee is on a personal rate the field should be populated based on their hourly rate of pay.					
8	Daily Rate of Pay	This field details an employee's daily rate of pay. It only applies to personal rate entries. If the employee is not on a personal rate this field should not be populated. If the employee is on a personal rate the field should be populated based on their daily rate of pay.	Decimal Length: 13 (5 places of decimals)	Optional	A value specified here must be > 0 and <= 9999999.99999	PERSONAL_RATE.DAILY_RATE	
9	Weekly Rate of Pay	This field details an employee's weekly rate of pay. It only applies to personal rate entries. If the employee is not on a personal rate this field should not be populated. If the employee is on a	Decimal Length: 13 (5 places of decimals)	Optional	A value specified here must be > 0 and <= 9999999.99999	PERSONAL_RATE.WEEKLY_BASIC	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		personal rate the field should be populated based on their weekly rate of pay.					
10	Rate Seq. No.	This field is used to identify multiple rates of pay. All pay codes with the same rate sequence number will be calculated at this rate of pay. Normally this defaults to 1.	Integer Length: 3	Optional	A value specified here must be between 1 and 999	PERSONAL_RATE_SEQ_NO	

2.3. Employee Voluntary Deductions/Permanent Allowances (NON&&PAYGROUP.DAT)

This file is used to load up employee voluntary deduction and permanent allowance information.

For allowances there is a control in the payroll at the moment whereby an employee can only have one record in this file for the same employee number, pay code, appointment id and reference i.e. there is a unique index on the Oracle table for Allowances (EMPNO, PAY_CODE, APPOINTMENT_ID, REFERENCE).

For deductions there is a control in the payroll at the moment whereby an employee can only have one record in this file for the same employee number, pay code, and reference i.e. there is a unique index on the Oracle table for Allowances (EMPNO, PAY_CODE, REFERENCE). Deductions are employee based only (i.e. not driven by appointment ID).

This control must still remain in place with the external HR interface.

An end date can be subsequently added to a record by passing in the same empno, pay_code and reference. However, a value cannot be updated in this way. If a new value is to be entered, the existing record should be end dated and a new one created with the new value.

2.3.1. Payroll Requirements

There are a number of controls that must be built into this interface flat file. They are as follows.

If values are being specified for the fields:

- Adjustment Value/Adjustment Periods
- Hold Indicator/Hold Periods
- Number Of Deductions

They should only be passed across in the period that the users have recorded them in the external HR interface. For future interface feeds they should be blank.

The record layout is as follows:

 Note:

More than one table or field may be updated. Only one is noted in the 'TABLENAME, FIELDNAME' column.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
1	Employee Reference	This is the employee's unique identifier, used throughout the system	Length:10	Mandatory	The employee number passed must be a valid payroll employee number	NON_TIMESHEET.EMPNO	
2	Pay Code	This field contains the pay code determining whether the file record is an employee allowance or deduction.	Integer Length: 4	Mandatory	This field must contain a valid payroll allowance or deduction pay code based on the payroll reference data. Allowances are identified with a value of 'A' in the pay code deduction/allowance indicator field (see payroll reference data). Deductions are identified with a value of 'D' in the pay code deduction/allowance indicator field. The value of this field cannot be changed once the record has been set up.	NON_TIMESHEET.PAY_CODE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
3	Reference	This field is a text field containing some reference to help the payroll user to identify the employee record. It usually contains the pay code.	Character Length: 16	Mandatory	The value of this field cannot be changed once the record has been set up.	NON_TIMESHEET.REFERENCE	
4	Value	This field contains the monetary value of the employee's deduction/allowance. This value should only be specified for pay codes with the percentage indicator set to blank or 'N' and the scaled allow indicator set to blank or 'N' (see payroll reference data). Sometimes this value is held on the pay code itself, in which	Decimal (2 places of decimals) Length: 13	Mandatory	This field must be in the range 0 to 9999999.99 inclusive. For employee allowances this value cannot be changed once the record has been set up. As noted above, the value for this field must be in the range 0 to 9999999.99 i.e. a positive value. The multiplier on the pay code will determine whether the value ultimately gets handled as either a	NON_TIMESHEET.STD_VALUE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		case this field should contain the value 0.			positive or negative in the system. Validation will be added to the interface to ensure that value passed in this field is a positive value.		
5	Percentage Rate	This field contains the percentage rate of the employees deduction allowance. This value will only be specified for pay codes with the percentage indicator set to 'Y' (see payroll reference data). Sometimes this percentage rate is held on the pay code itself, in which case this field should contain the value 0. For employee allowances this	Decimal (4 places of decimals) Length: 8	Optional	Percentage rate should be ≥ 0 and ≤ 100	NON_TIMESHEET.RATE_PERCENT	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		value cannot be changed once the record has been set up.					
6	Pay Code Point	This field contains the appropriate pay code point for employee scaled allowances. It should only be specified for pay codes with the deduction/allowance indicator set to 'A' and the scaled allowance indicator set to 'Y'. (see payroll reference data).	Integer Length: 4	Optional	If specified, this field must contain a valid pay code point based on the payroll reference data. This value cannot be changed once the record has been set up.	NON_TIMESHEET.PAY_CODE_POINT	
7	Start Date	This is the start date for the deduction or allowance.	Date Length: 8 [format DDMMYYYY]	Mandatory	This date must be >= the employee's payroll join date. For employee allowances this date cannot be changed once the record has been set up.	NON_TIMESHEET.START_DATE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
8	End Date	This field details on what date the employee deduction/ allowance ends.	Date Length : 8 [format DDMMYYYY]	Optional	If specified, this date must be >= start date For employee allowances this date cannot be changed once a date is specified.	NON_TIMESHE EET.END_DATE	
9	Cancel Indicator	This field is used to determine if an employee allowance is cancelled or not. It should only be specified for pay codes with the deduction/allowance indicator set to 'A'.	Character Length: 1	Optional	Valid values are: Blank Y -Yes N -No Once a value has been specified here, it cannot be changed.	NON_TIMESHE EET.CANCEL_I ND	This should be set to Y if an allowance is to be cancelled. The end date should also be sent across (usually the same as the start date if the allowance should not have been set up). If the allowance has not yet been paid, it will be cancelled and no amount will be taken. If the allowance

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							has already been paid, it will be clawed back.
10	Account Code	This field is a text field used to hold an employee's account code on relevant deduction records. It should only be specified for pay codes with the deduction/allowance indicator set to 'D'.	Character Length: 12	Optional		NON_TIMESHEET.ACCOUNT_CODE	
11	Cost Centre	This field contains a cost centre code to which an employee's allowance can be costed to. It should only be specified for pay codes with the deduction/allowance indicator set to 'A'.	Character Length: 13	Optional	If specified, this field must contain a valid cost centre code based on the payroll reference data	NON_TIMESHEET.COST_CENTRE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
12	Adjustment Value	This field is used to record a monetary adjustment value to be included in the employee's allowance/deduction calculation.	Decimal Length: 14 (2 places of decimals) The first character of this field is used to denote the sign of the field. This should be a – character for negative values or a space for positive values.	Optional		NON_TIMESHEET.ADJ_VALUE	
13	Adjustment Periods	This field is used to denote the number of payroll periods for which an adjustment value applies. It should only be specified if adjustment value is not 0	Integer Length: 3	Optional	If specified, this field must be in the range 1 to 53	NON_TIMESHEET.ADJ_PERIODS	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
14	Hold Indicator	This field is used to denote whether or not an employee's allowance/deduction is to be held i.e. not processed.	Character Length: 1	Optional	Valid values are: Blank Y -Yes N -No	NON_TIMESHEET.HOLD_INDICATOR	
15	Hold Periods	This field is used to denote the number of payroll periods that a deduction/allowance is being held for. It should be specified if the hold indicator above is 'Y'.	Integer Length: 2	Optional	If specified, this value must be in the range 1 to 53.	NON_TIMESHEET.HOLD_PERIODS	
16	Number of Deductions	This field is used to denote the number of deductions to be taken for instalment deductions. It should only be specified for pay codes with the instalment indicator set to 'Y' (see payroll reference data).	Integer Length: 3	Optional	If specified, this field must be in the range 1 to 53	NON_TIMESHEET.NO_OF_DEDS	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
17	Project	This field contains a Project code to which an employee's allowance can be costed to. It should only be specified for pay codes with the deduction/allowance indicator set to 'A'.	Character Length 13	Optional	If specified, this field must contain a valid Project code based on the payroll reference data	NON_TIMESHEET.PROJECT	
18	Appointment Id	This field is used to denote the appointment id to which these allowances are associated. This field is only required for allowances it should be left null for deductions.	Varchar length 13	Conditional	Mandatory for allowances where site is post appointment not required for deductions.	NON_TIMESHEET.APPOINTMENT_ID	Field available for PeopleXD V20 or greater
19	Expense	This field contains the Expense code. If specified it must be a valid code as per the payroll reference data.	Number Length: 8	Optional	This field must contain a valid expense code based on the payroll reference data.	NON_TIMESHEET.EXPENSE	Field available for PeopleXD V20 or greater This field contains the Expense code. If specified it

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							must be a valid code as per the payroll reference data.
20	Reducing Balance	This field contains the outstanding balance to be repaid for a reducing balance. When setting up a new deduction this should be the same value as the capital sum.	Number (12,2)	Optional	This field must be equal to or less than the capital sum. It should only be populated for reducing balance pay codes.	NON_TIMESHEET.BALANCE_DUE	Field available for PeopleXD V20 or greater
21	Capital Sum	This field contains the original total value to be repaid for a reducing balance deduction.	Number (12,2)	Optional	This field should only be populated for reducing balance pay codes.	NON_TIMESHEET.CAPITAL_SUM	Field available for PeopleXD V20 or greater

For Non Files Updates to existing records only the following fields are updatable. The full record must be supplied but the load will only update columns as specified in the below table.

Non File Field	Deduction Update	Allowance Update
Value	Y	
Percentage Rate	Y	
Start Date	Y	
End Date	Y	Y
Cancel Indicator		Y
Account Code	Y	Y
Cost Centre		Y
Adjustment Value	Y	Y
Adjustment Period	Y	Y
Hold Indicator	Y	Y
Hold Periods	Y	Y
Number of Deductions	Y	
Project		Y
Expense		Y

2.4. Employee Pension Details (PEN&&PAYGROUP.DAT)

This file is used to load up employee pension details. There is a control in the payroll at the moment whereby an employee can only have one record in this file for the same pension scheme code and appointment ID i.e. there is a unique index on the Oracle table of (EMPNO, APPOINTMENT ID, SCHEME_CODE). This control must still remain in place with the external HR interface.

2.4.1. Payroll Requirements

There are a number of controls that must be built into this interface flat file. They are as follows.

If values are being specified for the fields:

- Employee Pension Adjustment Value/Number Of Employee Adjustment Periods
- Employer Pension Adjustment Value/Number Of Employer Adjustment Periods

They should only be passed across in the period that the users have recorded them in the external HR interface. For future interface feeds they should be zero filled.

The record layout is as follows:



Note:

More than one table or field may be updated. Only one is noted in the 'TABLENAME, FIELDNAME' column.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
1	Employee Reference	This is the employee's unique identifier, used throughout the system	Character , Length:10	Mandatory	The employee number passed must be a valid payroll employee number	PENSION.EMPNO	
2	Scheme Code	This field details an employee's pension scheme code.	Integer Length: 6	Mandatory	The scheme code passed must be a valid pension scheme code based on the payroll reference data. Once a value has been specified here it cannot be changed.	PENSION.SCHEME_CODE	
3	Pension Join Date	This is the date the employee joined the pension scheme	Date Length: 8 [format DDMMYYYY]	Mandatory		PENSION.DATE_OF_JOINING	
4	Pension End Date	This field details on what date an employee is leaving the pension scheme	Date Length: 8 [format DDMMYYYY]	Optional		PENSION.END_DATE	
5	Employee Pension Value	This field contains an employee's pension deduction value	Decimal Length: 13 (2 places of decimals)	Mandatory	A value specified here must be => 0 and <= 9999999.99	PENSION.DEDUCTION_VALUE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLERNAME. FIELDNAME	Comments
6	Employer Pension Value	This field contains an employer's pension deduction value.	Decimal Length: 13 (2 places of decimals)	Optional	A value specified here must be > 0 and <= 9999999.99	PENSION.DEDUCTION_ER	
7	Employee Pension Adjustment Value	This field details an employee's pension adjustment value. This adjustment will be included in their normal pension contribution. Employee adjustments are handled by specifying an adjustment value and a number of adjustment periods.	The first character of this field is used to denote the sign of the field. This should be a - character for negative values or a space for positive values. Decimal Length: 14 (2 places of decimals)	Optional	If a value is specified, it must be in the range - 9999999.99 to 9999999.99	PENSION.DED_ADJUSTMENT	
8	Number of Employee Adjustment Periods	If an employee adjustment value has been specified above, then this field details the number of payroll periods for which the	Integer Length: 3	Optional	If a value is specified, it must be in the range 1 to 999 inclusive	PENSION.ADJ_PERIODS_EE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		adjustment applies. If no employee adjustment is specified this field should be zero filled.					
9	Employer Pension Adjustment Value	This field details an employer's pension adjustment value. This adjustment will be included in the normal employer pension contribution when the payroll runs. Employer adjustments can be handled by specifying an adjustment value and a number of adjustment periods.	The first character of this field is used to denote the sign of the field. This should be a – character for negative values or a space for positive values. Decimal Length: 14 (2 places of decimals)	Optional	If a value is specified, it must be in the range – 99999999.99 to 99999999.99	PENSION.ADJU STMENT_ER	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABlename. FIELDNAME	Comments
10	Number of Employer Adjustment Periods	If an employer adjustment value has been specified above, then this field details the number of payroll periods for which the adjustment applies. If no employer adjustment is specified this field should be zero filled.	Integer Length: 3	Optional	If a value is specified it should be in the range 1 to 999.	PENSION.ADJ_PERIODS_ER	
11	AVC Value	This field is used to record an additional voluntary contribution (AVC) value for an employee's pension. It basically acts as an adjustment value to their normal pension contribution.	Decimal Length: 14 (2 places of decimals) The first character of this field is used to denote the sign of the field. This should be a – character for negative values or a space for positive values.	Optional	If a value is specified, it must be in the range – 99999999.99 to 99999999.99	PENSION.AVC_VALUE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
12	AVC Percent	This field is used to record an additional voluntary contribution (AVC) percentage rate for an employee's pension. It basically acts as an adjustment rate to their normal pension contribution. An AVC Value and Percent cannot be specified together.	Decimal Length: 5 (2 places of decimals)	Optional	If a value is specified it should be in the range 0.01 to 99.99	PENSION.AVC_ PERCENT	
13	AVC Start Period	This field is used to record an AVC start period for an employee. It relates to the payroll tax period for when the AVC adjustment applies.	Integer Length: 2	Optional	A value should only be entered here if an AVC value or percentage rate have been specified above. Otherwise, this field should be zero filled. If specified the value	PENSION.AVC_ TART_PERIOD	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLERNAME. FIELDNAME	Comments
					should be in the range 1 to 53.		
14	AVC End Period	This field is used to record an AVC end period for an employee. It relates to the payroll tax period for when the AVC adjustment ceases.	Integer Length : 2	Optional	A value should only be entered here if an AVC value or percentage rate have been specified above. Otherwise, this field should be zero filled. If specified the value should be in the range 1 to 53.	PENSION.AVC_END_PERIOD	
15	Employee Pension Percentage 1	This field contains an employee's pension deduction percentage.	Decimal Length: 8 (4 places of decimals)	Optional	A value specified here must be > 0 and <= 999.9999	PENSION.PERCENT_EE1	
16	Employee Pension Percentage 2	This field contains an employee's pension deduction percentage.	Decimal Length: 8 (4 places of decimals)	Optional	A value specified here must be > 0 and <= 999.9999	PENSION.PERCENT_EE2	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
17	Employee Pension Percentage 3	This field contains an employee's pension deduction percentage	Decimal Length: 8 (4 places of decimals)	Optional	A value specified here must be > 0 and <= 999.9999	PENSION.PERCENT_EE3	
18	Employer Pension Percentage	This field contains an employer's pension deduction percentage	Decimal Length: 8 (4 places of decimals)	Optional	A value specified here must be > 0 and <= 999.9999	PENSION.PERCENT_ER	
19	Appointment_id	This field contains appointment id associated with pension	Varchar 2(Length 13)	Conditional	Mandatory where site is post appointment	PENSION.APPOINTMENT_ID	*Available from 17.2.1*
20	Opt Out	This field identifies an employee who is opting out of an Auto Enrolled pension.	Varchar2(1) 2 = Opt Out Less than one Month 3 = Opt Out More than one Month 9 = Re-assessed but not eligible	Optional	2 3 Null otherwise	PENSION.AUTOENROL_OPT_OUT_REASON	*Available from v23.0.0*

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
21	Refund	This field identifies if a refund should be processed	Varchar2(1) Can only be Y where opt out less than 1 month is selected as per Auto Enrolment Guidelines.	Optional	Y required if a refund is to be processed. N or Null otherwise.	PENSION.AUTO ENROL_GENER ATE_REFUND	*Available from v23.0.0*

2.5. Employee Timesheet Details (TIM&&PAYGROUP.DAT)

This file is to load data from an external source directly to the timesheet table in the PeopleXD (Payroll) application.

File format is a fixed layout as supplied by Core in this document. The data is loaded, validated and then updated in ONE step:

The record layout is as follows:

 Note:

More than one table or field may be updated. Only one is noted in the 'TABLENAME. FIELDNAME' column.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
1	Pay Group	Must be a valid PeopleXD pay group.	Integer 4	Mandatory	This field must contain a valid pay group code based on the payroll reference data.	TIMESHEET.PAY_GROUP	
2	Employee Number	This is the employee's unique identifier, used throughout the system	Character 10	Mandatory	Employee must be a valid employee who exists in the specified pay group	TIMESHEET.EMPNO	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLERNAME. FIELDNAME	Comments
3	Transaction Date	Payroll transaction date:	Date DD-MON-YY	Mandatory	This date must be on or before the payroll week end date for the current payroll period, e.g. 05-May-08.	TIMESHEET.TRANS_DATE	
4	Pay Code	Payroll Pay Code: this signifies whether the timesheet is a deduction or an allowance, hours, days or value etc	Integer 4	Mandatory	It must be a valid payroll pay code.	TIMESHEET.PAY_CODE	
5	Hours / Days / Value	This field represents the value for value pay codes hours for hourly pay codes days for daily pay codes.	Integer 12	Mandatory	By default the value specified here is assumed to contain 4 decimal places e.g. 12.3456 is specified as 123456 but if you want to enter the actual amounts e.g. 12.3456 then this can also be facilitated in Version XXX of the form and would need to be configured using the System Configuration Screen field External Timesheet Taken Divisor. If entering a negative value in column 5, the pay code in question must be	TIMESHEET.HOURS, TIMESHEET.NUMBER_OF_UNITS, TIMESHEET.TRANS_VALUE	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
					set up with a minimum value less than or equal to this e.g. value entered - 500000, minimum value on pay code must be -50 or less, otherwise data will not load		
6	Cost Centre	This should only contain a value if the timesheet cost centre is different to the employee's home cost centre, i.e. if you were to cost the timesheet for the employee to a different cost centre.	Character 13	Optional	If specified, this field must contain a valid cost centre code based on the payroll reference data	TIMESHEET.C OST_CENTRE	
7	Position	This should only contain a value if the timesheet is not to be valued using the employee's own position/point. Both POSITION and POINT must contain a value or both must be blank.	Character 6	Optional	This field must contain a valid payroll position code based on the payroll reference data.	TIMESHEET.P OSITION	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
8	Point	This should only contain a value if the timesheet is not to be valued using the employee's own position/point. Both POSITION and POINT must contain a value or both must be blank.	Integer 4	Optional	This field must contain a valid payroll scale point based on the Position code as held as payroll reference data	TIMESHEET.SC ALE_POINT	
9	Holiday Periods	This should only contain a value if the employee is going on holidays for a number of periods	Integer 2	Optional	It should only be specified for holiday pay codes, i.e. pay codes on the payroll with holiday indicator set to 'H'.	TIMESHEET.H OLIDAY_PERI ODS	
10	Status	This field should be zero filled. This field is then used in steps to validate the information passed in. It is subsequently updated on any records where an error occurs during the load	Integer 2	Mandatory	Should always be set to '0'	TIMESHEET.ST ATUS	
11		This is an optional field for project code. This should only contain a value if the timesheet project	Character 13	Optional - Only Included in file if	If specified, this field must contain a valid Project code based on the payroll reference data	TIMESHEET.P ROJECT	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		code is different to the employee's home project code, i.e. if you were to cost the timesheet for the employee to a different project code.		checked under Data File Columns			
12	Expense	This is an optional field for Expense code. This should only contain a value if the option Expense has been checked under Data File Optional Items	Integer 8	Optional - Only Included in file if checked under Data File Columns	If specified, this field must contain a valid Expense code based on the payroll reference data	TIMESHEET.EX PENSE	
13	Sub- Category	This is an optional field for Sub-Category. This should only contain a value if the option Sub-Category has been checked under Data File Optional Items.	Char 4	Optional - Only Included in file if checked under Data File Columns	If specified, this field must contain a valid sub-category code based on the payroll reference data	TIMESHEET.S UB_CATEGOR Y	
14	Appointmen t ID	This is an optional field for Appointment ID. This should only contain a value if the option	Character 13	Optional - Only Included in file if	Mandatory for Timesheets where site is post appointment	TIMESHEET.A PPOINTMENT _ ID	

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
		Appointment ID has been checked under Data File Optional Items.		checked under Data File Columns			
15	Hourly Rate Of Pay	This is an optional field for Rate of Pay. This should only contain a value if the option Rate of Pay has been checked under Data File Optional Items.	Integer 12	Optional - Only Included in file if checked under Data File Columns is specified here	The system (Pay300) will not try to derive an employee's rate but will use this and multiply by hours to give the value.	TIMESHEET.EX T_RATE_OF_ PAY	

2.6. Assumptions/Constraints

- The Interface in PeopleXD will be executed using a Screen on the PeopleXD Payroll Menu which the Payroll user must select in order to upload the data files
- Each file to be uploaded to PeopleXD will have the naming convention as follows:

Name	Description
EMP?????.Dat	Employee Master file where ???? = the pay group field in PeopleXD
RAT?????.DAT	Employee Rate of Pay file where ???? = the pay group field in PeopleXD
NON?????.DAT	Employee Deductions/Allowances where ???? = pay group field in PeopleXD
PEN?????.DAT	Pension Deductions where ????= pay group field
TIM?????.DAT	Timesheet file where ????= pay group field

- The Interface is run by **Pay Group** i.e. when you enter a Pay Group code the interface will expect the data files to have this pay group code in the filename. However it does not matter have if you employees on the file which belong to other pay groups.
- To access the data files the user will use the Browse box functionality from within the provided screen to access the data files to be uploaded to PeopleXD
- The user in PeopleXD must have access the file path where the files are located on the client network in order to be able to browse to them
- Valid records on the interface file are uploaded directly onto the Corepay System i.e. it is a one step process which
 - Loads the Data files
 - Validates the Data
 - Rejects and reports the rejected data only
 - Uploads the valid data only (The data loaded can be reported using the BI reporting Tool)

3. Appendix

3.1. Appendix A – External HR Interface to PeopleXD (User Documentation)

Employee->External HR Interface->Load External HR Interface

Data File	Status	Records Processed
Employee	☐	0
Employee Positions	☐	0
Deductions/Allowances	☐	0
Leavers	☐	0
Timesheets	☐	0
Sick Pay	☐	0
Pension	☐	0

On running this screen the user is prompted for a pay group code for which to run the interface.

The user selects whether the file is of type Fixed Width or Pipe Delimited.

The user browses for the location of the file(s) using the Browse button. If multiple files are being loaded the user should hold the control key whilst selecting them e.g. EMP and RAT file. For a new starter, they must be in the EMP and RAT file being loaded together.

This option loads all data passed from the external HR interface and carries out a full data validation and integrity check. Before running this option, it is imperative that the HR changes are extracted from the external HR database.

The following reports will be generated (if a file of that type has been loaded):

- Employee Personnel/Master File Details
- Employee Allowance/Deduction Details
- Employee Rate Of Pay Details
- Employee Pension Details

The following is the full list of possible error messages (for invalid records) for each of the above reports.

- **Employee Personnel/Master File Details**

- * Invalid Gender *
- * Invalid Marital Status *
- * Invalid Date Of Birth *
- * Invalid Pay Group *
- * Invalid Employee Status *
- * Invalid Cost Centre *
- * Invalid Input Location *
- * Invalid Pay Method *
- * Invalid Bank Sort Code *
- * Invalid Location *
- * Invalid Category *
- * Invalid Sub Category *
- * Invalid Sub Status *
- * Invalid Payslip Address Ind. *
- * Invalid Payslip Location *
- * Invalid PRSI Class *
- * Invalid PAYE Code *
- * Invalid Week One Ind. *
- * Invalid Single Year Cert Ind. *
- * Invalid New PAYE Code *
- * Invalid New Week One Ind. *
- * Invalid New Single Year Cert Ind. *
- * Invalid Holiday Type *
- * Invalid Manual Clocks Ind. *

- * Invalid Generate Overtime Ind. *
 - * Invalid Department *
 - * Invalid Fire Point *
 - * Invalid Work Group *
 - * Invalid CSO Ind. *
- **Employee Allowance/Deduction Details**
 - * Invalid Pay Code *
 - * Invalid Pay Code Point *
 - * Invalid Cancel Indicator *
 - * Invalid Cost Centre *
 - * Invalid Hold Indicator *
- **Employee Rate Of Pay Details**
 - * Invalid Position/Point *
 - * Invalid Rate Type *
 - * Rate Already Exists *
 - * Employee is not a New or Existing Employee * (You cannot load a rate record for an employee who isn't already on Core or in the corresponding Employee file)
- **Employee Pension Details**
 - * Invalid Scheme Code *

3.2. Appendix B – RTI * Auto Enrolment

The following options are not currently captured via the External HR Interface but which may be required for RTI – Real Time Information and AE – Auto Enrolment.

For RTI: These can be populated by exception via *the Employee > Personnel Profile > Payroll Legislative Detail* Screen.

**Note:**

More than one table or field may be updated. Only one is noted in the 'TABLENAME. FIELDNAME' column.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
1	Indicator if intention to live in UK for 183 days or more	If your employee has been seconded to work in the UK and intends to live in the UK for 183 Days or more indicate 'Yes'.		Optional	Y or N or blank	HR_PERSON. LIVING_UK_6 MTHS_OR_MORE	If employee has been seconded to work in the UK and intends to live in the UK for more than 6 months populate as Y. New starters, non-permanent.
2	Indicator if intention to live in	If your employee has been seconded to work in the UK and		Optional	Y or N or blank	HR_PERSON. LIVING_UK_6	If employee has been seconded to work in the UK and intends to live in the UK for less

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
	UK for less than 183 days	intends to live in the UK for less than 183 days indicate 'Yes'.				MTHS_OR_LES S	than 6 months populate as Y. New starters, non-permanent.
3	Indicator to denote if the employee is working in UK but living abroad	If your employee has been seconded to work in the UK and will be working for you both inside and outside the UK, but will be living abroad indicate 'Yes'		Optional	Y or N or blank	HR_PERSON. WORKING_IN_ UK_LIVING_AB ROAD	If employee has been seconded to work in the UK and will be working for you both inside and outside the UK but will be living abroad populate as Y. New starters, non-permanent
4	Indicator if European Economic Area citizen	Required for seconded employees only. If your employee is from a country in the European Economic Area indicate 'Yes'.		Optional	Y or N or blank	HR_PERSON. EUROPEAN_C OMMONWEA LTH_CITIZEN	If employee is from a country in the European Economic Area populate as Y. New starters, non-permanent.
5	EPM6 Indicator	If this submission relates to an EPM6 (Modified) Scheme for tax equalised expatriate employees indicate 'Yes'.		Optional	Y or N or blank	HR_PERSON.E PM_SCHEME	If this submission relates to an EPM6 (modified) scheme for tax equalised expatriate employees populate as Y. New starters, non-permanent.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
6	Expat Indicator	Indicate 'Yes' if your employee is seconded to work in the UK.		Optional	Y or N or blank	HR_PERSON.E XPAT_IND	Populate as Y if the employee is seconded to work in the UK. New starters, non-permanent. If set to Y the employee is reported as an expat in the RTI FPS file
7	Occupational Pension Indicator	Identify if person is being paid occupational pension. Required for RTI.		Optional	Y or N or blank	HR_PERSON.O CC_PEN_IND	Populate as Y for employee being paid occupational pension or annuity payment. Otherwise do not populate. If set to Y the employee is reported as an occupational pensioner in the RTI FPS file.
8	Irregular Employment Payment Pattern Indicator	To identify the employee as being an irregularly paid employee and to report as such in RTI.		Optional	Y or N or blank	EMPLOYEE. IRREGULAR_P AID_EMPLOYEE	This is an employee override. Populate as Y to indicate employee is paid on an irregular basis e.g. casual or seasonal employee, Employee's on maternity leave or sick leave etc. who will

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
							not be paid for 3 months or more. Otherwise do not populate. If Y then the employee is reported as an irregular paid employee in the RTI FPS File.
9	Number of Normal Hours Worked	An override option to default the section employee is returned as for Normal Hours Worked. See Comment for further information.		Optional	A,B,C, D, E or blank	EMPLOYEE.RTI_NORMAL_HOURS_WORKED	Populate as A, B, C or D or E to indicate normal hours worked per week. This is an employee override. If left blank the application will determine the classification based on the employee's contract hours. A for up to 15.99 hours per week; B for 16 to 23.99 hours per week; C 24 to 29.99 hours or more per week or D for 30 hours to 999 hours per week, or E for other.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
10	On Strike Indicator	To capture if employees pay is reduced this period due to strike action. This is required for RTI		Optional	Y or N or blank	EMPLOYEE.ON_STRIKE	Populate as Y if employee's pay in this pay period has been reduced due to being on strike.
11	Unpaid Absence Indicator	To capture if employees pay is reduced this period due to unpaid absence. This is required for RTI.		Optional	Y or N or blank	EMPLOYEE.UNPAID_ABSENCE	Populate as Y if employee's pay in this pay period has been reduced due to being on an unpaid absence.
12	Indicator - Occupational Pension - Bereaved Spouse	Indicator that an Occupational pension is being paid because they are a recently bereaved Spouse/civil partner		Optional	Y or N or blank	EMPLOYEE.OCCUP_PENSION_BEREAVED_SPOUSE	Populate as Y for employee being paid occupational pension in relation to a deceased spouse or civil partner. Otherwise do not populate.

PeopleXD Payroll: External HR Interface - User Guide

For Auto Enrolment this can be captured via the *Employee > Employee Pension > Maintain Employee Pension Detail* screen.

 Note:

More than one table or field may be updated. Only one is noted in the 'TABLENAME. FIELDNAME' column.

No.	Field	Description	Rules	Mandatory /Optional	Valid values in PeopleXD	TABLENAME. FIELDNAME	Comments
1	Auto Enrolment Opt Out	If employee is opting out of the pension scheme as per auto enrolment opt out.		Optional	1,2,3 or null	PENSION.OPT_OUT	1-Opt out Less than 1 month 2-Opt out more than 1 month 3-Reassessed but not eligible 4- Null If Opt Out Reason is not null end date must be populated
2	Auto Enrolment Generate Refund	If employee is opting out of pension scheme and as per auto enrolment opt out rules a refund is to be processed.	Opt out must be less than 1 month to generate a refund.	Optional	Y or N	PENSION.AUTO_ENROL_REFUND	Y = Employee/Employee over due AE refund this period - EE/ER Pension Adjustment value and no. or adjustments must be populated with refund value and 1 period