

PeopleHub Configuration

User Guide

Access Limited Distribution

Table of Contents

Document Control	4
1. Overview.....	5
1.1. Purpose of the guide.....	5
1.2. What is PeopleHub	5
1.3. PeopleHub Configuration	6
1.3.1. Standard Interface Files.....	6
1.3.2. File Configuration	6
1.4. File Processing.....	7
2. PeopleHub Settings	8
2.1. Manage File Groups.....	8
2.1.1. Assign a Pay Group	9
2.2. Manage Files.....	10
2.2.1. Edit File Details.....	10
2.3. Manage Columns.....	12
2.3.1. Edit Column Details.....	13
2.4. Create a File Group.....	14
3. Upload a File	15
3.1. Naming Convention	15
3.2. Upload a File	15
3.3. Reporting	16
3.3.1. View Report	16
3.3.2. Stop Error	17

Table of Contents

4.	Mapping	18
4.1.	Map Default Values	19
4.1.1.	Clear Default Values.....	20
5.	System Configuration	21
5.1.	Menu Options.....	21
5.2.	Parameters	21

Document Control

Version	Date	Author	Details
1.0	25 th Jan 2024	Isabelle Grey	Published to Customer Success Portal.

1. Overview

1.1. Purpose of the guide

PeopleHub is an evolution of the External HR Interface allowing you to tailor the PeopleXD standard interface files. The purpose of this document is to provide guidance on the configuration and usage of PeopleHub.

The document will cover:

- The general layout of PeopleHub and how to amend or setup configuration for a set of interface files.



Note:

The [External HR Interface user guide](#) will also be required for reference as it contains:

- Detailed specification of the available fields of each file type.
- Associated data and validation requirements.
- Specification for the pre-configured file set.

1.2. What is PeopleHub

PeopleHub is an evolution of the External HR Interface allowing you to tailor the PeopleXD standard interface files to suit your file and record formats. The standard interface files are:

- Employee Master
- Pay Rates
- Deductions/Allowances
- Pensions
- Timesheets

As well as defining the required formats, required record fields can be defaulted to a value or mapped to different destination reference data in PeopleXD.

Once the file format is configured the interface files can be uploaded and processed via PeopleHub and reports on any data or validation errors encountered are displayed. Files can be uploaded manually or automated as part of a scheduled job from a pre-configured server location.

1.3. PeopleHub Configuration

1.3.1. Standard Interface Files

PeopleHub is pre-configured with the standard set of HR interface files, each containing the full set of available external_hr_interface fields.

Both new records and update records can be uploaded and the interface itself will determine whether a record already exists or not and will either insert a new record or update the existing record as necessary.

The standard interface files are:

PeopleHub Reference	Description	Comment
Master	This is the Master Employee Record.	This must be the first file loaded into the system
Pay Rates	Employee Rate of Pay Records	For a new Employee a Rate Record Must always be supplied (i.e. both master and pay rate files required).
Allowances/Deductions	Employee Permanent Allowance and Deductions	
Pension	Employee Pension Record	
Timesheets	Employee Timesheet Load	

1.3.2. File Configuration

You have three options when configuring the file formats of the standard interface files:

- 1. Use the pre-defined configuration.**

No configuration is required in this scenario. The interface can be used, as is, by adhering to the External HR Interface file specification.

2. Tailor the predefined configuration.

This can be used to change file naming conventions, delimiters or reduce the number of fields on the file formats.

3. Define a new configuration.

Once in use, the interface configuration can be changed at any time if an amended file format is required. An organisation can also maintain more than one set of interface file definitions if required.

There are minimum field requirements for a valid record format. This is dictated by the mandatory system for the interface file being configured. These fields either need to be included as part of the incoming record or in some circumstances can be defaulted values.

1.4. File Processing

When a file set is uploaded, PeopleHub will check the file for data errors and also validate reference data. A report is then displayed with:

1. Stop Errors

These are issues that prevent one or more records on the file being uploaded. An example would be data format errors or incorrect number of fields in the incoming file record.

2. Validation Errors

These exceptions are syntactically correct records that do not pass system validation. Examples would be a pay rate position/point or a Cost Centre on the incoming record not being valid reference data items in PeopleXD.

Only records that pass both checks will be uploaded to PeopleXD.

2. PeopleHub Settings

PeopleHub comes preconfigured with a standard set of HR interface files and you can make changes to how this is configured.

The structure of the PeopleHub configuration is as follows:

Field	Description
File Group	An identifier for a set of interface file definitions. You can define one or more File Groups. Typically one File Group is all that will be required
File	One or more file definitions is attached to File Group (e.g. employee, pay rate files etc.).
File Columns	This is the record format for each File. This consists of mapping the mandatory and client required columns to define the record format for the File

The following section shows the pre-configured File Group, Files and their Column mappings in PeopleHub. Once familiar with this structure you can edit the pre-configured File Group setup to achieve the required format or alternatively create a new File Group and Files definition and configure the required columns.

 Note:

Do not edit the standard file group files as any changes made may be overwritten by any minor or major software release. If needed it is advisable to create a new file group and make any configuration changes within the files in that group.

 Note:

International incoming files must be correctly encoded as UTF-8 (without BOM) or UTF-16 (without BOM).

2.1. Manage File Groups

To manage File Groups:

1. Go to the **PeopleHub Dashboard**.
2. Click the **Settings** tab.

3. To manage an existing file group expand the **3-dot menu** and click one of the options:
 - a. **Edit** – This allows you to update the file group number and description.
 - b. **Delete** – This allows you to delete the file group.

**Note:**

- Deleting a file group deletes all files and columns within the group.
- The pre-configured File Group “Core Standard HR Interface” should not be deleted as it contains all the standard interface files and configuration.

- c. **Files** – This allows you to [view and edit files](#) within the group.
- d. **Assign** – This allows you to assign a pay group to the file group.

2.1.1. Assign a Pay Group

A pay group must be assigned to the File Group to ensure that the relevant files will upload to the pay group. This is mandatory before you upload a file. To do this:

1. Go to the PeopleHub **Settings** tab.
2. Expand the File Groups **3-dot menu**.
3. Click **Assign**.

Select	Pay group	Current file group
☒	1 - Monthly Payroll (Uk)	Core Standard HR Interface - Do Not Edit!
☐	10 - Irish Monthly	
☐	1011 - Weekly (Uk) Payroll Mes	

4. Enable the **Select** toggle to assign the relevant Pay Groups.
 - Changes save automatically.

**Note:**


A Pay Group can only have one File Group assigned. This will display in the Current file group field. If a new file group is selected this field will update.

2.2. Manage Files

Files are comprised of sequenced columns that are mapped to fields within PeopleXD. This allows you to create and customise the fields required in your file uploads. An example of this would be the Employee File, which contains all columns (fields) related to the employee record, for example 'Surname', 'Employee' 'Reference'. All employee details are then uploaded together.

To manage Files within a File Group:

1. Go to the PeopleHub **Settings** tab.
2. Expand the File Groups **3-dot menu**.
3. Click **Files**.



File	Description	File type	
1	Employees	Delimited File	⋮
2	Rates of Pay	Delimited File	⋮
3	Allowances/Deductions	Delimited File	⋮
4	Pension	Delimited File	⋮
5	Timesheets	Delimited File	⋮

1 - 10 of 16

4. To manage an existing file group expand the **3-dot menu** and click one of the options:
 - a. **Edit** – This allows you to update the file details.
 - b. **Delete** – This allows you to delete the file and the columns within it.
 - c. **Columns** – This allows you to [view and edit the file columns](#).

2.2.1. Edit File Details

When you edit the details of a file you will be able to make changes to the following fields:

File group detail

File

1

▲

▼

Description

Employees

File type*

Delimited File

▼

Delimiter

|

Prefix

EMP

CANCEL

OK

Field	Description
File	The Files number within the File Group.
Description	A description of the file.
File Type	Sets how the details are to be loaded: • Delimited File – Most common file type. • Fixed Length • XML Note: XML Files are not configured by the interface, custom software is required. PeopleHub is only used to process/load XML file and not to configure them. Whereas Fixed Length or Delimited formats are configurable.
Delimiter	Where Delimited file is used, a field delimiter needs to be defined. Typical delimiters would be a pipe or a tilde. A comma may also be used but can cause issues if there are commas in the data being uploaded.
Prefix	This is part of the file's naming convention for the file upload, once this is set, any loads to this files will need to have that prefix so PeopleHub can identify the file type being uploaded,

2.3. Manage Columns

File Columns define the record format for your file and contain all the mapped columns (fields) within the file.

There are two methods for creating columns within a file:

- **Manually Add Columns**

You can manually add columns to a file, this can be useful when amending an existing file to include a new field.

- **Upload Sample File**

You can create columns in bulk by uploading a sample file. PeopleHub will parse a sample file and create a column for each populated column in the file. This speeds up the process of creating the right number of columns.

However you will still need to edit each column to set the required mapping and other attributes e.g. Corehr Table.

To manage Columns within a File:

1. Go to the PeopleHub **Settings** tab.
2. Expand the File Groups **3-dot menu** and click **Files**.
3. Expand the Files **3-dot menu**.
4. Click **Columns**.

Cilent column	Corehr table	Corehr column	
Employee Reference	Master	EMPNO	⋮
Forename	Master	FORENAME	⋮
Surname	Master	SURNAME	⋮

2.3.1. Edit Column Details

When you edit the details of a column you will be able to make changes to the following fields:

Column detail

Client column

Employee Reference

Position

1

XML tag

Corehr table *

Master

Corehr column *

EMPNO

Start position

End position

Date format

DD-MM-YYYY

Decimal places

CANCEL

OK

Field	Description
Client Column	This is a column description label and is not used in the incoming file.
Position	The Column Position on file. This is a required when a delimited file type.
XML Tag	The XML tag. This is a required when a XML file type. Note: XML is not a standard configuration feature.
Corehr Table	The table this is to be mapped to.
Corehr Column	The field in the Table this is to be mapped to.
Start Position	This is a required when a Fixed Length file type. (Required for all file types).
End Position	This is a required when a Fixed Length file type. (Required for all file types).
Date Format	This is a required when the column is a Date format field.
Decimal Places	This is a required when the column is a Number format field.

2.4. Create a File Group

You can also create a new file group allowing you to define the configuration. This will require all files and file columns to be set up and mapped.

To create a File Group:

1. Go to the **PeopleHub Dashboard** and click the **Settings** tab.
2. Click **Add**.
3. Fill in the *File Group* number and *Description*.
4. Click **OK**.
5. Once created you can manage the new file group using its 3-dot menu to set up and mapped the required files and file columns.

3. Upload a File

3.1. Naming Convention

Once your delimited or fixed width file is defined, the standard naming convention for interface files is:

- PREFIX_PAYGROUP_XXXXXX.DAT (PAYGROUP denotes the payroll pay group code e.g. 0001.)
 - The Prefix, Pay Group and 2 underscores and .DAT are required.
 - The text after the 2nd underscore is optional and can vary in the number of characters. This is often used as a timestamp or other unique identifier for the record.

For example for a file configured in PeopleHub with a “Prefix” EMP and associated with Pay Group 001, both of the below are valid filenames.

- EMP_0001_DDMMYY.DAT
- EMP_0001_.DAT

3.2. Upload a File

1. Go to the **PeopleHub Dashboard** and click the **Load Files** tab.
2. Click **Add**.
3. Select a **Pay Group** from the drop-down list.



4. Click **Upload**.
5. Select a file or multiple files and click **OK**.
6. Expand the Actions menu and click **Process Files**.
 - PeopleHub will validate the files and if successful will upload them into the system.

3.3. Reporting

Once processed a Report will open, this will show a report for each of the file types processed.

Reports	
Peoplehub > Reports	
Reports	
Report name	
Stop Errors	VIEW
Timesheet Details	VIEW
1 - 2 of 2 < >	

3.3.1. View Report

Where the report has the name of a File this means details have been successfully uploaded. Click View to open a report highlighting the details. This will detail:

- Details uploaded into the system
- Errors - If there were validation errors on certain records these records will be detailed. The validation errors will need to be addressed and these records will need to be reloaded in another file upload.
- Warnings

Timesheet Details

Timesheets Generated

Pay Group Description	Location Description	Pay Code Description	Total Hours	Total Value
21 2021 - Irish YE Weekly	2 Branch Office 1	9016 BONUS	0.0000	1000.0000
		Location Total	0.0000	1000.0000
		Pay Group Total	0.0000	1000.0000

End Timesheets Generated

Error Report

There are no Errors

End Error Report

3.3.2. Stop Error

In the event that a data error has occurred, a Stop Errors report can be viewed. This will highlight the data which is causing the error along with a description of the issue:

Stop Errors				
Peoplehub > Reports > Stop Errors				
CoreId	Empno	Table	Column	Message
2024012521033960				Interface Cannot Be Run At This Point For Pay Group 1, Check Pay...

4. Mapping

This document has described how to configure and upload files using PeopleHub. The interface can also be configured to map or default values into PeopleXD. Mapping can be done on three levels:

- Global
- Company
- Pay group

The system will check a hierarchy and will apply the lowest level configuration. For example if the department code is defaulted at all three levels, it's the pay groups default that will be applied to the upload.



Note:

It is advisable to configure all generic mapping/defaulting at global level and then create additional or overriding config at company or pay group level by exception as required. This will minimise configuration effort and maintenance.

Scenarios where Mapping/Defaulting proves useful are:

- **Default Values:**

Where a field is required by PeopleXD but cannot be supplied by the external system. PeopleXD can default in a value e.g. where Employee Position is not provided the interface is configured to default in '01'.

- **Mapped Values:**

The reference stored in the external system is in the wrong format for PeopleXD. In this scenario a mapping can be setup between the source data in the file and destination reference data. For example, incoming company code ABCD1232 is mapped to Company 01 in PeopleXD.

Standard PeopleXD Data Talk mapping functionality is used to define Mapping codes. Consult the relevant PeopleXD Data Talk documentation for an understanding of how to

setup the mapping codes. The definition of mapping codes happens outside of PeopleHub and it is a required prerequisite before configuring mapping in PeopleHub.

4.1. Map Default Values

Under the Mapping area of PeopleHub Choose the Core HR Table, search the relevant table for the required column. Select the Edit Action on each column that requires defaulting or mapping.

1. Go to the **PeopleHub Dashboard** and click the **Mapping** tab.
2. Select the **Mapping Level** from the drop-down list.
3. Select the **Corehr table** from the drop-down list.

Mapping

Mapping level *
Global

Corehr table
Master

Columns

Search columns... 🔍

Column	Mapping level	Default value	Mapping
ACCOUNT_CODE			⋮
ACTION			⋮
ACTION_REASON			⋮
ACTION_TYPE			⋮

4. Search for the relevant *Column* and expand the **3-dot menu**.
5. Click **Edit**.

Column detail

Mapping level
Global

Column
DEPARTMENT

Default character

Mapping code
None Selected.

CANCEL OK

6. Fill in the **Default Character** or select the **Mapping Code** that has been setup in PeopleXD Data Talk for this column.

7. Click **OK**.

4.1.1. Clear Default Values

To clear a mapped or defaulted value:

1. Go to the **PeopleHub Dashboard** and click the **Mapping** tab.
2. Select the **Mapping Level** from the drop-down list.
3. Select the **Corehr table** from the drop-down list.
4. Search for the relevant *Column* and expand the **3-dot menu**.
5. Click **Clear Defaults**.

5. System Configuration

5.1. Menu Options

To access the PeopleHub screens and functionality, users require the following menu options:

Menu Option	System
MAIN_MENU.HR_PEOPLE_HUB_DASHBOARD	CorePortal
MAIN_MENU.HR_PEOPLE_HUB_ADMIN_LOAD	CorePortal
MAIN_MENU.HR_PEOPLE_HUB_OUTBOUND_RUN	CorePortal
MAIN_MENU.HR_PEOPLE_HUB_OUTBOUND_UPDATE_FILTER	
MAIN_MENU.HR_PEOPLE_HUB_UPDATE_ADMIN	
MAIN_MENU.HR_PEOPLE_HUB_VIEW_ADMIN	

5.2. Parameters

There are a few system specific parameters, that are not currently available through the PeopleHub screens. For a typical PeopleHub implementation these parameters do not need to be set.

Table: hr_people_hub_parameter		
Field	Format	Description
File_prefix_length	Number - 10	Used to determine how many fields on the incoming file to use to determine the file prefix. If the prefix length is null or zero, the file prefix is determined to be all the characters as far as first underscore.
Default_pay_group	Number - 4	If a pay group cannot be determined out of the file name (using underscores), it will default to the pay group specified.
skip_hr_validation	Varchar2 - 1	Used in non-standard file uploads that are not using the external_hr_interface validation (i.e. set field to Y).