

Access PeopleXD to Access People Planner Interface User Guide

Access Limited Distribution

Table of Contents

Document Control	4
1. Overview.....	5
1.1. Purpose of the Guide.....	5
2. Configuration.....	6
2.1. Enabling the Integration in PeopleXD.....	6
2.2. Configuration Options in PeopleXD	6
2.2.1. Field Mapping.....	7
2.2.1.1 Contact Type Mapping	7
2.2.1.2 Employee Type Mapping.....	8
2.2.1.3 Address Mapping.....	8
2.2.1.4 Unavailability Type	8
2.2.1.5 Alternate Text.....	8
2.2.1.6 Fall Back Pattern Codes.....	9
3. Creating Employees in PeopleXD (Joiners)	10
3.1. Joiners	10
3.1.1. Create Person Integrated Fields.....	10
3.1.2. Create Appointment Integrated Fields.....	11
3.1.3. Create Address Integrated Fields.....	11
4. Movers.....	12
4.1. Movers.....	12
4.1.1. Update Address Fields.....	12
4.1.2. Update Person Fields.....	12
4.1.3. Update Contact Fields.....	13
4.1.4. Update Pay Group Fields.....	13
4.1.5. Update Appointment Fields.....	14
4.1.6. Delete Appointment Fields.....	14
5. Leavers.....	15

Table of Contents

5.1. Leavers.....	15
5.1.1. Leave Person Fields.....	15
6. Absence.....	16
6.1. Absence Overview	16
6.2. Absence Setup	16
6.3. Absence Entry	16
6.3.1. Absence Fields	17
6.4. Absence Processing in Access People Planner	17
6.4.1. Roster Field Received from Access People Planner	17
6.5. Viewing the Overridden Hours in PeopleXD	18
6.6. People Planner Screens in PeopleXD	18
6.6.1. People Planner Employees	18
6.6.2. Manage Criteria Groups	19
6.6.3. People Planner Outbound History.....	19
6.6.4. People Planner Inbound History	20
6.6.5. People Planner Service Bus Audit	20
7. Additional Options	21
7.1. Stopping People Planner overwriting a manual shift change.....	21
7.2. Showing Live Absence Calculations	21

Document Control

Version	Date	Author	Details
0.1	22/07/2022	Andy Miles	Document Creation
1.0	24/08/2022	Georga Edwards	Published to Portal
1.1	21/04/2023	Georga Edwards	Addition of Section 7 – Additional Options

1. Overview

The PeopleXD (PXD) <> Access People Planner (APP) interface has been created for the single source of management for rostered staff from PeopleXD to Access People Planner within the Access Solution. Within the solution, PeopleXD will be the master record for all employees, and only staff that meet the relevant criteria will be imported by Access People Planner for use within the rostering system.

1.1. Purpose of the Guide

This document provides guidance on using the PeopleXD side of the PXD <> APP interface, including system configuration and processes.



Note: Pre-requisites: Ensure PeopleXD has been configured correctly as outlined in '[People XD to Access People Planner Integration PeopleXD Setup Instructions](#)'


2. Configuration

2.1. Enabling the Integration in PeopleXD

The integration will be enabled by an Access Consultant

2.2. Configuration Options in PeopleXD


The configuration options in PeopleXD are set in People Planner screen available from the main PeopleXD menu.



PeopleXD to Access People Planner Interface

2.2.1. Field Mapping

In the People Planner screen click on the icon  to go into the mapping screen.



In this screen the users should set:

2.2.1.1 Contact Type Mapping

- **Area** – This can be chosen from Company, Cost Centre, Department, Division, Location, Management Unit, User Code 1-5, or Work Group.
- **Branch** - This can be chosen from Company, Cost Centre, Department, Division, Location, Management Unit, User Code 1-5, or Work Group.
- **Phone 1** – Emergency Contact 1, Emergency Contact 2, Home Phone No., Home Telephone Number, LDAP User, Personal Email Address, Personal Mobile Number, Work Email Address, or Work Mobile Number (note: these heading may change depending on the company configuration). You should select a phone number option for this.
- **Phone 2** – Emergency Contact 1, Emergency Contact 2, Home Phone No., Home Telephone Number, LDAP User, Personal Email

Address, Personal Mobile Number, Work Email Address, or Work Mobile Number (note: these heading may change depending on the company configuration). You should select a phone number option for this.

- **Phone 3** – Emergency Contact 1, Emergency Contact 2, Home Phone No., Home Telephone Number, LDAP User, Personal Email Address, Personal Mobile Number, Work Email Address, or Work Mobile Number (note: these heading may change depending on the company configuration). You should select a phone number option for this.
- **Pager** – Emergency Contact 1, Emergency Contact 2, Home Phone No., Home Telephone Number, LDAP User, Personal Email Address, Personal Mobile Number, Work Email Address, or Work Mobile Number (note: these heading may change depending on the company configuration). You should select a phone number option for this.
- **Email** - Emergency Contact 1, Emergency Contact 2, Home Phone No., Home Telephone Number, LDAP User, Personal Email Address, Personal Mobile Number, Work Email Address, or Work Mobile Number (note: these headings may change depending on the company configuration). You should select an email option for this.

2.2.1.2 Employee Type Mapping

- **Employee Type** – Category, Employee Status, Employee Sub Status, Job Category, Sub Category

2.2.1.3 Address Mapping

- **Town** – Address Line 2-5

2.2.1.4 Unavailability Type

- **Unavailability Type** – Pay Code Description and Reason Code Description, Pay Code, Pay Code Description, Reason Code, Reason Code Description

2.2.1.5 Alternate Text

- **Leave Reason** – Set this if you do not want the leave reason from PXD to be shown in APP
- **Next of Kin Relationship** – Set this if you do not want the next of kin relationship to be shown in APP

2.2.1.6 Fall Back Pattern Codes

- **Fall Back Work Pattern** – PeopleXD needs a work pattern to attach the roster information being returned from Access People Planner. If it cannot find a matching one, it will use this pattern.
- **Fall Back Rest Pattern** – PeopleXD needs a rest pattern to attach any rest roster information being returned from Access People Planner. If it cannot find a matching pattern PeopleXD will use this pattern.

3. Creating Employees in PeopleXD (Joiners)

3.1. Joiners

The process in PeopleXD for creating new employees has not changed with this integration.

3.1.1. Create Person Integrated Fields

Field	Field
"OrganisationId"	"PayGroup"
"WorkspaceId"	"NiNumber"
"PersonId"	"Disabled"
"FirstName"	"Rostered"
"MiddleName"	"NokFirstName"
"LastName"	"NokLastName"
"Initials"	"NokRelationship"
"KnownAs"	"NokPhone"
"Email"	"NokAddress1"
"MobilePhone"	"NokAddress2"
"Address1"	"NokAddress3"
"Address2"	"NokAddress4"
"Address3"	"NokPostcode"
"Address4"	"Branch"
"Address5"	"Area"
"PostCodePrefix"	"EthnicOrigin"
"PostCodeSuffix"	"Gender"
"County"	"MaritalStatus"
"Country"	"TypeOfDisability"
"DateStarted"	"Disability1"
"Title"	"Disability2"
"DateOfBirth"	"Phone1"
"EmployeeType"	"Phone2"
"PostTitle"	"Phone3"

3.1.2. Create Appointment Integrated Fields

Fields	Fields
"OrganisationId"	"Location"
"WorkspaceId"	"WorkGroup"
"PersonId"	"UserField1"
"AppointmentId"	"UserField2"
"PostNumber"	"UserField3"
"PostSequence"	"UserField4"
"AppointmentType"	"UserField5"
"AppointmentStatus"	"Branch"
"PostTitle"	"Area"
"EmployeeType"	"Hours"
"StartDate"	"Rostered"
"EndDate"	"BankAccountNumber"
"Company"	"BankAccountCode"
"Division"	"BankName"
"ManagementUnit"	"ContractType"
"Department"	"WorkTimeOptIn"
"CostCentre"	"WorkTimeOptOut"

3.1.3. Create Address Integrated Fields

Fields	Fields
"OrganisationId"	"PostCodePrefix"
"WorkspaceId"	"PostCodeSuffix"
"PersonId"	"County"
"Address1"	"Country"
"Address2"	"Branch"
"Address3"	"Area"
"Address4"	"EmployeeType"
"Address5"	"PostTitle"

4. Movers

4.1. Movers

A mover is any change of information for the employee. For example, job role, address, or name.

The various update messages are:

4.1.1. Update Address Fields

Fields	Fields
"OrganisationId"	"PostCodePrefix"
"WorkspaceId"	"PostCodeSuffix"
"PersonId"	"County"
"Address1"	"Country"
"Address2"	"Branch"
"Address3"	"Area"
"Address4"	"EmployeeType"
"Address5"	"PostTitle"

4.1.2. Update Person Fields

Fields	Fields
"OrganisationId"	"PayGroup"
"WorkspaceId"	"NiNumber"
"PersonId"	"Disabled"
"FirstName"	"Rostered"
"MiddleName"	"NokFirstName"
"LastName"	"NokLastName"
"Initials"	"NokRelationship"
"KnownAs"	"NokPhone"
"Email"	"NokAddress1"
"MobilePhone"	"NokAddress2"
"Address1"	"NokAddress3"
"Address2"	"NokAddress4"

PeopleXD to Access People Planner Interface

Fields	Fields
"Address3"	"NokPostcode"
"Address4"	"Branch"
"Address5"	"Area"
"PostCodePrefix"	"EthnicOrigin"
"PostCodeSuffix"	"Gender"
"County"	"MaritalStatus"
"Country"	"TypeOfDisability"
"DateStarted"	"Disability1"
"Title"	"Disability2"
"DateOfBirth"	"Phone1"
"EmployeeType"	"Phone2"
"PostTitle"	"Phone3"

4.1.3. Update Contact Fields

Fields	Fields
"OrganisationId"	"Pager"
"WorkspaceId"	"Email"
"PersonId"	"Branch"
"Phone1"	"Area"
"Phone2"	"EmployeeType"
"Phone3"	"PostTitle"

4.1.4. Update Pay Group Fields

Fields
"OrganisationId"
"WorkspaceId"
"PersonId"
"PayGroup"

4.1.5. Update Appointment Fields

Fields	Fields
"OrganisationId"	"Location"
"Workspaceld"	"WorkGroup"
"PersonId"	"UserField1"
"AppointmentId"	"UserField2"
"PostNumber"	"UserField3"
"PostSequence"	"UserField4"
"AppointmentType"	"UserField5"
"AppointmentStatus"	"Branch"
"PostTitle"	"Area"
"EmployeeType"	"Hours"
"StartDate"	"Rostered"
"EndDate"	"BankAccountNumber"
"Company"	"BankAccountCode"
"Division"	"BankName"
"ManagementUnit"	"ContractType"
"Department"	"WorkTimeOptIn"
"CostCentre"	"WorkTimeOptOut"

4.1.6. Delete Appointment Fields

Fields
"OrganisationId"
"Workspaceld"
"PersonId"
"AppointmentId"
"PostNumber"
"PostSequence"

5. Leavers

5.1. Leavers

When an employee is processed as a Leaver in PeopleXD the leaving code and leaving date will be sent to Access People Planner. Process a leaver is the same in PeopleXD with the integration to Access People Planner as without.

5.1.1. Leave Person Fields

Fields
"OrganisationId"
"WorkspaceId"
"PersonId"
"DateLeft"
"Reason"

6. Absence

6.1. Absence Overview

Entering absence is done through PeopleXD with the absence days being sent to Access People Planner. If the employee has been rostered to work on that day in Access People Planner, then the hours rostered for will be returned to PeopleXD and then used to calculate statutory and occupational absence and payments.

6.2. Absence Setup

The following fields need to be setup in the People Planner mapping screen in PeopleXD:

Unavailability Type as detailed in [2.2.1.5](#) and fall-back patterns as detailed in [2.2.1.6](#)

6.3. Absence Entry

Absence Entry is the same as with a PeopleXD system not integration with Access People Planner, with the exception that you need to enter a start time and an end time on the absence entry screen.

My Annual Leave Requests
Employee Dashboard > My Annual Leave Requests

Create New Leave Request

Leave Type*
Annual Leave

Part Day ☐

Start Date*
25-JUL-2022

End Date*
25-JUL-2022

Start Time* End Time*

Comments

Balance Information

Name	Allowance	Requested	Booked	Remaining
NOTHING TO SEE HERE				

Access People Planner

ACTIONS

SUBMIT

If the absence requires approval, it is not sent to Access People Planner until it is approved.

6.3.1. Absence Fields

Fields	Fields
"OrganisationId"	"DayType"
"WorkspaceId"	"Hours"
"PersonId"	"UnavailabilityType"
"AbsenceId"	"PayCode"
"DateFrom"	"PayCodeDescription"
"DateTo"	"ReasonCode"
"TimeFrom"	"ReasonCodeDescription"
"TimeTo"	

6.4. Absence Processing in Access People Planner

When the absence is received by Access People Planner a copy of any rostered hours for the whole week containing the absence is saved. The employee is then removed from the roster to allow someone else to take this work. The original rostered hours is then sent back to PeopleXD and overwrite the default patterns for the absence period. This ensures that absence calculations, particularly occupation ones are correct.

6.4.1. Roster Field Received from Access People Planner


Fields	Fields
"RecordType"	"EmployeeWorkingHours"
"WorkspaceId"	{"Date" "Hours"}, {"Date" "Hours"}
"PersonId"	"MessageId"
"AbsenceId"	"OrganisationId"
"TotalHours"	"DateTimeStamp"



Note: "Date" and "Hours" are repeated for each day of the week in which at least one day is an absence.

6.5. Viewing the Overridden Hours in PeopleXD

The overridden hours from PeopleXD can be seen in the WFM Dashboard > Timesheet Input > Weekly Work Schedule




Day	Shift Name	Shift Type	Pattern Name	Pattern	Pattern Default	Start Time	End Time	Hours
Monday	40HRS - NIGHT/STG - NR-30	40HRS_001	Rest Day	Rest Day	Overridden	00:00	18:00	0
Tuesday	40HRS - NIGHT/STG - NR-30	40HRS_001	Rest Day	Rest Day	Overridden	00:00	18:00	0
Wednesday	40HRS - NIGHT/STG - NR-30	40HRS_001	8-Hour Day	8-Hour Day	Overridden	00:00	18:00	8
Thursday	40HRS - NIGHT/STG - NR-30	40HRS_001	8-Hour Day	8-Hour Day	Overridden	00:00	18:00	8
Friday	40HRS - NIGHT/STG - NR-30	40HRS_001	8-Hour Day	8-Hour Day	Overridden	00:00	18:00	8
Saturday	40HRS - NIGHT/STG - NR-30	40HRS_001	Rest Day	Rest Day	Overridden	00:00	18:00	0
Sunday	40HRS - NIGHT/STG - NR-30	40HRS_001	Rest Day	Rest Day	Overridden	00:00	18:00	0

6.6. People Planner Screens in PeopleXD

To access these screens, go to 'People Planner' in your main menu or quick search.

6.6.1. People Planner Employees


This screen displays the list of employees who meet the criteria selections for being rostered in Access People Planner. This sets the roster flag that is sent through the integration.



Employee Number	Forename	Surname	Job Title
304813			Support Worker
305187			Relief Support Worker
305407			Support Worker
304369			Employability Tutor
000122			Support Worker
000121			Support Worker
301771			Support Worker
303385			Support Worker
301876			Support Worker
301799			Support Worker


6.6.2. Manage Criteria Groups

The 'Manage Criteria Groups' opens the standard PeopleXD 'Manage Criteria Groups' screen. Use this screen to setup the criteria to identify if an employee should be rostered in Access People Planner.



6.6.3. People Planner Outbound History

This screen shows the message sent from PeopleXD to Access People Planner. You can search and filter these messages to assist in finding a specific message. A message can be resent from here if required. This should only be done if there has been an issue with a message and the order of messages needs to be considered.



PeopleXD to Access People Planner Interface

6.6.4. People Planner Inbound History

This screen displays the messages sent from Access People Planner to PeopleXD. These can be filtered and searched on.

Message ID	Queue Date	Processed Date	Topic	Message Content
3d511f857054a6a67903a764562	29-JUL-2022 14:26:16	29-JUL-2022 14:26:11	ped-updatesperson	[{"RecordType": "V", "Workspace": "3d64419-8a2-404-802-437107630", "Person": "00009", ...
10d910d2934a3a791487682e46f	29-JUL-2022 11:02:02	29-JUL-2022 11:02:00	ped-updatesperson	[{"RecordType": "V", "Workspace": "3d705a481-4a7-420-1106389301", "Person": "00010", ...
1da70c405b44c19a6a21d03eaf6	27-JUL-2022 16:22:46	27-JUL-2022 16:22:40	ped-updatesperson	[{"RecordType": "V", "Workspace": "13d07d1-cbf-462-40a-4011ea2b87", "Person": "00011", ...
1d31e714d78a9f0a60a203263a9	27-JUL-2022 16:19:44	27-JUL-2022 16:19:30	ped-updatesperson	[{"RecordType": "V", "Workspace": "13d07d1-cbf-462-40a-4011ea2b87", "Person": "00012", ...
4193d2b85a21400199110711a91	27-JUL-2022 16:57:44	27-JUL-2022 16:57:36	ped-updatesperson	[{"RecordType": "V", "Workspace": "3d705a481-4a7-420-1106389301", "Person": "00013", ...
4d02b5489a702a708a882e4e47	29-JUL-2022 12:09:41	29-JUL-2022 12:09:41	ped-updatesperson	[{"RecordType": "V", "Workspace": "3d447c0-008-4b5-908-e05a775141", "Person": "00014", ...
43c0948984332918a775a171a449	29-JUL-2022 12:02:46	29-JUL-2022 12:02:47	ped-updatesperson	[{"RecordType": "V", "Workspace": "3d447c0-008-4b5-908-e05a775141", "Person": "00015", ...
43c0948984332918a775a171a449	29-JUL-2022 12:02:46	29-JUL-2022 12:02:46	ped-updatesperson	[{"RecordType": "V", "Workspace": "3d447c0-008-4b5-908-e05a775141", "Person": "00016", ...

6.6.5. People Planner Service Bus Audit

This screen shows if a message was successfully sent from PeopleXD to the Azure Service Bus. This does not reflect if Service Bus has successfully moved the message onto Access People Planner.

Message ID	Audit Date	Audit Event	Topic	Response Status	Error Message
64f44507d48d8b8e0330d91dace0e5	29-JUL-2022 16:26:16	PUBLISH	ped-updatesperson	201	
64f4449d8e0354d8e0304d91dace257	29-JUL-2022 16:26:09	PUBLISH	ped-updatesperson	201	
64f443a08f7478570330d91dace0e7	29-JUL-2022 16:25:44	PUBLISH	ped-updatesperson	201	
64f420490942818e0302d91daca18d	29-JUL-2022 16:18:06	PUBLISH	ped-updatesperson	201	
64f3c8e803f3303030d91dace0e1c	29-JUL-2022 15:51:33	PUBLISH	ped-updatesperson	201	
64f081d97770279e0304d91daca709	29-JUL-2022 15:51:31	PUBLISH	ped-updatesperson	201	
64f07094c024c79703030d91dace0e0	29-JUL-2022 15:51:31	PUBLISH	ped-updatesperson	201	
64f081d97774279e0304d91daca709	29-JUL-2022 15:51:31	PUBLISH	ped-updatesperson	201	
64f07c0d0f28f8e0e030d91dace0e3	29-JUL-2022 15:46:40	PUBLISH	ped-updatesperson	201	
64f080000e0002703030d91daca0e5	29-JUL-2022 15:46:40	PUBLISH	ped-updatesperson	201	

7. Additional Options

There are two additional options that can be set, if required, that set the way shift information is updated from People Planner into People XD and the way Absence totals are calculated.

7.1. Stopping People Planner overwriting a manual shift change

In the People Planner Mapping screen there is an option **Do Not Overwrite Manual Shift Changes**. If this is set, then PeopleXD will check on receipt of shift information from People Planner whether the current shift information has been created manually or by People Planner. If it has been created by People Planner it will overwrite, if not, then the current information will be retained.

 **Note:** If this option is NOT set then the information from People Planner will always overwrite the current information in People XD.

7.2. Showing Live Absence Calculations

By default, in PeopleXD the Absence screen shows the information held in the absence tables and is NOT updated with any shift changes. This is an issue with the People Planner integration as the shift information frequently changes.

To overcome this a new option has been added to WFM Configuration > General Settings called **Live Absence Calculation**. If this is enabled, then when the screen is loaded the absence information is recalculated using the current shift information.

If this option is disabled, then the screen displays the information from the absence tables.