

Leave Outage Period Configuration Guide

Access Limited Distribution

Workforce Management

Table of Contents

Document Control	3
1. Overview.....	4
2. Leave Outage Configuration	5
2.1. Create a New Outage Scheme	5
2.2. Maintain an Outage Scheme Details.....	6
2.3. Delete Leave Outage Scheme Details	7
2.4. Turn on the Outage Configuration Widget.....	7
2.5. Company Level: Assigning a Leave Outage Scheme	9
2.6. Work Group Level: Assigning a Leave Outage Scheme.....	10
2.7. Employee Level: Assigning a Leave Outage Scheme.....	11
2.8. Language Pack for Phrase Code	11
3. Leave Outage Example	12
3.1. Created Leave Outage Schemes.....	12
4. Important Considerations	13
4.1. Leave Outage Considerations	13
4.2. Underlying Tables.....	14
4.3. Internal Reference Number	14

Document Control

Version	Date	Author	Details
1.0	07/10/22	Georga Edwards	Added Access branding and published to the Support Portal

1. Overview

New functionality which can stop leave types (e.g., Annual Leave, Flexi Leave etc) from being requested by Employees on certain times of the year. For example, staff cannot request leave over the Christmas period, so a client can preconfigure a defined date range in advance and any leave that falls within or spans the defined date range will be blocked at submission stage

- The leave outage period is done by creating an 'Outage Scheme', which is attached to a person, a work group or a company,
- Employees cannot submit leave requests for the dates defined in the each of the 'Outage Periods' that are set in the 'Outage Scheme'.
- Note: this is for Employees submitting requests only. A Manager can still record Annual Leave for an Employee even if they have an 'Outage Period' on those dates.

🕒 Balance Outages

Name

Leave Outage Periods

Pay Code Group

Personalised Pay Code Group Te

+ Add Outage

✖ Deleting Outage...

+ Add

Date From	Date To	Reason	
11-Dec-17	14-Jan-18		✖ Delete
17-Dec-18	13-Jan-19		✖ Delete
16-Dec-19	12-Jan-20		✖ Delete

Save Outage Period

2. Leave Outage Configuration

The first step is to configure the leave out periods, these are the periods where leave request are to be block if the leave request is within or spans the date ranges specified

🕒 Balance Outages

Name

Pay Code Group

Leave Outage Periods

Personalised Pay Code Group Te

+ Add Outage

✖ Deleting Outage...

+ Add

Date From	Date To	Reason	
11-Dec-17	14-Jan-18	Christmas lead up and New Year	✖ Delete
17-Dec-18	13-Jan-19	Christmas lead up and New Year	✖ Delete
16-Dec-19	12-Jan-20	Christmas lead up and New Year	✖ Delete


Save Outage Period

CoreTime supports any number of outage schemes and these periods can be stored at company level, Work Group level and employee level, where the employee overrides the work group level, and the work group level overrides the company level.

2.1. Create a New Outage Scheme

To create a new outage scheme, complete the following steps.

- Click the **+ Add Outage** button



- Enter the Outage Scheme names, this is the scheme name that describes the leave outage period being configured
- Enter the leave outage Pay Code Group. The pay code grouping is the set of associated pay codes (i.e. leave types) that will be checked where an employee submits a leave request.
- Enter the leave outage Pay Code Group. The pay code associated with the grouping are the pay codes (leave types) that are checked with an employee tries to submit a leave request. For example, if a client wants to block Annual Leave, Flexi Leave, Study Leave etc... Create a pay code grouping that contains theses code and assign the group to the desired outage scheme.

Note: In the current version pay code groupings are maintain through Oracle Form, please see CoreTime... System Parameters... Reference K-P

- When complete, click the Save button. Once the 'saved' the screen clear and the scheme is saved.
- Select the new scheme just created from the name.

2.2. Maintain an Outage Scheme Details

To create a new outage scheme, complete the following steps.

- Click the  button, this opens a new line and prompts the user to scheme details

Date From	Date To	Reason	
11-Dec-17	14-Jan-18	Christmas lead up and New Year	
17-Dec-18	13-Jan-19	Christmas lead up and New Year	
16-Dec-19	12-Jan-20	Christmas lead up and New Year	



- Date From: this is the Start Date of the leave outage scheme, note multiple date ranges change be created per scheme e.g., Christmas outage period for each year.
- Date To: This is the End Date of the leave scheme.
- Reason: The reason behind the scheme; Note, if entered the reason will form part of the user information message displayed to an employee where they attempt to submit a leave request during an outage period.

2.3. Delete Leave Outage Scheme Details

To delete a leave outage details:

- Identify the leave outage scheme and select the 'delete' button. This will delete the scheme.

2.4. Turn on the Outage Configuration Widget

To turn on the configuration widget complete the following steps:

- Connect to Portal with account that has access to the Dashboard Configuration
- Select the required dashboard

 Dashboard Configuration

Select Dashboard
Administrator Dashboard

Widget Catalogue Add Page Tab

Enter search text... Q

Position	Tab Title	Tab Icon	Widget Count	
1	Workforce Mgt		3	...
2	Expense		6	...
3	Logo		1	...
4	Timesheet Config		3	...
5	Trigger Points		1	...

bal Q

Position	Widget Title	Widget Width	Configure	Selected
1	Balance Outages	← 100% →		

- Enter “Balance Outages”, search and switch on the widget by checking the “selected” column
- Select the configure “Cog Wheel” and identify the required Menu Profile.

 **Note:** Typically, Leave Outage schemes are an administrator function to create and Maintain

2.5. Company Level: Assigning a Leave Outage Scheme

Its optional to assign leave outage schemes at company level, if applied the scheme applies to all staff within the company specified. The system supports overrides at Work Group and Employee Level if required.

- Go to System Parameters > Reference A-C > Company Parameters
- Select the Company
- Select Generate Parameters -3
- Enter the required Leave Outage scheme in the Outage Scheme column highlighted below.

The screenshot shows the 'Parameters' configuration window. At the top, the 'Company' field is set to '1' with a dropdown showing 'Default Company'. The 'Current Period' is set to '201722' with a dropdown showing '05-JUN-2017' to '11-JUN-2017'. A 'Select Detail' dropdown on the right lists 'General Parameters - 1' through 'Late Parameters', with 'General Parameters - 3' selected. Below this is the 'General Parameters - 3' section, which contains various checkboxes and input fields. The 'Outage Scheme' field at the bottom left is highlighted with a red box and contains the text 'Leave Outage Perio'.

Parameters	
Company	1 ? Default Company
Current Period	201722 ? 05-JUN-2017 11-JUN-2017
Select Detail General Parameters - 1 General Parameters - 2 General Parameters - 3 General Parameters - 4 Absence Parameters Late Parameters	
General Parameters - 3	
Use Package Calculation	☒
Use Package Flexitime	☐
Use Fortnightly Holidays	☐
Call Out Label	
Flat File Extract Label	
RFA Absence Segment Label	
Team Sched. Timesheet	
Template	
Outage Scheme	Leave Outage Perio ?
Apply Max Work Hours for RFA	☐
Apply Default Work Pattern Hours for RFA	☐
Allow Blank Arrears & Hold Periods	☐
Secure PIN	☐
Resume Date Available in Global Shift Change	☐
Summer Start Period	
Default Round Code	
Did not take Break Pay Code	
Start/End Time Duration Limit	
Acting Category	
Start/End Time Rounding Code	
Summer End Period	

2.6. Work Group Level: Assigning a Leave Outage Scheme

Its optional to assign leave outage schemes at work group level, if applied the scheme applies to all staff within the work group(s) specified. The system supports overrides at Employee Level if required.

- Go to System Parameters > Work Groups
- Select the Work Group
- Select Generate Parameters - 2
- Enter the required Leave Outage scheme in the Outage Scheme column highlighted below.

The screenshot displays the 'General Details' and 'General Parameters - 2' configuration panels for a Work Group.

General Details:

- Work Group: 1
- Company: 1
- Holiday Scheme: CC
- Shift Type: DEFSHF
- Default OT Pay Code: [Empty]

Select Details:

- General Parameters - 1
- General Parameters - 2** (highlighted)
- General Parameters - 3
- Default Payroll Hours
- Default Payments

General Parameters - 2:

- Working Time Group: [Empty]
- ☐ Calculate Clockings
- ☒ Allow Generation of Default Clocks
- ☐ Confirm Unapproved Hours
- ☒ Display Pay Codes on Pers. Clockings
- ☐ Apply Pay Code Adjustment
- ☐ User Defined Calendar Group
- Outage Scheme: Leave Outage Period
- MGR : Rollback Weeks for Data Entry: [Empty]
- EMP : Rollback Weeks for Data Entry: [Empty]
- Team Scheduler Timesheet Template: [Empty]
- CoreTime Mail Exclusions:**
 - ☐ Exclude Approve Hours Mail
 - ☐ Exclude Sign Off Hours Mail
 - ☐ Exclude Exceptions Mail
 - ☐ Exclude Employee No Hours Mail

2.7. Employee Level: Assigning a Leave Outage Scheme

It's optional to assign leave outage schemes at employee level, if applied the scheme applies directly to the staff member.

- Go to System Parameters > Pers Data > Person Maintenance
- Select the staff member
- Select Work Groups Override 2
- Enter the required Leave Outage scheme in the Outage Scheme column highlighted below.

The screenshot shows the 'Person Maintenance' form. The 'Person' field is '7500963', 'AINE', 'BUCKLEY'. The 'Work Group' is 'SY01', 'Work Group 1 7500'. The 'Shift Type' is '40.00_001', '40HRS - 8 HRS MTWTF'. The 'Dept.' is 'SY01', 'DEVELOPMENT 7500'. The 'Select Detail' dropdown is open, showing options: Picture, Shift Types, User Fields, Work Group Override, **Work Group Override 2** (highlighted), Personal Groups, and Working Time. Below the form, the 'Work Group Override 2' section is visible, containing various configuration fields like 'Non-Generate Timesheets', 'Holidays Only', 'Holiday Pay Method', 'Pay Frequency', 'Payroll Default Hours', 'Payroll Default Units', 'User Defined Calendar Group', 'Outage Scheme', 'Non Payroll Code Group', 'Bradford Rule', 'Rollback Weeks for Data Entry', 'Team Scheduler Timesheet Template', and 'Leave Outage Period'.

2.8. Language Pack for Phrase Code

To alert phrase codes or the alert message, and search for the phrase code ct_outage_lr_overlap.

The screenshot shows a table with columns: Phrase Code, Phrase Text, Language, Language ..., and Page Id. The table contains two rows for the phrase code 'ct_outage_lr_overlap'. The first row is for Dutch (Dutch) with language code 'DH'. The second row is for English (English) with language code 'EN'. Both rows have a 'Page Id' of 1. The table is part of a larger interface with buttons for 'Add New Language' and 'Add New Phrase'.

Phrase Code	Phrase Text	Language	Language ...	Page Id
ct_outage_lr_overlap	You are not allowed to take [[Pay_code]] from...	Dutch	DH	1
ct_outage_lr_overlap	You are not allowed to take [[Pay_code]] from...	English	EN	1

3. Leave Outage Example

3.1. Created Leave Outage Schemes

- Create a leave outage scheme for the Christmas/New year period. See date below:

Balance Outages

Name: Leave Outage Periods Pay Code Group: Personalised Pay Code Group Te + Add Outage ✖ Deleting Outage... + Add

Date From	Date To	Reason	
11-Dec-17	14-Jan-18	Christmas lead up and New Year	✖ Delete
17-Dec-18	13-Jan-19	Christmas lead up and New Year	✖ Delete
16-Dec-19	12-Jan-20	Christmas lead up and New Year	✖ Delete

Save Outage Period

- Assigned the Leave Scheme directly to an employee

Work Group Override 2

Non-Generate Timesheets ☐ Non Payroll Code Group ?

Holidays Only Bradford Rule ?

Holiday Pay Method Rollback Weeks for Data Entry

Pay Frequency Team Scheduler Timesheet Template

Payroll Default Hours

Payroll Default Units

User Defined Calendar Group Default to Work Group

Outage Scheme Leave Outage Perio ?

- Connected to the Employee Self Service module as the employee
- Selected Book Time Off from
- Enter a leave request for a date range that falls within the Leave outage period that spans from 11-Dec-17 to 18-Jan-18 and attempted to submit the leave request for approval.

Book Time Off

You Are Not Allowed To Take Annual Leave From 11-Dec-2017 To 14-Jan-2018 Because Christmas Lead Up And New Year .

End Date

The message output displays, the dates of the leave outage period and the reason as to why there is a leave outage period.

4. Important Considerations

4.1. Leave Outage Considerations

- Leave Outage validation applies to “Book Time Off” (leave requests) Widget
- Leave Outage blocks the submission of leave request where the leave request date fall within or span the leave outage days specified.
- Managers (via Absence Entry) can continue to entry leave/absences on-behalf of employee within their remit
- Managers are not warned when entering leave/absence that the absence falls within a leave outage period.
- Only leave requests submitted after a Leave Outage has been assigned at the Company, Work Groups or Employee Levels will be validated.
- If a leave request has been submitted before the outage assignment has been completed, this will be validated after the event.
- Leave Outages need to be updated as required, for example if there is a requirement for annual leave outage every Christmas, the dates need enter for each year. This can be completed as far in advance as required.
- On deletion of an Outage period, the system will not validate to see if leave requests exist.
- No data migration exists, and date must be entered via the Leave outage widget
- The system records the user, date & time who created/last updated the leave outage

4.2. Underlying Tables

This is how the database tables will look for the Leave outages.

Table: ct_outage:

Column name	Date Type	Notes
Outage_ID	VARCHAR2(20 CHAR)	Unique outage identified
Outage_Name	VARCHAR2(50 CHAR)	Outage Name
Group_code	VARCHAR2(6 CHAR)	Assigned Pay Code Grouping
Corestamp	VARCHAR2(30 CHAR)	
Corestamp_user	VARCHAR2(30 CHAR)	

Table: ct_outage_period

Column name	Date Type	Notes
Outage_Period_ID	VARCHAR2(20 CHAR)	Foreign Key
Outage_ID	VARCHAR2(20 CHAR)	Unique outage identified
Start_date	DATE	Outage Start Date
End_date	DATE	Outage End Date
Reason	VARCHAR(100)	Reason for the outage
Mark_For_Delete	VARCHAR(1)	Delete option selected
Corestamp	VARCHAR2(30 CHAR)	
Corestamp_user	VARCHAR2(30 CHAR)	

4.3. Internal Reference Number

- RR-543 / DRTP-4372