

Occupational Absence Override

User Guide

PeopleXD Workforce Management

Table of Contents

Document Control	3
1. Overview.....	4
1.1. Purpose of the Guide	4
2. Occupational Absence Override Screen	5
2.1. Accessing the Occupational Absence Override Screen	5
2.2. To Add a New Override Record	7
2.3. To Edit an Override Record.....	8
2.4. To Delete an Override Record	8
3. Menu Options	9
3.1. Manage Menu Options.....	9

Document Control

Version	Date	Author	Details
0.1	16/10/2025	Andy Miles	Initial Draft Created
1.0	23/10/2025	Georga Edwards	Published to Customer Success Portal

1. Overview

1.1. Purpose of the Guide

The Occupational Absence Override screen provides administrators with the ability to manage ad-hoc overrides to occupational sickness pay rates for employees. This functionality is essential for handling exceptional circumstances such as probation periods, suspensions, or compassionate arrangements where standard occupational absence procedures do not apply.

Work patterns define daily work schedules and capture expected working hours for employees. The Occupational Absence Override feature allows administrators to temporarily modify how sickness pay is calculated for specific employees during defined date ranges.

The purpose of this guide is to show how to access and use the Occupational Absence Override screen and explain its various features and configuration options.

Key features include:

- Grid-based interface with automatic data loading
- Comprehensive filtering and search capabilities
- Inline editing for quick updates
- Modal window for adding new override records

2. Occupational Absence Override Screen


The Occupational Absence Override screen is where administrators manage occupational sickness pay rate overrides for employees. The screen displays all override records in a modern grid format and provides tools to create, edit, and delete override entries.

2.1. Accessing the Occupational Absence Override Screen

The Occupational Absence Override screen is menu security driven, see section [3. Menu Options](#) for further guidance and once enabled, on the relevant Admin user profile, the screen can be found on the WFM Admin Dashboard.

To access the Occupational Absence Override Screen:

1. Open the **WFM Admin Dashboard**.
2. Select the **Occupational Absence Override** tab.
3. The screen displays.



The screenshot shows the 'Occupational Absence Override' screen. It features a search bar, a filter dropdown set to 'Active', and an 'ADD NEW' button. The table below lists several override records with columns for Name, Personnel No, Absence Rule, Start Date, End Date, Override Multiplier, Comments, Pay Group, and an 'Always O...' toggle. Each row also has a 'DELETE' button.

	Name	Personnel No	Absence Rule	Start Date	End Date	Override Multiplier	Comments	Pay Group	Always O...	
11	1451249 Known as 1	004618	7275 5 Day	01-Jul-2...	03-Jul-2...	99.66			☐	DELETE
TM	TM Murphy	004986	FC Sick	01-Sep...	17-Oct-2...	1			☒	DELETE
	Tom BRAUER	7204000035	Burgundy Bo...	01-Jun...	30-Oct-2...	5	test bo	Dec Qa Comp 7204	☒	DELETE
DC	Declan O Connor	7204000061	Sick Scheme...	01-Apr-2...	16-Apr-2...	1		Dec Qa Comp 7204	☐	DELETE
JF	John Flood	7204000065	Maternity Sc...	08-Sep...	03-Nov...	1	cred in portal	Dec Qa Comp 7204	☒	DELETE

The screen can be filtered using the following options:

Option	Details
Search	Use the search feature to find a specific employee or override record.
Status	Use the dropdown options to filter the override list by: • Active – displays all override records in use. • Dormant – displays all override records that are not on. • Dormant and Active – displays all override records.
Filter	Use the filter button to refine your search. You can filter by, the following, and click Apply to filter the results. • Rule ID • End date • Pay Group • Start date • Override Multiplier • Always Override

The **Occupational Absence Override** screen displays the following fields:

Options	Details
Name	The employee's full name (including known as name)
Personnel No	The unique employee identifier
Absence Rule	The occupational absence rule.
Start Date	The date the override is to begin. Any sickness absence on or after this date (up to the End Date) will use the Override Multiplier instead of standard occupational absence calculations.
End Date	The date the override is to end. This must be equal to or later than the Start Date. After this date, normal occupational absence rules resume.
Override Multiplier	The multiplier applied to sickness pay during the override period. This multiplier replaces the standard occupational absence calculation. Examples: 1.0 = Full pay (100% of normal rate) 0.50 = Half pay (50% of normal rate) 0.00 = No pay (0% - used where not entitled to company sick pay) The multiplier is applied to the employee's normal pay rate to calculate sickness payment. For example: Normal rate = £15/hour

Options	Details
	the Multiplier entered is 0.50, therefore the Sickness pay = £7.50/hour.
Comments	A free text field for administrators to record notes about why the override was created, who authorised it, or any relevant information. Maximum 500 characters.
Pay Group	The employee's assigned pay group code.
Always On	Indicator showing if the override always applies. This determines whether the override always applies regardless of other factors. When enabled, the override multiplier is used in all circumstances during the date range.
Delete	Allows you to delete an override record if it is no longer needed or were created in error.

2.2. To Add an Override Record

1. Click the **Add New** button.
2. Fill in the mandatory fields, as below:

Field	Description
Person Number	Select an employee from the dropdown menu.
Rule ID	Select an occupational absence rule to apply from the dropdown menu.
Start Date	Enter the date the override is to begin. This must be in the format DD-MM-YYYY.
End Date	Enter the end date for the override. This must be equal to or after Start Date and in the format DD-MM-YYYY.
Override Multiplier	Enter a value to be applied to sickness pay during the override period.

3. Select whether to Apply the override.
4. Click **OK**.
5. The Occupational Absence record will display.

Create New Occupational Absence Override

Person Number *	Rule ID *
Mary Buckley	FC Sick
Start date *	End date *
27-Oct-2025	31-Oct-2025
Override Multiplier *	Always Override
1	Yes

CANCELOK

2.3. To Edit an Override Record

Once an override record is created the following fields can be updated directly on the grid. Use the dropdown menus to make a change. The system validates your changes automatically.

- Absence Rule
- Start Date
- End Date
- Override Multiplier
- Always On

You can also add Comments to the record. The maximum character length is 500 characters.

2.4. To Delete an Override Record

Override records can be deleted when they are no longer needed or were created in error. Historical payroll records are not affected by deletion.

To delete a record:

1. Search for the record you wish to delete.
2. Click **Delete** and confirm the warning message.

3. Menu Options

A parent menu option has been created so that when this is enabled on the relevant Admin menu profile, the child options will automatically get picked up.

3.1. Manage Menu Options

To do this:

1. Navigate to the **Security Dashboard** and select the **Menu Profiles** tab.
2. Search for the existing menu profile e.g.: Coreportal_Admin.
3. Expand the 3-dot menu and select **Manage Menu Options**.
4. Search for the menu option **Occupational Absence Override**.
5. Turn on the **Active** toggle.
6. Click **OK** to confirm enabling related child menu options.

The following parent menu option needs to be enabled for access to the Occupational Absence Override screen:

Menu Option	Menu ID	System
Occupational Absence Override	WFM_ADMIN_MENU.OCC_ABS_OVERRIDE	CorePortal

By enabling the *Occupational Absence Override* menu option the following child menu options can be enabled:

Menu Option	Menu ID	System
Delete occabsoverride	WS_PEOPLE_MENU.DELETE_OCCABSOVERRIDE_ID	Web Services
Get occabsoverride	WS_PEOPLE_MENU.GET_OCCABSOVERRIDE	Web Services
Update occabsoverride	WS_PEOPLE_MENU.PATCH_OCCABSOVERRIDE_ID	Web Services
Create occabsoverride	WS_PEOPLE_MENU.POST_OCCABSOVERRIDE	Web Services