

Person Maintenance

User Guide

PeopleXD Workforce Management

Table of Contents

Document Control	5
1. Overview.....	6
1.1. Purpose of the Guide	6
1.2. Admin & Manager Access	6
1.3. Dashboard Order.....	7
2. WFM Person Maintenance Screen.....	9
3. Manage an Employee Record	11
3.1. Key Information	11
3.2. Work Schedule.....	13
3.2.1. To Add a Shift:.....	14
3.2.2. To View Schedules:.....	14
3.2.3. To add a Personal Override:	15
3.2.4. Where to find Multi Pattern details	15
3.3. Absences	16
3.3.1. To Add an Absence:.....	17
3.4. Balances.....	18
3.4.1. Assign a New Balance	20
3.4.2. Make a Balance Adjustment	20
Rehires Balance Entitlement	21
3.4.3. View Balance Entitlements	22
3.4.4. Recalculate a Balance	22
3.4.5. Edit the Setup of a Balance	23
3.4.6. Deactivate a Balance.....	23
3.4.7. New Year Leave Entitlement.....	23
3.5. Person Settings.....	24
3.5.1. Employee Settings	25
3.5.2. Working Time Directive	28
3.5.3. Bradford Factor.....	29

Table of Contents

3.5.4.	Extra Hours Recoding	30
3.5.5.	Bonus Override.....	31
3.6.	Work Group Override.....	32
3.7.	Personal Groups	33
3.8.	Leave Request History	34
3.9.	Badge Details.....	36
3.9.1.	Individual Information	36
3.9.2.	Badge Enquiry	38
3.9.3.	Clocking Distribution Groups.....	39
3.10.	Contract Information.....	39
3.11.	Next of Kin	40
3.12.	Trigger Points	40
3.13.	Team Area Assignment.....	42
3.14.	Roster Contract	44
3.15.	Shift Swap History.....	46
3.16.	Uncovered Shifts	47
3.17.	Person Attributes.....	48
3.18.	Qualifications	49
3.19.	NCHD Parameters	50
3.20.	Assign Premium Rules	51
3.21.	Emergency Details.....	51
4.	Menu Options	52
4.1.	Importing Menu Options	52
4.2.	Admin Menu Options	52
4.3.	Manager Menu Options	70
5.	Appendix – T&A ONLY Site Users.....	88
5.1.	Add New Employee	88
5.2.	Edit Employee	88
5.3.	Delete Employee.....	89

Table of Contents

5.4.	Contact Information	89
5.5.	Next of Kin.....	90
5.6.	User Security	90
6.	Person Maintenance Checklist	92

Document Control

Version	Date	Author	Details
1.0	03/02/2021	Rory Coakley	Published to Access LMS
1.1	14/11/2024	Georga Edwards	QOL Update to include all current screen & field descriptions.
1.2	28/11/2024	Georga Edwards	Added Assembly Point guide link to section 3.21 Emergency Details
1.3	19/05/2025	Georga Edwards	Section 3.1 Key Information updated with new field Absence FTE
1.4	21/10/2025	Georga Edwards	Added Rehires Balance Entitlement to section 3.4.2 Make a Balance Adjustment Added section 3.4.7 New Year Leave Entitlement

1. Overview

1.1. Purpose of the Guide

The purpose of this guide is to explain the *Person Maintenance Screen* which provides a central area where administrators can view and manage employee information that relate to Workforce Management.

1.2. Admin & Manager Access

Administrator & Manager Access, to the Person Maintenance Screen, is granted via the **General Settings** tile within the *WFM Admin Dashboard*.

The screenshot displays the 'General Settings' page within the 'WFM Admin Dashboard'. The 'Site Parameters' section contains several settings:

- Transfer Future Leave:** Toggle (On)
- Restrict Project Codes:** Toggle (On)
- Admin Security Type:** Dropdown menu (Highlighted with a red box, set to 'System User Access')
- Use Admin Security for Insight:** Toggle (Off)
- Manager Security Type:** Dropdown menu (Highlighted with a red box, set to 'Org Role Access')
- Calculate Hours Access:** Dropdown menu (set to 'System User Access')
- Work Group Summary View Only:** Toggle (Off)
- Approve/Sign Off Include Manager Hours:** Toggle (On)
- Bulk Leave Approval Start Date Offset:** Input field (set to 30)
- Live Absence Calculation:** Toggle (On)
- Multi Appointment Timesheets:** Toggle (On)
- Claim Process Code:** Dropdown menu

To change or edit Admin or Manager Access:

1. From the *WFM Dashboard*, select **WFM Configuration**.
2. Then search for and select **General Settings**.
3. From **Admin Security Type**, using the drop menu, select the relevant Admin access, the options available are:

Access	Details
Structure Code Access	This uses HR access (Hierarchy Structure) and considers if an employee has multiple appointments, if it is running in a multi appointment site.
Team Area Access	This is based on the team areas which the admin has been assigned. If a parent Team Area is assigned access, it is available

Access	Details
	for employees assigned to any of the sub teams. This is based on the employees Home Team area. Team Area considers if an employee has multi appointment in a multi appointment site.
System User Access	Access is at a person level and does restrict access based on an employee's appointment if running in a multi appointment site.

Note: Only employees with an active Team Area will be displayed when running Person Maintenance by Team Area access. If the team area is ended with a historical date, they will no longer be visible on Person Maintenance.

- From **Manager Security Type**, using the drop menu, select the relevant Manager access, the options available are:

Access	Details
Org Role Access	Appointment driven if run in a multi appointment site.
Team Area Access	Appointment driven if run in a multi appointment site.

Note: When running Person Maintenance by Team Area Access, you can only view employees whose Team Area you have access to. In a T&A only site, when adding a new employee, access is based on Team Area. You have access to assign the employee a Team Area on the creation screen and this ensures you have access to the employee once created.

1.3. Dashboard Order

Dashboard Order allows a site to choose which of the screens it wishes to prioritise. This may vary from site to site depending on the daily and weekly tasks performed by a manager or an admin.

The screen order can be changed from the *default* to one which is more suitable for the site. The *default button* allows you to reset the screens to their original order, should there be a change in priority, or any errors made.

To change the order of a dashboard:


1. From the *WFM Admin Dashboard*, select **WFM Configuration**.
2. Search for and select **Dashboard Configuration**.
3. Select the dashboard you wish to order from the *Dashboard* dropdown.
 - There are four options available, two specifically relating to Person Maintenance:

Dashboard	Details
Person Maintenance Admin	Controls the order of the screens from the Person Maintenance screen when accessed from the Administrator Dashboard.
Person Maintenance Manager	Controls the order of the screens from the Person Maintenance screen when accessed from the Manager Dashboard.
WFM Admin Dashboard	This controls the order of the screens through the WFM Admin Dashboard.
WFM Manager Dashboard	This controls the order of the screens through the WFM Manager Dashboard.

4. Drag and drop, or edit the position number, to order the Titles into the position you want them displayed.
5. Click **Save**.
6. The **Default Order** button allows you to reset the screens to their original order, if required.

2. WFM Person Maintenance Screen

The WFM Person Maintenance screen displays all employee records that you have access to. It is accessed via the WFM Admin Dashboard.



WFM Person Maintenance									
Search		Active							
Name	Personnel No	Appointment Id	Job Title	Work Group	Department	Team Area	Date Started	Reports To	
AG Alan Geraghty	7203000067	720318-8	QA Engineer 7203	Work Group 1 7203	Operations 7203	Team Area 7203	02-Jan-2016	Niamh OHehir	⋮
BH Barry Hoare	7203000020	720311-3	Product Team Lead 7...	Work Group 5 7203	Product 7203	Team Area 7203	02-Jan-2016	Tom Roche	⋮
BC Ben Cunningham	7203000028	720313-40	Product Manager	Work Group 1 7203	Development 7203		02-Jan-2016	Brian StJohn	⋮
BS Brian StJohn	7203000055	720313-45	Product Manager	Work Group 1 7203	Development 7203		02-Jan-2016	Brian StJohn	⋮
BS Brian StJohn	7203000055	720310-6	Development Team L...	Work Group 2 7203	Development 7203	Team Area 7203	02-Jan-2016	Aine Harrington	⋮
CF Colm Foley	7203000048	720313-33	Product Manager	Work Group 2 7203	Development 7203	Team Area 7203	02-Jan-2016	Dan O Flynn	⋮
CK Colman Kelly	7203000064	720318-5	QA Engineer 7203	Work Group 3 7203	Operations 7203	Team Area 7203	02-Jan-2016	Stephen Walsh	⋮

The screen can be filtered using the following options:

Option	Details
Search Employees	This allows you to search for a specific employee by name or personnel number.
Select Employee Status	This allows you to refine the employees displayed by status: • Active • Leaver • Unprocessed Leaver

The **Person Maintenance** screen displays the following information:

Option	Details
Name	Name of the employee.
Personnel No	Employee's personnel number.
Appointment Id	Employee's appointment id.
Job Title	Employee's job title.
Work Group	The work group the employee is assigned to.
Department	The department the employee is assigned to.
Team Area	The team area the employee is assigned to.
Date Started	The start date for the employee.
Reports To	The employee's <i>Reports To</i> manager.

 **Note:** For Employees with multiple appointments, work groups etc each record will be listed individually within the person maintenance screen.

	Kevin Hegarty	7203000051	720310-12	Development Team L...	Work Group 1 7203	Development 7203	01-Jan-2016	Brian StJohn	⋮
	Kevin Hegarty	7203000051	720313-36	Product Manager	Work Group 2 7203	Development 7203	01-Jan-2016	Cormac Hiney	⋮

From the Person Maintenance screen you can also quick jump to the following areas, for an employee, using their 3-dot menu:

- Absences
- Work Schedule
- Balances
- Timesheet

3. Manage an Employee Record

Once you have found the employee, on the Person Maintenance screen, select **View** from their 3-dot menu to manage their record. If you wish to change the order of options within this screen, see [Section 1.3 Dashboard Order](#).

Note: The options available on this screen are menu driven and can be configured to your organisational requirement. See [Section 4 Menu Options](#).

3.1. Key Information

The *Key Information Screen* is the default first screen that will be displayed when you navigate to an employee. This screen displays the most important pieces of employee's information.

Note: When in a People Management Site, this screen will be **view only** as the information is fed through from a combination of People Management, Payroll and WFM.

Barry Hoare
WFM Admin Dashboard > Barry Hoare

BH
Barry Hoare
720300020

Employee*
Barry Hoare

Appointment: 720311-3
Job Title: Product Team Lead 7203

Person

Forename*	Surname*	Known As	Date Started *
Barry	Hoare	Barry	02-Jan-2016
Date Left			

Details

Contract Hours	Standard Hours	FTE	Absence FTE
37.5	Unit Test 37.5	1	
Job Title	Person Type*	Work Group *	Department *
Product Team Lead 7203	Permanent	Work Group 5 7203	Product 7203
Location	Cost Centre	Team Area	Reports To
Location 1 7203	Cost Centre 1 7203	Norse Roster Team 2	Tom Roche

access PeopleX3D

SAVE

The **Person** section contains the following fields:

Field	Details
Forename	This displays the employee's forename.
Surname	This displays the employee's surname.
Known As	This displays the employee's known as name.
Date Started	This displays the employee's start date.
Date Left	This displays the employee's leave date.

The **Details** section contains the following fields:

Field	Details
Contract Hours	This is based on a substantive appointment.
Standard Hours	This is based on a substantive appointment.
FTE	This is based on a substantive appointment.
Absence FTE	This is based on a substantive appointment. Where editable, the Absence FTE should have the same validation as the Absence FTE column in Personnel, that it can't be greater than 1.00
Job Title	The Job Title corresponds to the individuals' position within the company e.g. 01 Team Leader, 02 Supervisor, 03 Manager, etc
Person Type	The Person Type corresponds to the employee's status within the company e.g. Full-time, Part-time, Permanent, Temporary or Leaver etc.
Work Group	This is based on a substantive appointment.
Department	This is based on a substantive appointment.
Location	The Location can be used for costing purposes if required, e.g. 01 Cork, 02 Dublin, 03 Limerick, 04 Waterford, 05 Belfast, etc.
Cost Centre	The Cost Centre can be used for costing purposes if required e.g. 01 Production, 02 Quality Control, etc.
Team Area	This only displays if cp_roster_installed = Y
Reports To	This links to the org role and group for my team.
WFM Calendar	Links to the calendar linked to the employee or employers work group.
Public Holiday Scheme	The scheme applied to the employee.

Field	Details
Occupational Scheme	This checks the sundry profile for payroll employees and work group for T&A only where payroll is not in use.
Schedule	Employees Shift Type.
Payroll Integration	
Live	This displays the type of timesheet employee e.g., Live.
Payment Rule	Rules that are applied to the employee's payments e.g. Basic Rule, Salary Rule.
Employee Type	Type of Employee e.g. Salary, Positive Input, Not on Payroll.
Supervisor	The Supervisor code can be used for information purposes and allows an employee to be associated to their supervisor.
Job	Select a Job from the dropdown options.
Expense	Select an Expense Code from the dropdown options.

3.2. Work Schedule

The *Work Schedule* screen allows the admin or manager to complete a number of different tasks. The screen shows the shift attached to an employee in the current period, with the ability to assign the employee a new shift or to view the shifts details.

The screenshot shows the 'Work Schedule' screen for employee Brian StJohn. At the top, there's a header with the employee's name and a search bar. Below this, a sidebar on the left contains navigation links: Key Information, Work Schedule (selected), Absences, Balances, Person Settings, and Work Group Override. The main content area displays the employee's details: Brian StJohn, Appointment: 720310-6, Job Title: Development Team Lead 7203. Below this, there are fields for Contract Hours (37.5), Standard Hours (37.5), and FTE (1). A table lists the shifts assigned to the employee:

Shift	Date Effective	Type	Cycle Start Seq.
35hrs - 7 Hrs Mtwtf (35.00_001)	01-Jan-2023	Yes	1
12 hour Shift (12)	04-May-2022	No	
Unit Test Automation Shift 1 (UNITAUTOST1)	04-Jan-2016	Yes	1

At the bottom right, there is a 'SAVE' button and an 'ACTIONS' dropdown menu.

The *Work Schedule* screen displays the following information, for the employee, at the top of the screen:

- Employee Contract Hours
- Standard Hours

- FTE Hours

The **Work Schedule screen** contains the following fields:

Field	Details
Shift	This displays the specific name given to the shift.
Date Effective	This displays the date the shift is effective from.
Type	This displays the shift type. A shift is either cycle or period based. Where it is period based, the cycle option is disabled.
Cycle Start Seq.	Select a shift row sequence from the dropdown options.

3.2.1. To Add a Shift:

1. From the **Actions** button, select **Add**.
2. Enter the Shift using the dropdown options.
 - If the shift is Cycle based the Type field will automatically populate with Yes.
 - If the shift is Period based the Type field will automatically populate with No.
3. Enter the date the shift is to be effective from.
4. Amend the cycle start sequence, if applicable.
5. Click **Save**.

3.2.2. To View Schedules:

1. From the **Actions** button, select **View Schedules**.
 - The filter allows you to refine the schedules displayed by current period or specific date range. By default, the screen will display 5 periods before the current period and any future periods.
 - The *current period* is highlighted with a status chip or select *Current Period* to navigate to the current period.
2. Click **View** to display the shift.



Note: If on an appointment driven site, the shift will be assigned to the employee at an appointment level.

Using a work schedules 3-dot menu you can access the following:

- **View Shift Cycles** - This allows you to see the shift cycles an employee is on.
- **Add Personal Override** - This allows you to override a shift cycle where an employee has a specific shift assigned to them, as opposed to a default shift.
- **Delete** - This allows you to delete future shift cycles.

A personal override is needed when an employee is not working on default shifts.

3.2.3. To add a Personal Override:

1. Select **Add Personal Override** from the 3-dot menu
2. Click **Add**.
3. Enter the relevant override shift, against each day of the week, using the dropdown options.
4. Select **Save**.
5. Repeat if further personal overrides are required.

Multi Pattern Framework

 **Note:** Multi Pattern Framework is advanced configuration and should only be configured at the start of an implementation under guidance as this configuration has implications on the calculations.

The values displayed per day for the work pattern on the *View Schedules* screen can be configured under the Global Parameters in the back-office screen by changing the option for the Team Scheduler. These options include:

• Name	• Default Hours
• Abbreviation	• Start/End Time
• Short name	

 **Note:** Changing these values will also update the values displayed on the Team

3.2.4. Where to find Multi Pattern details

Multi Pattern details are available on the following screens:

- *View Shift Cycles*
- *Add Personal Overrides*


When configured users can see any additional shifts that have been assigned to a user on a day in addition to their Primary shifts.

The following web service is required for Multi Pattern Framework:

Multi Pattern Framework	Roster > Get Shifts Additional
-------------------------	--------------------------------

3.3. Absences

The *Absences* screen allows managers or administrators to view and manage employee absence.



The screenshot shows the 'Absences' screen for user Brian StJohn. The interface includes a sidebar with navigation options like 'Key Information', 'Work Schedule', 'Absences' (selected), 'Balances', 'Person Settings', and 'Work Group Override'. The main area displays a table of absences with columns: Pay Code, Start Date, End Date, Days, AM/PM, Hours, Weeks, Num Docs, and Recurrence Id. There are five rows of 'ANNUAL LEAVE' data. A search bar and a filter icon are at the top of the table. An 'ADD ABSENCE' button is in the top right corner.

Pay Code	Start Date	End Date	Days	AM/PM	Hours	Weeks	Num Docs	Recurrence Id
Annual Leave	30-Nov-2023	30-Nov-2023	1.00		8.00	.14	0	...
ANNUAL LEAVE ...	20-Feb-2023	20-Feb-2023	1.00		8.00	.14	0	...
ANNUAL LEAVE ...	01-Feb-2023	01-Feb-2023	1.00		8.00	.14	0	...
ANNUAL LEAVE ...	21-Oct-2022	28-Oct-2022	6.00		.00	1.14	0	...
ANNUAL LEAVE ...	25-Sep-2022	25-Sep-2022	1.00		8.00	.14	0	...

The screen can be filtered using the following options:

Option	Details
Search Leave Types	This allows you to search for a specific leave type.
Filter	This allows you to refine the absences displayed by: • Pay Code • Recurrence Id

The ***Absence screen*** contains the following fields:

Field	Details
Pay Code	This displays the pay code associated with the absence.
Start Date	This displays the start date of the absence.
End Date	This displays the end date of the absence.

Field	Details
Days	This displays the length of the absence in days.
AM/PM	This displays A or P if the absence recorded has been created as a part day.
Hours	This displays the absence taken in hours.
Weeks	This displays the absence taken in weeks.
Num Docs	This displays if the number of supporting documents attached.
Recurring Id	This relates to Recurring Absences only. It will display a number which links all related recurring absences to the original.
Delete Absence	Select <i>Delete Absence</i> from an absence 3-dot menu and clicking Yes to the message generated. The absence balance deletes.

3.3.1. To Add an Absence:

1. Click **Add Absence**.
2. On the *Absence Details* screen select the **Leave Type**.
3. Enter a **Start Date**, then use the options available to add further details for the absence:
 - **Part Day Leave** – here you can enter details for a part day leave absence.
 - **Open Ended** – here you can enter details for an open-ended leave absence.
 - **Enter Duration** – here you can specify the duration of a leave absence e.g., days/weeks.
 - **Recurrence** – here you can setup a recurring absence.
4. Click **Next**.

Absence Details: Brian StJohn - 7203000055

WFM Admin Dashboard > Brian StJohn > Absence Details: Brian StJohn - 7203000055

1 Absence Details

2 More

3 Return to Work Interview

4 Supporting Documents

5 Balances

Absence Detail

Leave Type *
Annual Leave

Start Date *
10-Jan-2024

Select a leave type

Select a start date

Start Time *
09:00

End Time *
12:30

Part Day Leave ☒ Open Ended ☐ Enter Duration ☐ Recurrence ☐

Segments

Select a segment of the day

Time of day *
AM

Select a time of day

access PeopleXD

NEXT SAVE

5. On the *More* screen select, if required, select a Reason and enter a Narrative for the absence. Then click **Next**.
6. On the *Return to Work Interview* screen, if required, enter details of the RTWI e.g., Interview completed, Date RTWI took place and Interview details. Then click **Next**.
7. On the *Supporting Documents* screen, confirm & upload supporting documents that have been provided. Then click **Next**.
8. The *Balances* screen displays an overview of the employees balances. Then click **Next**.
9. The *Upcoming Absences* screen displays details of all employee absences.
10. Click **Save**.

Absence Details: Brian StJohn - 7203000055
WFM Admin Dashboard > Brian StJohn > Absence Details: Brian StJohn - 7203000055

1 Absence Details
2 More
3 Return to Work Interview
4 Supporting Documents
5 Balances

Absence Detail
Leave Type: Annual Leave
Start Date: 10-Jan-2024

Balances

Name	Appointment	Allowance	Requested	Booked	Remaining
Annual Leave 7203	720310-6	25.00	0.00	0.00	29.00

access PeopleID

PREVIOUS SAVE

11. You can view an absence and edit/update screens at any point by selecting **View/Edit Absence Details** from its 3-dot menu on the Absence screen.

Using an Absence 3-dot menu you can access the following:

- **View/Edit Absence Details** - This takes you to the Absence details screen where you can review or edit the absence.
- **Delete** - This allows you to delete the absence.
- **View Co Workers Leave Absence** - This opens the Team Calendar for you to review co-workers leave absences.

3.4. Balances

The *Balances* screen allows you to view the balance assigned to the employee. This displays all active balances assigned to the employee with transactions relating to the selected balance at the bottom section of the screen.

If configured, users can also view inactive balances which means a new balance can be assigned to the employee directly from this screen.

The screenshot shows the 'Balances for Employee' section for Brian StJohn. The table below represents the data shown in the screenshot:

Balance	Open Period	Type	Appointment	Status	Allowance	Carried Over	Taken	Booked	Balance + B...
Annual Leave 7203	01-Jan-2024 to 31-Dec-2024	Days	Developme...	Active	29.50	4.00	1.00	0.00	32.50

Below the table, there is a 'Transactions for Annual Leave 7203' section with another table:

Date	Description	Reserved	Floating	Accrued	Carried	Taken	Balance
01-Jan-2024	Opening Values	0.00	15.50	0.00	4.00	0.00	0.00

The screen can be filtered using the following options:

Option	Details
Active	This allows you to filter the display by Active or Inactive balances.
This Appointment Only	This toggle can be used if a user has multiple appointments. Enable to display active/inactive balances for this appointment only.

The **Balances** contains the following fields:

Field	Details
Balance	This displays the balance name.
Open Period	This is the current period.
Type	This displays the type of balance e.g., days.
Appointment	This displays the appointment the balance is assigned to.
Allowance	This displays the users balance allowance for the current period.
Carried Over	This displays the carried over balance to the current period.
Taken	This displays the balances taken for the current period.
Balance	This displays the total balance available for the current period.
Booked	This displays booked balances not yet taken.
Balance + Booked	This displays a total remaining balance for the current period.

Field	Details
Delete	Select <i>Delete</i> from the 3-dot menu, confirm Yes to the warning message generated. The balance deletes.

3.4.1. Assign a New Balance

1. Click **Assign New Balance**.
2. Select the **Balance** from the dropdown options.
 - Based on the balance selected different fields are available to populate.
3. Complete the balance details, using the dropdown options available. Ensure all mandatory fields are entered.
4. Click **Save**.

Using a balances 3-dot menu you can access the following:

- Balance Adjustment
- Recalculate
- Deactivate
- Entitlement Basis
- Edit Setup
- Delete

3.4.2. Make a Balance Adjustment

1. Select **Balance Adjustment** from the 3-dot menu.
 - You are prompted to enter the following, using the dropdown options available:
 - Balance
 - Date Effective
 - Adjustment Amount
 - Period
 - Adjust
 - Reason for Adjustment, if required
 - If you do not enter a reason for adjustment and the *Comments Mandatory on Adjustments* toggle has been enabled when the balance was created, then when you save you will receive an error, 'Please review this form for errors' and the *Reason for Adjustment* field is highlighted. For further details on Balance Configuration see our [guide](#).
2. Once completed, click **Calculate Balance**.
 - You will be prompted to confirm the *Calculate from Period*, click **OK**.
3. Click **Save**.
4. The Adjustment will display under Adjustment History.

Balance Adjustment

WFM Admin Dashboard > Brian StJohn > Balance Adjustment

Adjustment Details

Appointment ID
720310-6

Balance *
Annual Leave 7203

Period *
2024 (01-JAN-24 to 31-DEC-24)

Date Effective *
10-Jan-2024

Adjust *

Adjustment Amount *

Reason for Adjustment

Adjustment History

Period	Adjusted	Amount	Reason	Date	User
2024	Accrued Entitlement	1	ACCRUAL - 29-FEB-2024	10-Jan-2024 11:43	ACCRUAL - 29-FEB-2024
2024	Accrued Entitlement	1	ACCRUAL - 31-JAN-2024	10-Jan-2024 11:43	ACCRUAL - 31-JAN-2024
2024	Accrued Entitlement	1	ACCRUAL - 31-MAR-2024	10-Jan-2024 11:43	ACCRUAL - 31-MAR-2024

access People XD

CALCULATE BALANCE

SAVE

Note: Once you save a balance adjustment, for auditing purposes, it can't be deleted. To return the balance to its original value, you need to process a counter adjustment. For example, if you've entered an adjustment of +10 hours, you need to make another adjustment to the same balance period of -10.

Rehires Balance Entitlement

For an employee that is rehired in the same calendar year, where they are linked to a personal level balance and the *Calculate Rehire Entitlement* option has been enabled on the Balance.

Annual Leave 7203

WFM Admin Dashboard > Balance Configuration > Annual Leave 7203

Current Balance *
Annual Leave 7203

Code 7203AL

Current Period 2025 (01-Jan-2025-31-Dec-2025) Type Fixed

Search

Summary

Calendar Parameters

Balance Calendar

Accrual Calendar

Hide Balance

Use Hire/Leave Dates

Comments Mandatory on Adjustments

Maintain Next Period Balance


Calculate Rehire Entitlement

See our [Balance Configuration](#) guide for further details.

Users will be able to view the automatic balance adjustment and narrative on the employee record. To do this:

1. From the *WFM Admin Dashboard* select **WFM Person Maintenance**.

2. Expand the 3-dot menu of the relevant employee and click **Balances**.
3. Click the relevant balance to display details in the Transactions section.
4. Scroll to *Transactions* and click **View** to see the transaction narrative.




3.4.3. View Balance Entitlements

1. Select **Entitlement Basis** from the 3-dot menu.
2. The Balance Entitlement displays.

3.4.4. Recalculate a Balance

1. Select **Recalculate** from the 3-dot menu.
2. Select the *Calculate from Period* you wish to calculate.



3. Click **OK**.

3.4.5. Edit the Setup of a Balance

1. Select **Edit Setup** from the 3-dot menu.
2. Make the changes as applicable.
3. Click **Save**.

The screenshot shows the 'Edit Balance' interface. At the top, it says 'Edit Balance' and 'WFM Admin Dashboard > Brian StJohn > Edit Balance'. The main section is titled 'Balance Details' and contains four fields: 'Balance*' with the value 'Annual Leave 7203', 'Period' with '2024 (01-JAN-24 to 31-DEC-24)', 'Balance Type*' with a dropdown showing 'Days', and 'Balance Segment*' with a dropdown showing 'None'. Below this is the 'Entitlement Codes' section with a field for 'Length of Service' showing 'Plus 2 After 5 Years'. At the bottom right, there is a green 'SAVE' button and a small 'access PeopleXO' logo.

3.4.6. Deactivate a Balance

1. Select **Deactivate** from the 3-dot menu.
 - The balance will automatically deactivate the balance, and it will be removed from the active balances screen.

If a balance needs to be restored:

1. Filter the Balances screen to **Inactive**.
2. From the 3-dot menu of the relevant balance, select **Activate**.
3. The balance will be restored.

3.4.7. New Year Leave Entitlement

The new year entitlement feature support employees to submit and validate leave requests for the next leave year. See our [New Year Leave Entitlement](#) guide for further details.

To add a new balance entitlement to your Balance, follow the steps below:

1. From the *Entitlements Per Balance* tab, click **Add Entitlement**
2. Select, from the drop-down options, the relevant **Entitlement Level, Period** and **Affecting Element**.
3. Enter a Value for the Days, Hours and Occurrence, if required

4. Select the *Length of Service*, from the drop-down options.
5. Once complete, click **OK**.

To enable New Year Entitlement on a Balance, follow the steps below:

1. From the *Summary* tab, turn on the **Maintain Next Period Balance** toggle.
2. Click **Save**.

The screenshot shows the 'Balances for Employee - Finbar Fenton, QA Engineer 7203' page. On the left is a sidebar with navigation links: Team Area Assignment, Key Information, Work Schedule, Absences, Balances (selected), and Person Settings. The main area displays a table of balances. The 'Annual Leave 7203' row is highlighted, and its 3-dot menu is open, showing 'Entitlement Basis' and 'Recalculate' options. Other rows include 'Annual Leave 7203' and 'Parental Leave 7204'. A toggle for 'This Appointment Only' is visible, along with an 'ASSIGN NEW BALANCE' button.

Balance	Entitlement Period	Type	Appoin...	Status	Allowa...	Carried...	Taken	Booked	Balanc...
Annual Leave 7203	01-Jan-2025 to 31-Dec-2025	Days	QA En...		40.00	0.00	0.00	3.00	37.00
Annual Leave 7203	01-Jan-2026 to 31-Dec-2026	Days	QA En...		20.00			2.00	18.00
Parental Leave 7204	15-Oct-2024 to 14-Oct-2025	Days	QA En...		0.00	0.00	0.00	0.00	

Using the New Years Leave Entitlement 3-dot menu you can access the following:

- Entitlement Basis
- Recalculate

Note: When recalculating a New Year Leave Entitlement balance the *Calculate from Period* will default to the current period. All future balances, anything after the current period, will not be available to select on both the person level and balance level recalculation screen.

3.5. Person Settings

The Person Settings screen is broken out into the following five tabs:

- Employee Settings
- Working Time Directive
- Bradford Factor
- Extra Hours Recoding

- Bonus Override



Note: Person Settings can be called from People Management – Employee Dashboard. This is controlled by the menu option PEOPLE MANAGEMENT > HR ADMIN > EMPLOYEE DASHBOARD > Person Settings.

3.5.1. Employee Settings

The Employee Settings screen displays settings that can be configured at an employee level.

The **General Settings** section contains the following fields:

Field	Details
Generate Overtime	If enabled, this will allow approved overtime to be generated for the employee. If turned off, no overtime will be generated.
Maintain Clockings	If enabled, this allows the employees clockings to be maintained through Time Record and Maintain Pay Codes/Hours.
Site Status	This indicates if the employee is off or on-site.
Interface External Hours	Checks if hours are to be interfaced from an external source.

The **Advanced Settings** section contains the following fields:

Field	Details
Productivity Code	In order to set an employee up on Productivity Payments, a Productivity Code must be entered here.
Overtime Paycode	This overrides the default OT Pay Code on the Work Group, which is set up with Default Payroll Hours of 39.
Basic Paycode	This overrides the default basic pay code on the Work Group, which is set up with Default Payroll Hours of 39.
Balance Paycode	This is the pay code that will be used by the calculation program to create a balance when used with 'effect basic' absence pay codes.
Ignore Overtime Rule	Enable to specify that this employee is not to be included in the generate timesheets overtime rule.
Disallow Business Absence	Enable to specify that this employee is not allowed to use business absence.
Banked Overtime Percentage	If using Banked Overtime balance, specify a value to override the banked percentage on the shift.
Ignore View Roster	Enable to exclude this employee from the view roster option (ESS).
Generate Job Hours	Enable to generate job hours for this employee.
Ignore Hold/Arrears in RFA	Enable to not automatically generate hold and arrears periods in recoded future absence.
Disallow Early Out Tolerance	Enable to specify that this employee is not allowed early out graces.
Disallow Late Tolerance	Enable to specify that this employee is not allowed late graces.

The **Rostering** section contains the following fields:

Field	Details
Restrict Employee Cost	If enabled, the employee's costs are hidden.
Roster Attribute Group	Select from the dropdown list the relevant Roster Attribute Group.

Field	Details
Exclude this person from validation when publishing roster	If enabled, this will allow the user to exclude contract hours validation when publishing this team, based on a Team or Specific Employee.
Enable Functionality	Allows you to override the default Roster Contract Work Day at Person Level. The days can then be picked up as part of the Unrostered Bookings and override the company settings. Select from the dropdown options: • Yes – enables the functionality and allows you to select the contracted days to override. • No – disable the functionality • Default to Company – uses company as default.
Contract Hours	Once enabled, select the contracted days you want to override e.g., Contracted Monday, Contracted Wednesday etc.

The ***Timesheet Threshold*** section contains the following fields:

Field	Details
Enable Timesheet Threshold Balance Functionality	Select Yes/ No to apply timesheet thresholds balance to this person or default to work group setting.
Employee Contract Hours for Threshold Value	Use Contract or FTE hours from post history / Person Record (if no using Threshold hours) or default to work group setting.
Threshold Hours Value	Enter a value for threshold hours (if not using employee contract hours) or leave null to default to company setting – this field isn't editable when the FTE or Contracts hours are selected for the "employee contract hours for threshold value".
Threshold Impacting Pay Code Group	Enter a pay code group to sum against threshold hours or leave null to default to company setting.
Threshold Balance Code	Enter the balance code to apply any surplus hours to or leave null to default to company settings.
Threshold Excess Payroll Contra Pay Code	Enter the pay code at which any negative adjustments are written to payroll or leave null to default to company setting.

3.5.2. Working Time Directive

The Working Time Directive (WTD) screen displays which WTD Group is attached to the employee and allows the administrator to define the type of worker and what the rule is based on.

If you switch between the average hours and pattern hours, the WTD scores recalculate. If you change the dates, the WTD recalculates based on the new period date range.

The **Working Time Directive** screen contains the following fields:

Field	Details
Working Time Group	The Working Time Group is set up within the System Params Working Time Parameters form. The employee must be attached to a group.
Worker Type	The Worker Type indicates what rules should be applied for the employee e.g. Day Worker, Night Worker, Hazardous Night Worker.
Average Hours	Enable if the working time directive is to be based on Average Hours.
Pattern Hours	Enable if the working time directive is to be based on Pattern Hours.
From/To Period	Select the From and To period the WTD is to cover.

Field	Details
Average Hours	If you switch between the average hours and pattern hours, the WTD scores recalculate. If you change the dates, the WTD recalculates based on the new period date range.
Hours Allowed to Work	If you switch between the average hours and pattern hours, the WTD scores recalculate. If you change the dates, the WTD recalculates based on the new period date range.

The Working Time Agreement History screen is accessed by clicking the **Agreement History** button within the WTD screen. The screen displays details of all active Agreements.

To Add a Record to WTD Agreement History:

1. Click the **Agreement History** button.
2. Click **Add**.
3. Enter an **Opt in Date**, for the agreement.
4. Enter an **Opt Out Date**, for the agreement.
5. Enter a **Notification date**, if required.
6. Enter **Comments** related to the agreement. Max characters 4,000.
7. Enable the Supporting Doc. Received toggle if documents provided.
8. Click **OK**.
9. The record will display, use its 3-dot menu to Edit/Delete.

Working Time Agreement History					
WFM Admin Dashboard > Brian StJohn > Working Time Agreement History					
Opt In Date	Opt Out Date	Notification Date	Comments	Supporting Doc. Received	
11-Jan-2024	10-Jan-2025	10-Jan-2024	Example WTD Agreement	☒	Edit Delete

3.5.3. Bradford Factor

The Bradford factor is a tool which a manager can use to track an employee's absences. This tab shows a manager what the Bradford factor score is for an employee.

The Bradford factor is used to calculate an employee's Bradford factor score $B = S^2 \times D$ where:

- **S** = total number of spells (instances) of absence for that individual in the given period.
- **D** = total number of days the individual was absent during the given period.

Managers can specify their predefined Bradford factor rule. This will then calculate the Bradford Factor Score against an employee. Once the user calculates the score the details display on screen.

It's not possible to delete or edit the Bradford Factor score as it is determined by affecting pay codes. If an employee registers any absences that are related to Bradford Factor the score increases. Take note of the start and end date of the current Bradford calendar, as the score will only count for absences in the period.

If the Bradford Factor score is not calculating, check if the Bradford Factor is set up on the Bradford Factor Rule parameter on the respective employee's work group or employee level.

Note: The System Calendar needs to be up to date in order to calculate the Bradford Factor score for any employee.

The screenshot displays the 'Bradford Factor' configuration page for employee Brian StJohn. The page includes a sidebar with navigation links: Key Information, Work Schedule, Absences, Balances, Person Settings (highlighted), Work Group Override, and Personal Groups. The main content area shows the 'Bradford Factor' settings, including the 'Bradford Enquiry Rule' set to 'Bradford Factor', the 'Current Rule Code' as 'UNIT', and the 'Current Rule Name' as 'Bradford Factor'. The 'Rolling Period' is '202338', the 'Start Date' is '12-Sep-2022', the 'End Date' is '24-Sep-2023', and the 'Rolling Weeks' is '52'. A 'Last Calculated' field is present at the bottom right. A 'CALCULATE' button is located in the bottom right corner. The page is titled 'Brian StJohn' and 'WFM Admin Dashboard > Brian StJohn'.

3.5.4. Extra Hours Recoding

The *Extra Hours Recoding* screen allows administrators to select a pay code, against the balance, to recode extra hours for an employee on their timesheet..

The screenshot shows the WFM Admin Dashboard for user Brian StJohn. The left sidebar contains a search bar and a list of menu items: Key Information, Work Schedule, Absences, Balances, Person Settings (highlighted), and Work Group Override. The main content area has a breadcrumb trail: Employee Settings > Working Time Directive > Bradford Factor > Extra Hours Recoding > Bon. Below this is a table with columns: Date Effective, Paycode, Balance Code, and Recode. The table contains one row with the date 11-Jan-2024, the paycode Additional Hours, and a Recode toggle switch that is currently turned on. An 'ADD' button is located in the top right corner of the table area.

To Add an Extra Hours Recoding record:

1. Click **Add**.
2. Select the Date to be effective from.
3. Enable the Recode toggle.
4. Enter **Pay Code**.
5. Enter **Balance Code**, if required.
6. Click **OK**.
7. The record will display. You can Edit/Delete the record using its 3-dot menu.

3.5.5. Bonus Override

The Bonus Override screen allows users to assign an employee a bonus override.

The screenshot shows the WFM Admin Dashboard for user Brian StJohn. The left sidebar is identical to the previous screenshot, with 'Person Settings' highlighted. The main content area has a breadcrumb trail: Settings > Working Time Directive > Bradford Factor > Extra Hours Recoding > Bonus Override. Below this is a section titled 'Bonus Override' with a search bar. A table lists bonus overrides with columns: Bonus Code and Description. The table contains one row with the code UNIT1 and the description Unit 1 non pattern bonus. A 'DELETE' button is located to the right of this row. An 'ADD' button is located in the top right corner of the table area.

To Add a Bonus Override record:

1. Click **Add**.
2. Select the **Bonus Code**, from the dropdown options.
 - The description will automatically display.
 - The record can be removed by clicking Delete and confirming the warning message.

3.6. Work Group Override

The *Workgroup Override* screen allows the user to override certain work group settings at an employee level. The screen displays the current work group setting and displays if there is any value held against the employee overriding the work group setting.

The screenshot shows the 'Work Group Override' screen for employee Brian StJohn. The interface includes a sidebar with navigation links and a main table of settings. The table has columns for 'Work Group Setting', 'Company Value', 'Work Group Value', and 'Person Override Value'. The settings listed are: Holiday Scheme (Roi Public & Company Holidays), Shift Type (Rest Shift), Pay Frequency (7203UDC), Non Generate Timesheets (N), User Defined Calendar Group (Yes), and Team Scheduler Timesheet Template (Default Manager Template). Each row has a 3-dot menu for actions.

The screen can be filtered using the following options:

Option	Details
Search	Users can search the <i>Work Group Setting</i> to restrict the list of values returned on screen.

From the 3-dot menu you have the option to:

- **Edit Override** - change the setting held against the employee.
- **Delete Override** - delete the existing override held against the employee and revert back to the work group setting.
- **Change Work Schedule** – this only applies to the Shift Type, Work Group Setting, where the options edit and delete are not available to the user. This calls the *Work Schedule* screen, see [section 3.2 Work Schedule](#).

3.7. Personal Groups

On the *Personal Groups* screen, a manager or an administrator can view the specific groupings which an employee can be assigned to e.g., Pay Code, Work Pattern or Cost Centre groups.

The screenshot shows the 'Personal Groups' screen for user Brian StJohn. The interface includes a sidebar with navigation links like 'Key Information', 'Work Schedule', 'Absences', 'Balances', 'Person Settings', and 'Personal Groups'. The main area has a search bar and two sections: 'Pay Code Access Groups' and 'Additional Groups'. The 'Pay Code Access Groups' section contains a table with columns for 'Pay Code Grouping', 'Assignment Level', and 'Default'. The 'Additional Groups' section has dropdowns for 'Work Pattern Group' and 'Cost Centre Pattern'. There are 'ACTIONS +', 'ADD', and 'DELETE' buttons, and a 'SAVE' button at the bottom right.

The ***Pay Code Access Groups*** screen contains the following fields:

Field	Details
Pay Code Grouping	Select the relevant Pay Code Grouping the user will have access to.
Assignment Level	This is the level the Pay Code Access Group will be assigned. Options available are: Appointment or Person.
Default	If displayed as Y, this indicate which is the default grouping used for the person or person/appointment combination.
Delete	This allows you to delete the Pay Code Access Group.
Work Pattern Group	Select the relevant Work Pattern Group to further refine access to the Pay Code Group, if required.
Cost Centre Pattern	Select the relevant Cost Centre Pattern to further refine access to the Pay Code Group, if required.

Add a Pay Code Access Group:

1. Click **Add**.
2. Select the **Pay Code Access Group**, from the dropdown options.

3. Select the **Assignment Level**, from the dropdown options.
4. Click **Save**.

Create a Pay Code Group:

1. From the *Actions* button, select **Create New Group**.
2. Enter a **Group Code**.
3. Enter a **Group Description**.
4. Click **OK**.
5. The pay code group will open for you to add pay codes to.

Add Pay Codes to the Group:

1. Click **Add**.
2. Search for and select a **Pay Code**.
3. If required enable the **View Only** toggle.
 - This means the details display on the screen, but the user cannot insert or update any details.
4. Repeat to add the required Pay Codes.
5. Click **Save**.

Manage Existing Pay Code Group:

You may need to amend the Pay Codes in a Pay Code Group, to do this:

1. From the *Actions* button, Select **Edit Existing Group**
2. Search for the **Pay Code Group** you wish to edit.
3. If required, click **Add** to add new Pay Codes.
4. If required, click **Delete** to delete existing Pay Codes.
5. Click **Save**.

See our guide [Pay Code Access Groups](#) for further guidance on Pay Code Access Groups.

3.8. Leave Request History

The *Leave Request History* screen allows Managers or Administrators on a site to view Leave Requests for an employee as well as their current status.

By default, the leave requests for the current Annual Leave Calendar period are shown.

The screenshot displays the 'Leave Request History' section for the user 'Brian StJohn'. The interface includes a sidebar with navigation options: 'Work Group Override', 'Personal Groups', 'Leave Request History' (selected), 'Badge Details', and 'Contact Information'. The main content area shows a table of leave requests. The table has columns: Name, Type, Appointment Id, Dates, Part Day, Actioned By, Reason, and Status. A single record is shown for 'Brian StJohn' with 'Annual Leave 3700' (35 hours 00 minutes), Appointment Id '720310-6', and Dates 'Start 20-Jun-2023' to 'End 26-Jun-2023'. The status is 'Submitted'.

The screen can be filtered using the following options:

Option	Details
Search	Users can search the <i>leave type</i> to restrict the list of values returned on screen.
Select Leave Period	Use the dropdown options to select the period of leave requests to display. By default, leave requests for the current Annual Leave Calendar period are shown.
Filter	Use the filter button to refine your search. You can filter by, the following, and click Apply to filter the results. - Pay Code - Status

The **Leave Request History** screen contains the following fields:

Field	Details
Name	This displays the employees name.
Type	This displays the Leave type requested.
Appointment Id	This will display the appointment id for the employee the leave request has been assigned to, if using multi-appointments.
Dates	This displays the leave dates and when it was submitted.
Part Day	This indicates if the leave taken is part day.
Actioned By	This displays who the leave request was actioned by, and when.
Reason	This will display the Reason added to the leave request, if required.

Field	Details
Status	This displays the status of the leave request e.g., Submitted, Approved, Pending or Rejected.

From the 3-dot menu of any Leave Request, you can:

- **View Balance Details** – This will open the employee's My Balances screen.
- **View Employee Comments** – This will display Employee comments, if given.
- **View Manager Comments** – This will display Manager comments, if given.
- **Request Details** – This will open the Leave Request Details screen.

3.9. Badge Details

The *Badge Details Screen* allows Administrators to view or amend badge details for employees.

The badge details screen is broken out into the following 3 tabs:

- **Individual Information:** lists all the employee's badges and shows their status.
- **Badge Enquiry:** display the badge details for employees within the user remit.
- **Clocking Distribution Groups:** lists all clocking distribution groups.

Once the Kiosk Site is enabled the Badge Details screen is available for all employees. From here you can manage the employees badge details and unlock or reset their kiosk pin.

- **Unlock Kiosk Pin** – this will unlock the pin for an employee. If the pin is not locked and the button is selected a message will return stating the **Pin is Not Locked**.
- **Reset Kiosk Pin** – this will reset the employee pin and send an email.

3.9.1. Individual Information

The Individual Information screen lists all badges created for an employee, detailing the badge number, version, status, and the issued date. An employee can have multiple badges assigned but only one can be Active.

The screenshot shows the 'WFM Admin Dashboard' for 'Brian StJohn'. The user profile section displays 'BS' as the initials, 'Brian StJohn' as the name, and '7203000055' as the badge number. The 'Individual Information' tab is selected, showing a table with the following data:

Badge	Person	Name	Version No.	Valid	Issue Date	Expiry Date	Description	Code
7203000055	7203000055	Brian StJohn	1	☒	02-Jan-2016			

Buttons for 'UNLOCK KIOSK PIN', 'RESET KIOSK PIN', and 'ADD' are visible. The left sidebar contains links for 'Personal Groups', 'Leave Request History', 'Badge Details' (selected), 'Contact Information', and 'Next Of Kin'.

The **Individual Information** screen contains the following fields:

Field	Details
Badge	This is the Badge number. It is a numeric field, ranging from 1 to 12 digits. Badge numbers are unique and cannot be reused. If an existing badge number is entered an Error notification will appear and the number will need to be amended before it can be created.
Person	This is the employee number.
Name	This is the employee's known as name.
Version No.	The version number enables administrators to track how many times a badge number is issued to the same employee e.g. An employee's card is broken, on re-issue the administrator increments the version number. The column is required and at a minimum should be set to 1 if not tracking badge number versions.
Valid	Staff members may have multiple badge numbers assigned but only one badge number can be marked as valid. Where deployed in conjunction with TDS/Access Control this also downloads the badge number, which in turn, is enabled at the various clocking devices.
Issue Date	The date the badge number was issued.
Expiry Date	If a badge was taken back from an employee, the Administrator can enter the date the badge was expired. This does not deactivate the physical badge number from being used at various

Field	Details
	devices, it's a note storing when a badge was de-activated. This is an Optional field.
Description	You can select if the badge is a visitor or a contractor badge. This is an Optional field.
Code	This returns a related code if the Description field is populated.

Add a Badge:

1. Click **Add**.
2. Enter the **Badge Number**, **Issue Date** and **Version** plus any additional information required.
3. Click **OK**.
4. The badge will display.
5. **Activate** the Valid toggle to enable.

To Edit a Badge:

1. Search for the relevant Badge.
2. From the 3-dot menu select **Edit**.
3. Update the Badge Details with the required changes.
4. Click **OK**.

3.9.2. Badge Enquiry

This tab allows to search for all of the badges which are currently set up for employees. Admins can also check that a badge number has not been assigned to another employee before it is assigned to a specific employee. This screen is non editable.

The screenshot shows the WFM Admin Dashboard for user Cormac Hiney. The interface includes a sidebar with navigation options: Personal Groups, Leave Request History, Badge Details (selected), Contact Information, Next Of Kin, Trigger Points, and Team Area Assignment. The main content area has three tabs: Individual Information, Badge Enquiry (active), and Clocking Distribution Groups. The Badge Enquiry tab displays a search bar and a table of badge assignments.

Badge	Person	Name	Version No.	Valid	Issue Date	Expiry Date	Desc...	Code
3748	003748	VUE...	1	☒	28-Feb-2024			
3729	003729	New...	1	☒	20-Feb-2024			
3698	003698	Decl...	1	☒	13-Feb-2024			
123	0123	Cre...	1	☒	06-Feb-2024			
2345	2345	Cre...	1	☒	06-Feb-2024			

See our guide [Badge Assignment](#) for further guidance.

3.9.3. Clocking Distribution Groups

This is where clocking distribution groups can be assigned to an employee. It uses a third party, Grosvenor, to integrate the clocking system. For further guidance refer to our guides: [Grosvenor Clocking Integration](#).

3.10. Contract Information

Contact Information can be viewed via the Person Maintenance Screen but is *view only* when running in a HR Site. The information contained on the screen is maintained in the employees HR record.

The screenshot shows the 'Contact Information' tab for Alice Jones. The left sidebar contains a search bar and a list of tabs: Personal Groups, Leave Request History, Badge Details, Contact Information (selected), Next Of Kin, Trigger Points, and Roster Contract. The main content area displays the following information:

Employee *		
Alice Jones		

Address Details		
Address Line 1	Address Line 2	Address Line 3
Apt 247	Westferry House	Westferry Road
Address Line 4	Address Line 5	
Poplar		

Home Telephone Number	
Home Telephone Area Code	020 7946 0760

Contact Details	
HTN	Home Telephone Number

3.11. Next of Kin

Next of Kin contact information can be viewed via the Person Maintenance Screen but is *view only* when running in a HR Site. The information contained on the screen is maintained in the employees HR record.

The screenshot shows the 'Next Of Kin' tab for Alice Jones. The left sidebar is the same as the previous screenshot, but the 'Next Of Kin' tab is selected. The main content area displays the following information:

Forename	Surname	Relationship
Jonathan	Jones	Father

Phone
020 451 6541

Address		
Address Line 1	Address Line 2	Address Line 3
66		
Address Line 4		

3.12. Trigger Points

The *Trigger Points* screen breaks out into three tabs to allow the user to see what settings are held at **Employee**, **Work Group** and **Company** level.

The Person Trigger Points override the work group and company values while the work group overrides the company values.

Users can add, update or delete the trigger point groups held against the employee. The rules assigned to the trigger points display in the **Rules** section so users can see what triggers are checked against an employee.

Ben Cunningham
WFM Admin Dashboard > Ben Cunningham

Employee*
Ben Cunningham

Appointment: 720313-40
Job Title: Product Manager

Search

Badge Details

Contact Information

Next Of Kin

Trigger Points

Team Area Assignment

Roster Contract

Shift Swap History

Uncovered Shifts

Person Work Group Company

Groups

Filter Trigger Points

1 Company Default DELETE

6 Trigger point Groups DELETE

Rules

Rule	Rule Description	Group Id	Description
1	Uncertified Sick > 7 days	1	Company Default

access PeopleXD

SAVE

Add a Trigger Point:

1. Click **Add**.
 - A dropdown menu will appear.

Groups

Filter Trigger Points

1

Company Default

Company Defaul...

Rule Description

2. Select the rule to be added.
3. Repeat to add all required rules.
4. Click **Save**.
5. The trigger point(s) will display under the *Rules* section.

6. If required, click **Delete** to delete existing Rules.
7. Click **Save** to capture changes.

See our guide [Trigger Points](#) for further guidance.

3.13. Team Area Assignment

Team Area is used for Roster, it's similar to work groups, for someone to appear on Roster, you would assign them to a team area, and they would then show under that team area on Roster

If you don't have Roster setup on your system, this won't be populated. The Team Area column is hardcoded and can't be removed.

The *Team Area Assignment* screen allows you to view and manage an employee's Team Area.


The screenshot shows the 'Team Area Assignment' screen for employee Brian StJohn. The header includes the employee's name, ID (7203000055), and appointment details (720310-6, Development Team Lead 7203). A sidebar on the left lists navigation options: Trigger Points, Team Area Assignment (selected), Roster Contract, Shift Swap History, and Qualifications. The main area contains a table with columns for Team Area, Start Date, and End Date. One row is visible with 'Team Area 7203' and '02-Jan-2016'. An 'ADD' button is in the top right, and a 'SAVE' button is in the bottom right. A watermark 'access PeopleX' is visible at the bottom center.

By default the employees current Team area will display.


To add a New Team area:

1. Click **Add**.
2. From the *Team Area* dropdown menu, select the required team area.
3. Enter the **Start Date** for the assignment.
4. Enter an **End Date** for the existing assignment.


- A restriction has been added only allowing users to enter a Team Area End date which is within the last month. This removes the refresh issues previously encountered when removing employees from their Team Area.



5. Click **Save**.
6. A warning message will display.



7. Click **Yes** to confirm.




To provide users with the ability to add/update employees team area they will need to be assigned the following menu option.

Menu Option	Menu ID
Add/Update Employees Team Area	MAIN_MENU.BADGE_DETAILS_UPDATE – 833571

Note: Only employees with an active Team Area will be displayed when running Person Maintenance by Team Area access. If the team area is ended with a historical date, they will no longer be visible on Person Maintenance.

3.14. Roster Contract

The *Roster Contract Screen* is used for Roster and allows the Admin/Manager to view an employee's roster contract. If you don't have Roster setup on your system, this won't be populated.

The screenshot shows the 'WFM Admin Dashboard' for 'Barry Jones'. On the left is a sidebar with a search bar and a list of menu items: 'Team Area Assignment', 'Roster Contract' (highlighted), 'Shift Swap History', 'Qualifications', and 'NCHD Parameters'. The main content area displays employee details for 'Barry Jones' (Appointment: 726411-3, Job Title: Colleague). It includes fields for 'Start Date' (03-Jan-2023) and 'End Date'. A 3-dot menu next to the 'End Date' field contains 'Edit Contract' and 'Delete Contract' options. There is an 'ADD NEW CONTRACT' button in the top right and a 'SAVE' button in the bottom right. The 'Access People360' logo is at the bottom center.

From the 3-dot menu of a contract select **Edit**, this will open the employees contract details and display their availability including:

- Available times to work daily
- Min/Max work hours per day
- Min/Max Shifts per week

This is used to check employee's availability as part of the Auto Roster and notifies users if the employees schedule has any gaps. Users can view/amend existing contracts or add a new contract to an employee.

To add a new contract you first need to set an End Date on the existing contract. To do this:

1. From the existing contract 3-dot menu, click **Edit**.
2. Select the **Contract End Date**.
3. Click **Save**.
4. A warning message will display stating 'This will update the entire contract', click **Yes** to confirm.

You can now add a new contract, to do this:

1. Click **Add New Contract**.
2. Enter the **Contract Start Date**.
 - This cannot overlap the existing contract end date.
3. Add in the Availability details.

The screenshot shows the 'Contract Details' form for Barry Jones (ID: 7264000020). The form is divided into two main sections: 'Availability' (selected) and 'Profile Details'. The 'Availability' section includes fields for 'Contract Start Date*' (27-Feb-2024) and 'Contract End Date'. Below these is the 'Availability Details' section, which contains a 'Number of Sundays' (3), a 'Late Nights' toggle (checked), and a 'Number of Late Nights' (3). There is also a 'Cycle*' dropdown set to 1 and an 'ADD CYCLE' button. At the bottom, there is a table for 'Day', 'Start Time', and 'End Time' with rows for Tuesday, Wednesday, and Thursday, each with a 'CLEAR' button. The 'access PeopleXD' logo is visible at the bottom center, and a 'NEXT' button is at the bottom right.

Day	Start Time	End Time	
Tuesday	08:00	22:00	CLEAR
Wednesday	08:00	22:00	CLEAR
Thursday			CLEAR

4. Click **Next**.
5. Then enter Shift & Additional details, as required.

Contract Details: Barry Jones - 7264000020

WFM Admin Dashboard > Barry Jones > Contract Details: Barry Jones - 7264000020

1 Availability

2 Profile Details

Shift Details

Minimum Hours Per Day

4

Maximum Hours Per Day

10

Standard Hours Per Day

7.5

Daily Contract Hours

7.5

Max Shifts Per Week

5

Contract Text

Roster Grade

Additional Details

Minimum Hours Per Week

30

Maximum Hours Per Week

40

Rating

Hourly Rate

access PeopleXD

PREVIOUS

SAVE

6. Click **Save**.

7. The new contract will display.

3.15. Shift Swap History

The *Shift Swap History Screen* gives an overview of employee's shift swaps.

Barry Jones

WFM Admin Dashboard > Barry Jones

BJ

Barry Jones

7264000020

Employee *

Barry Jones

Appointment: 726411-3

Job Title: Colleague

Search

Employee Swaps This Year

26-Dec-2023 - 24-Dec-2024

Submitted

Accepted

Rejected

Search

Team	Current Shift	Proposed Shift	Submitted by	Submitted to	Status
26 Floor Cover	Rest Day1	Rest Day1	Andrew Smith Colleague	Barry Jones	Accepted

The screen can be filtered using the following options:

Option	Details
Search	Users can search to restrict the list of values returned on screen. For example, by status or team.
Filter	Use the filter button to refine your search to a specific date.

Access Limited Distribution

Page 46 of 92

- **Swaps submitted** – All swaps that an employee submitted in the current system calendar year.
- **Swap Accepted** – All swaps that the employee Accepted from other employees in the current calendar year.
- **Swaps Rejected** – All swaps that the employee Rejected from other employees in the current calendar year.


Note: The current calendar year relates to the system calendar dates associated with the employees' company. The dates the summary relate to will be displayed under the label.

From the 3-dot menu of a swap you can select **View Details** to displays:

- Specific information on the swap i.e. who else is involved.
- Specific details of the shift for both employees.

3.16. Uncovered Shifts

The *Uncovered Shifts Screen* shows the admin/manager the shifts which have been accepted by the employee as well as the number of uncovered shifts which have been rejected.



The screen can be filtered using the following options:

Option	Details
Search	Users can search uncovered shifts accepted to restrict the list of values returned on screen. For example, by date, day, time, duration or Pattern.

The screen provides the following:

- A summary of Shifts Accepted and Shifts Rejected in the current calendar year.

Note: The screen will be appointment driven if running in a multi appointment site.

3.17. Person Attributes

The Person Attribute Screen allows administrators / managers to assign a default Attribute to an employee which can then be displayed on an employee's Roster.

Barry Jones
WFM Admin Dashboard > Barry Jones

Employee *
Barry Jones

Appointment: 726411-3
Job Title: Colleague

Attribute Start Date End Date

0001 Unit Test attribute description 01-Jan-2024


ADD DELETE SAVE

To add a Person Attribute:

1. Click **Add**.
2. From the *Attribute* dropdown, select the required attribute.
3. Enter the **Start Date** for the attribute.
4. Enter the **End Date** for the attribute, if required.
5. Click **Save**.

3.18. Qualifications

The Qualifications screen provides administrators or managers with the ability to view qualifications that have been attached to an employee and if access is assigned, they can assign a new qualification directly from this screen.




The screenshot shows the 'Qualifications' screen for Matt Smith. The header includes the employee's name, ID (726400057), and appointment details (726410-8, Deputy Manager). A sidebar on the left lists navigation options, with 'Qualifications' selected. The main area displays a table of qualifications:

Qualification	Date From	Date To	
Key Cutting	01-Jan-2023		⋮
Paint Mix	01-Jan-2023		⋮
Forklift	01-Jan-2023		⋮

An 'ADD' button is located in the top right corner. The bottom right corner shows '1-3 of 3' with navigation arrows.

To add a Qualification:

1. Click **Add**.
2. From the **Add New Qualification** screen, use the dropdowns to enter details of the qualification.



The screenshot shows the 'Edit Qualification' screen for 'Paint Mix'. The header includes the employee's name, ID, and appointment details. The main area is divided into two sections: 'Details' and 'Course Dates'.

Details

Qualification*	Level	Course Name	Result
Paint Mix	Advanced		
University	Country		
Aston University	United Kingdom		
Academic Disc. 1	Awarding Body	Academic Disc. 2	Publish on Web
Academic Studies In Adult Educ	Awarding Body 1		☐
Roster Priority			
Primary			

Course Dates

Date From	Date To	Graduation Date	Conferral Date
01-Jan-2023			

A 'SAVE' button is located in the bottom right corner. The bottom center shows 'Access PeopleXO'.

3. Click **Save**.
4. The qualification will display.

3.19. NCHD Parameters

The *Medical Salary Rule* screen holds the details for the medical salary rule - NCHD Parameters.

The screenshot shows the 'NCHD Parameters' screen for user Brian StJohn. The interface includes a sidebar with navigation links: Shift Swap History, Uncovered Shifts, NCHD Parameters (highlighted), Assign Premium Rules, and Emergency Details. The main content area displays the 'NCHD Parameters' for the selected user. At the top, there's a header with the user's name and a search bar. Below this, there are fields for 'Date Effective', 'Onsite @ 1.5', 'Onsite @ 2', 'Oncall Offsite', 'Absent Oncall', 'Sunday Premium', 'Public Holiday Onsite @ 1', and 'Public Holiday Onsite @ 2'. Each field has a dropdown menu. There are 'ADD', 'DELETE', and 'SAVE' buttons at the bottom right of the form.

The **NCHD Parameters** screen contains the following fields:

Field	Details
Date Effective	This is the date the rule will be effective from.
Onsite @ 1.5	Select from the dropdown the relevant pay code, if applicable to the rule.
Onsite @ 2	Select from the dropdown the relevant pay code, if applicable to the rule.
Oncall Offsite	Select from the dropdown the relevant pay code, if applicable to the rule.
Absent Oncall	Select from the dropdown the relevant pay code, if applicable to the rule.
Sunday Premium	Select from the dropdown the relevant pay code, if applicable to the rule.
Public Holiday Onsite @ 1	Select from the dropdown the relevant pay code, if applicable to the rule.
Public Holiday Onsite @ 2	Select from the dropdown the relevant pay code, if applicable to the rule.

To add a Medical Salary Rule:

1. Click **Add**.

2. A new line will display for you to select the required attributes for the rule from the dropdown options.
3. On complete, click **Save**.

3.20. Assign Premium Rules

The screenshot shows the 'Assign Premium Rules' interface. At the top, the user is identified as Brian StJohn with a profile picture and ID 7203000055. The breadcrumb trail is 'WFM Admin Dashboard > Brian StJohn'. Below the header, there's a search bar and a sidebar with navigation links: 'Shift Swap History', 'Uncovered Shifts', 'Assign Premium Rules' (highlighted), and 'Emergency Details'. The main content area has a title 'Assign Premium Rules' and an 'ADD' button. Below this is a table with columns 'Rule ID' and 'Rule Name'. A single row is visible with '3' in the 'Rule ID' column and 'Rule 1 true' in the 'Rule Name' column. A 'DELETE' button is located to the right of this row. At the top right of the main content area, there are fields for 'Employee *' (Brian StJohn), 'Appointment: 720310-6', and 'Job Title: Development Team Lead 7203'.

To add a Premium Rule:

1. Click **Add**.
2. Select the required rule from the dropdown.
3. Click **OK**.
4. The rule will display.

3.21. Emergency Details

The Emergency Details screen allows the user to enter the relevant emergency Zone, Assembly Point and Emergency Response Role for an employee.

The screenshot shows the 'Emergency Details' interface. The header and sidebar are identical to the previous screen. The main content area has a title 'Emergency Details'. Below the title are three dropdown menus: 'Zone' (set to 'Default Zone'), 'Assembly Point' (set to 'Default Firepoint'), and 'Emergency Response Role'. At the bottom right, there is a 'SAVE' button. The breadcrumb trail is 'WFM Admin Dashboard > Brian StJohn'.

For further guidance on managing your Assembly Points see our [guide](#).

4. Menu Options

4.1. Importing Menu Options

Two menu profiles have been created to provide users full access to the Person Maintenance Configuration screens: **WFM_PERSON_MAINTENANCE_ADMIN** and **WFM_PERSON_MAINTENANCE_MGR**. You can [assign this menu profile to users](#) or import the menu options to an existing menu profile.

1. Go to *Security* and select **Menu Profiles**.
2. Search for the relevant menu profile e.g., Coreportal_Admin
3. Select **Import Menu Options**.
4. Select **From existing Menu Profile** and click **OK**.
5. Search for the menu profile, for example, **WFM_PERSON_MAINTENANCE_ADMIN**
6. Review the Confirmation message and click **Yes**.
7. Once imported, the menu options and webservices are assigned to the existing menu profile.



Note: If running in an appointment driven site only active appointment will be displayed. Ended appointment will need to be viewed/maintained via People Management.

4.2. Admin Menu Options

The following menu options can be used to customise the Person Maintenance screens.

Menu Option	Menu ID	System
Add/Update Badges	MAIN_MENU.BADGE_DETAILS_UPDATE	CorePortal
Add/Update Team Area	MAIN_MENU.TEAM_AREA_UPDATE	CorePortal
CorePortal - Administrator Education Update	MAIN_MENU.EDUCATIONALADMINISTRATORUPDATE	CorePortal

Menu Option	Menu ID	System
CorePortal - Administrator Education View	MAIN_MENU.EDUCATIONALADMINISTRATORVIEW	CorePortal
CorePortal - Change Work Schedule	MAIN_MENU.HR_ADMIN_CHANGE_SCHEDULE	CorePortal
CorePortal - Hr Admin - Leave Request Update	MAIN_MENU.LEAVEREQADMINISTRATORUPDATE	CorePortal
CorePortal - Hr Admin - Leave Request View	MAIN_MENU.LEAVEREQADMINISTRATORVIEW	CorePortal
CorePortal - Workforce Management Admin	MAIN_MENU.WRKMGMTADMIN	CorePortal
WFM Admin	MAIN_MENU.WFM_ADMIN	CorePortal
Person Maintenance	WFM_ADMIN_MENU.PERSON_MAINT_ADM	CorePortal
Absences	PERSON_MAINT_ADM_MENU.ABSENCE_ADM	CorePortal
Add/Delete Distribution Groups	PERSON_MAINT_ADM_MENU.CLOCKING_DISTRO_GROUPS	CorePortal
Add/Update Work Group Override	PERSON_MAINT_ADM_MENU.WRKGRP_OVERRIDE_EDIT_ADM	CorePortal
Badge Details	PERSON_MAINT_ADM_MENU.BADGE_DETAILS_ADM	CorePortal
Badge Enquiry	PERSON_MAINT_ADM_MENU.BADGE_DETAILS_ENQUIRY	CorePortal
Balances	PERSON_MAINT_ADM_MENU.BALANCES_ADM	CorePortal
Contact Information	PERSON_MAINT_ADM_MENU.CONTACT_INFO_ADM	CorePortal
Key Information	PERSON_MAINT_ADM_MENU.KEYINFORMATION_ADM	CorePortal
Leave Request History	PERSON_MAINT_ADM_MENU.LEAVE_REQ_HISTORY_ADM	CorePortal
NCHD Params	PERSON_MAINT_ADM_MENU.NCHD_ADM	CorePortal
Next Of Kin	PERSON_MAINT_ADM_MENU.NEXT_OF_KIN_ADM	CorePortal
Person Attributes	PERSON_MAINT_ADM_MENU.PERS_ATT_ADM	CorePortal
Person Settings	PERSON_MAINT_ADM_MENU.PERSON_SETTINGS_ADM	CorePortal
Personal Groups	PERSON_MAINT_ADM_MENU.PERSONAL_GROUPS_ADM	CorePortal
Qualifications	PERSON_MAINT_ADM_MENU.QUALIFICATIONS_ADM	CorePortal

Menu Option	Menu ID	System
Roster Contract	PERSON_MAINT_ADM_MENU.ROSTER_CONTRACT	CorePortal
Shift Swap History	PERSON_MAINT_ADM_MENU.SHIFT_SWAP_HIS_ADM	CorePortal
Team Area Assignment	PERSON_MAINT_ADM_MENU.TEAM_AREA_ASSIGN_ADM	CorePortal
Time Sheet Access	PERSON_MAINT_ADM_MENU.TIME_SHEET_ADMIN	CorePortal
Trigger Points	PERSON_MAINT_ADM_MENU.TRIGGER_POINTS_ADM	CorePortal
Uncovered Shifts	PERSON_MAINT_ADM_MENU.UNCOVERED_SHIFTS_HISTORY	CorePortal
Work Group Override	PERSON_MAINT_ADM_MENU.WRKGRP_OVERRIDE_ADM	CorePortal
Work Schedule	PERSON_MAINT_ADM_MENU.WORK_SCHEDULE_ADM	CorePortal
Work Schedule Allow Historical Dates	MAIN_MENU.WORK_SCHEDULE_ALLOW_HISTORIC	CorePortal
Work Schedule Delete	MAIN_MENU.WORK_SCHEDULE_DELETE	CorePortal
Work Schedule Update	MAIN_MENU.WORK_SCHEDULE_UPDATE	CorePortal
ASSIGN NEW BALANCE	EMPLOYEE_DASHBOARD_MENU.ASSIGN_NEW_BALANCE	People Management
Add Balances	EMPLOYEE_DASHBOARD_MENU.EMPLOYEE_DASHBOARD_MENU	People Management
BALANCE ACTIVATE	EMPLOYEE_DASHBOARD_MENU.BALANCE_ACTIVATE	People Management
BALANCE ADJUSTMENT	EMPLOYEE_DASHBOARD_MENU.BALANCE_ADJUSTMENT	People Management
BALANCE DEACTIVATE	EMPLOYEE_DASHBOARD_MENU.BALANCE_DEACTIVATE	People Management
BALANCE DELETE	EMPLOYEE_DASHBOARD_MENU.BALANCE_DELETE	People Management
BALANCE EDIT SETUP	EMPLOYEE_DASHBOARD_MENU.BALANCE_EDIT_SETUP	People Management
BALANCE ENTITLEMENT BASIS	EMPLOYEE_DASHBOARD_MENU.BALANCE_ENTITLEMENT_BASIS	People Management
BALANCE RECALCULATE	EMPLOYEE_DASHBOARD_MENU.BALANCE_RECALCULATE	People Management
Native App - Book time off - Balance	MAIN_MENU.BOOKTIMEOFF_BALANCES	Native App

Menu Option	Menu ID	System
Native App - Book time off - Requests	MAIN_MENU.BOOKTIMEOFF_REQUESTS	Native App
Clockings	MAIN_MENU.WS_CLOCKINGS	Web Services
Create distribution person	WS_CLOCKINGS_MENU.POST_DISTRIBUTION_PERSON	Web Services
Create distribution person Proxy (Entire Organization)	WS_CLOCKINGS_MENU.POST_DISTRIBUTION_PERSON_PROXY	Web Services
Delete distribution person	WS_CLOCKINGS_MENU.DELETE_DISTRIBUTION_PERSON	Web Services
Delete distribution person Proxy (Entire Organization)	WS_CLOCKINGS_MENU.DELETE_DISTRIBUTION_PERSON_PROXY	Web Services
Get distribution person	WS_CLOCKINGS_MENU.GET_DISTRIBUTION_PERSON	Web Services
Get distribution person Proxy (Entire Organization)	WS_CLOCKINGS_MENU.GET_DISTRIBUTION_PERSON_PROXY	Web Services
Leave	MAIN_MENU.WS_LEAVE	Web Services
Create absences recurring	WS_LEAVE_MENU.POST_ABSENCES_RECURRING	Web Services
Create absences recurring Proxy (Pers Post Access, Team Area Access, System User Access, Leave Request Org)	WS_LEAVE_MENU.POST_ABSENCES_RECURRING_PROXY	Web Services
Create requests	WS_LEAVE_MENU.POST_REQUESTS	Web Services
Create requests document	WS_LEAVE_MENU.POST_REQUESTS_DOCUMENT_ID_DISPLAYNAME?	Web Services
Delete absences recurring	WS_LEAVE_MENU.DELETE_ABSENCES_RECURRING	Web Services
Delete absences recurring Proxy (Pers Post Access, Team	WS_LEAVE_MENU.DELETE_ABSENCES_RECURRING_PROXY	Web Services

Menu Option	Menu ID	System
Area Access, System User Access)		
Delete requests document	WS_LEAVE_MENU.DELETE_REQUESTS_DOCUMENT_ID	Web Services
Get absences	WS_LEAVE_MENU.GET_ABSENCES	Web Services
Get absences Proxy (Entire Organization)	WS_LEAVE_MENU.GET_ABSENCES_PROXY	Web Services
Get absences team	WS_LEAVE_MENU.GET_ABSENCES_TEAM	Web Services
Get balances	WS_LEAVE_MENU.GET_BALANCES	Web Services
Get balances Proxy (Pers Post Access, Direct Reportees, Pay Access)	WS_LEAVE_MENU.GET_BALANCES_PROXY	Web Services
Get balances detail	WS_LEAVE_MENU.GET_BALANCES_DETAIL_ID	Web Services
Get balances detail Proxy (Pers Post Access, Direct Reportees, Pay Access)	WS_LEAVE_MENU.GET_BALANCES_DETAIL_ID_PROXY	Web Services
Get coworkers	WS_LEAVE_MENU.GET_COWORKERS	Web Services
Get reasons	WS_LEAVE_MENU.GET_REASONS	Web Services
Get requests	WS_LEAVE_MENU.GET_REQUESTS	Web Services
Get requests document	WS_LEAVE_MENU.GET_REQUESTS_DOCUMENT_ID	Web Services
Get requests history Proxy (Direct Reportees, Pers Post Access, Team Area Access, Leave Request Org, System User Access)	WS_LEAVE_MENU.GET_REQUESTS_HISTORY_PROXY	Web Services
Get requests summary	WS_LEAVE_MENU.GET_REQUESTS_SUMMARY	Web Services

Menu Option	Menu ID	System
Get requests summary Proxy (Entire Organization)	WS_LEAVE_MENU.GET_REQUESTS_SUMMARY_PROXY	Web Services
Get setup	WS_LEAVE_MENU.GET_SETUP	Web Services
Get setup additional	WS_LEAVE_MENU.GET_SETUP_ADDITIONAL	Web Services
Get types	WS_LEAVE_MENU.GET_TYPES	Web Services
Get types history	WS_LEAVE_MENU.GET_TYPES_HISTORY	Web Services
Get types history Proxy (Entire Organization)	WS_LEAVE_MENU.GET_TYPES_HISTORY_PROXY	Web Services
Update balances	WS_LEAVE_MENU.PATCH_BALANCES_ID	Web Services
Update requests	WS_LEAVE_MENU.PATCH_REQUESTS	Web Services
Update requests cancel	WS_LEAVE_MENU.PATCH_REQUESTS_CANCEL_ID	Web Services
Get param	WS_NATIVE_MENU.GET_PARAM_ID	Web Services
Payroll	MAIN_MENU.WS_PAYROLL	Web Services
Get employee details Proxy (Entire Organization)	WS_PAYROLL_MENU.GET_EMPLOYEE_DETAILS_PROXY	Web Services
People	MAIN_MENU.WS_PEOPLE	Web Services
Create coworker	WS_PEOPLE_MENU.POST_COWORKER	Web Services
Create roster	WS_PEOPLE_MENU.POST_ROSTER	Web Services
Delete roster	WS_PEOPLE_MENU.DELETE_ROSTER_ID	Web Services
Get roster	WS_PEOPLE_MENU.GET_ROSTER	Web Services
Update roster	WS_PEOPLE_MENU.PATCH_ROSTER_ID	Web Services
Profile	MAIN_MENU.WS_PROFILE	Web Services
Get address Proxy (Entire Organization)	WS_PROFILE_MENU.GET_ADDRESS_PROXY	Web Services
Get appointments Proxy (Entire Organization)	WS_PROFILE_MENU.GET_APPOINTMENTS_PROXY	Web Services
Get contacts Proxy (Entire Organization)	WS_PROFILE_MENU.GET_CONTACTS_PROXY	Web Services
Get detail Proxy (Entire Organization)	WS_PROFILE_MENU.GET_DETAIL_PROXY	Web Services

Menu Option	Menu ID	System
Get nextofkin Proxy (Entire Organization)	WS_PROFILE_MENU.GET_NEXTOFKIN_PROXY	Web Services
Refdata	MAIN_MENU.WS_REFDATA	Web Services
Create bytype	WS_REFDATA_MENU.POST_BYTYPE	Web Services
Get bytype	WS_REFDATA_MENU.GET_BYTYPE_TYPE	Web Services
Get types	WS_REFDATA_MENU.GET_TYPES	Web Services
Update bytype	WS_REFDATA_MENU.PATCH_BYTYPE	Web Services
Roster	MAIN_MENU.WS_ROSTER	Web Services
Create settings abscalendar	WS_ROSTER_MENU.POST_SETTINGS_ABSCALENDAR	Web Services
Create settings balances activate	WS_ROSTER_MENU.POST_SETTINGS_BALANCES_ACTIVATE	Web Services
Create settings balances recalculate	WS_ROSTER_MENU.POST_SETTINGS_BALANCES_RECALCULATE	Web Services
Create settings person bonus override	WS_ROSTER_MENU.POST_SETTINGS_PERSON_BONUS_OVERRIDE	Web Services
Create settings person bonus override Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_BONUS_OVERRIDE_PROXY	Web Services
Create settings person nchdparameters	WS_ROSTER_MENU.POST_SETTINGS_PERSON_NCHDPARAMETERS	Web Services
Create settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_NCHDPARAMETERS_PROXY	Web Services
Create settings person recoding	WS_ROSTER_MENU.POST_SETTINGS_PERSON_RECODING	Web Services
Create settings person recoding Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_RECODING_PROXY	Web Services

Menu Option	Menu ID	System
Create settings person triggerpoint groups	WS_ROSTER_MENU.POST_SETTINGS_PERSON_TRIGGER POINT_GROUPS	Web Services
Create settings person triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_TRIGGER POINT_GROUPS_PROXY	Web Services
Create settings person wtd	WS_ROSTER_MENU.POST_SETTINGS_PERSON_WTD	Web Services
Create settings person wtd Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_WTD_PR OXY	Web Services
Create settings shifts	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS	Web Services
Create settings shifts absencepremiums	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_ABSENCEPR EMIUMS	Web Services
Create settings shifts copy	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_COPY	Web Services
Create settings shifts patterns	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_PATTERNS	Web Services
Create settings shifts patterns additional	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_PATTERNS_ ADDITIONAL	Web Services
Create settings shifts patterns periods generate	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_PATTERNS_ PERIODS_GENERATE	Web Services
Create settings shifts validate workingtime	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_VALIDATE_ WORKINGTIME	Web Services
Create settings workgroup	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP	Web Services
Create settings workgroup advancedoptions	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_AD VANCEDOPTIONS	Web Services
Create settings workgroup copy	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_CO PY	Web Services

Menu Option	Menu ID	System
Create settings workgroup defaulthours	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_DEF AULTHOURS	Web Services
Create settings workgroup defaultpayments	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_DEF AULTPAYMENTS	Web Services
Create settings workgroup standbyhours	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_STA NDBYHOURS	Web Services
Create settings workgroup triggerpoint groups	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_TRI GGERPOINT_GROUPS	Web Services
Create shifts uncovered publish	WS_ROSTER_MENU.POST_SHIFTS_UNCOVERED_PUBLIS H	Web Services
Delete settings abscalendar	WS_ROSTER_MENU.DELETE_SETTINGS_ABSCALENDAR	Web Services
Delete settings person bonus override	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_BONU S_OVERRIDE	Web Services
Delete settings person bonus override Proxy (Entire Organization)	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_BONU S_OVERRIDE_PROXY	Web Services
Delete settings person nchdparameters	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_NCHD PARAMETERS	Web Services
Delete settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_NCHD PARAMETERS_PROXY	Web Services
Delete settings person recoding	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_RECOD ING_ID	Web Services

Menu Option	Menu ID	System
Delete settings person triggerpoint groups	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_TRIGG ERPOINT_GROUPS	Web Services
Delete settings person triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_TRIGG ERPOINT_GROUPS_PROXY	Web Services
Delete settings person wtd	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_WTD_I D	Web Services
Delete settings shifts	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_ID	Web Services
Delete settings shifts absencepremiums	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_ABSENCE PREMIUMS_ID	Web Services
Delete settings shifts patterns	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_PATTER N_S_ID	Web Services
Delete settings shifts patterns additional	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_PATTER N_S_ADDITIONAL_ID	Web Services
Delete settings shifts patterns range	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_PATTER N_S_RANGE	Web Services
Delete settings workgroup	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP	Web Services
Delete settings workgroup advancedoptions	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_A DVANCEDOPTIONS	Web Services
Delete settings workgroup defaulthours	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_D EFAULTHOURS	Web Services
Delete settings workgroup defaultpayments	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_D EFAULTPAYMENTS	Web Services
Delete settings workgroup standbyhours	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_S TANDBYHOURS	Web Services
Delete settings workgroup triggerpoint groups	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_T RIGGERPOINT_GROUPS	Web Services

Menu Option	Menu ID	System
Get access user department	WS_ROSTER_MENU.GET_ACCESS_USER_DEPARTMENT	Web Services
Get access user workgroup	WS_ROSTER_MENU.GET_ACCESS_USER_WORKGROUP	Web Services
Get attendance	WS_ROSTER_MENU.GET_ATTENDANCE	Web Services
Get attendance Proxy (Entire Organization)	WS_ROSTER_MENU.GET_ATTENDANCE_PROXY	Web Services
Get balanceparams	WS_ROSTER_MENU.GET_BALANCEPARAMS	Web Services
Get calculate people	WS_ROSTER_MENU.GET_CALCULATE_PEOPLE	Web Services
Get general days	WS_ROSTER_MENU.GETGENERAL_DAYS	Web Services
Get general periods	WS_ROSTER_MENU.GETGENERAL_PERIODS	Web Services
Get overtime rule	WS_ROSTER_MENU.GET_OVERTIMERULE	Web Services
Get paycode absence	WS_ROSTER_MENU.GET_PAYCODE_ABSENCE	Web Services
Get paycode overtime	WS_ROSTER_MENU.GET_PAYCODE_OVERTIME	Web Services
Get settings abscalendar	WS_ROSTER_MENU.GET_SETTINGS_ABSCALENDAR	Web Services
Get settings abscalendar filter	WS_ROSTER_MENU.GET_SETTINGS_ABSCALENDAR_FILTER	Web Services
Get settings abscalendar paycode	WS_ROSTER_MENU.GET_SETTINGS_ABSCALENDAR_PAYCODE	Web Services
Get settings advancedoptions	WS_ROSTER_MENU.GET_SETTINGS_ADVANCEDOPTIONS	Web Services
Get settings balances	WS_ROSTER_MENU.GET_SETTINGS_BALANCES	Web Services
Get settings balances activate	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_ACTIVATE	Web Services
Get settings balances errors	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_ERRORS	Web Services
Get settings balances linked	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_LINKED	Web Services
Get settings balances periods	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_PERIODS	Web Services

Menu Option	Menu ID	System
Get settings balances recalculate	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_RECALCULATE	Web Services
Get settings clientparameter	WS_ROSTER_MENU.GET_SETTINGS_CLIENTPARAMETER	Web Services
Get settings company	WS_ROSTER_MENU.GET_SETTINGS_COMPANY	Web Services
Get settings company advanced	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_ADVANCED	Web Services
Get settings company triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_GROUPS	Web Services
Get settings company triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_GROUPS_PROXY	Web Services
Get settings company triggerpoint rules	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_RULES	Web Services
Get settings company triggerpoint rules Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_RULES_PROXY	Web Services
Get settings currentperiod	WS_ROSTER_MENU.GETSETTINGS_CURRENTPERIOD	Web Services
Get settings delegation	WS_ROSTER_MENU.GET_SETTINGS_DELEGATION	Web Services
Get settings global	WS_ROSTER_MENU.GET_SETTINGS_GLOBAL	Web Services
Get settings person bonus override	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BONUS_OVERRIDE	Web Services
Get settings person bonus override Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BONUS_OVERRIDE_PROXY	Web Services

Menu Option	Menu ID	System
Get settings person bradford	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BRADFORD	Web Services
Get settings person bradford Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BRADFORD_PROXY	Web Services
Get settings person directive recalculate	WS_ROSTER_MENU.GET_SETTINGS_PERSON_DIRECTIVE_RECALCULATE	Web Services
Get settings person directive recalculate Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_DIRECTIVE_RECALCULATE_PROXY	Web Services
Get settings person general	WS_ROSTER_MENU.GET_SETTINGS_PERSON_GENERAL	Web Services
Get settings person general Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_GENERAL_PROXY	Web Services
Get settings person nchdparameters	WS_ROSTER_MENU.GET_SETTINGS_PERSON_NCHDPARAMETERS	Web Services
Get settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_NCHDPARAMETERS_PROXY	Web Services
Get settings person recoding	WS_ROSTER_MENU.GET_SETTINGS_PERSON_RECODING	Web Services
Get settings person recoding Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_RECODING_PROXY	Web Services
Get settings person triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_GROUPS	Web Services
Get settings person triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_GROUPS_PROXY	Web Services
Get settings person triggerpoint rules	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_RULES	Web Services

Menu Option	Menu ID	System
Get settings person triggerpoint rules Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_RULES_PROXY	Web Services
Get settings person wtd	WS_ROSTER_MENU.GET_SETTINGS_PERSON_WTD	Web Services
Get settings person wtd Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_WTD_PROXY	Web Services
Get settings shifts	WS_ROSTER_MENU.GETSETTINGS_SHIFTS	Web Services
Get settings shifts absencepremiums	WS_ROSTER_MENU.GETSETTINGS_SHIFTS_ABSENCEPREMIUMS	Web Services
Get settings shifts patterns	WS_ROSTER_MENU.GETSETTINGS_SHIFTS_PATTERNS	Web Services
Get settings shifts patterns additional	WS_ROSTER_MENU.GETSETTINGS_SHIFTS_PATTERNS_ADDITIONAL	Web Services
Get settings triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_TRIGGERPOINT_GROUPS	Web Services
Get settings workgroup	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP	Web Services
Get settings workgroup advancedoptions	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_ADVANCEDOPTIONS	Web Services
Get settings workgroup balanceinterface	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_BALANCEINTERFACE	Web Services
Get settings workgroup company	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_COMPANY	Web Services
Get settings workgroup company Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_COMPANY_PROXY	Web Services
Get settings workgroup defaulthours	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_DEFAULTHOURS	Web Services

Menu Option	Menu ID	System
Get settings workgroup defaultpayments	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_DEFAULTPAYMENTS	Web Services
Get settings workgroup label	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_LABEL	Web Services
Get settings workgroup outagescheme	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_OUTAGESCHEME	Web Services
Get settings workgroup overrides	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_OVERRIDES	Web Services
Get settings workgroup payrolltype	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_PAYROLLTYPE	Web Services
Get settings workgroup standbyhours	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_STANDBYHOURS	Web Services
Get settings workgroup triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_TRIGGERPOINT_GROUPS	Web Services
Get settings workgroup triggerpoint rules	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_TRIGGERPOINT_RULES	Web Services
Get shifts additional	WS_ROSTER_MENU.GET_SHIFTS_ADDITIONAL	Web Services
Get shifts assigned	WS_ROSTER_MENU.GET_SHIFTS_ASSIGNED	Web Services
Get shifts uncovered generate	WS_ROSTER_MENU.GET_SHIFTS_UNCOVERED_GENERATE_ID	Web Services
Get shifts uncovered validate	WS_ROSTER_MENU.GET_SHIFTS_UNCOVERED_VALIDATE	Web Services
Get timetemplate	WS_ROSTER_MENU.GET_TIMETEMPLATE	Web Services
Get workpattern	WS_ROSTER_MENU.GET_WORKPATTERN	Web Services
Update settings abscalendar	WS_ROSTER_MENU.PATCH_SETTINGS_ABSCALENDAR_ID	Web Services
Update settings abscalendar filter	WS_ROSTER_MENU.PATCH_SETTINGS_ABSCALENDAR_FILTER	Web Services

Menu Option	Menu ID	System
Update settings abscalendar paycode	WS_ROSTER_MENU.PATCH_SETTINGS_ABSCALENDAR_P AYCODE_ID	Web Services
Update settings company	WS_ROSTER_MENU.PATCH_SETTINGS_COMPANY_ID	Web Services
Update settings delegation	WS_ROSTER_MENU.PATCH_SETTINGS_DELEGATION	Web Services
Update settings global	WS_ROSTER_MENU.PATCH_SETTINGS_GLOBAL	Web Services
Update settings person bradford calculate	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_BRADF ORD_CALCULATE	Web Services
Update settings person bradford calculate Proxy (Entire Organization)	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_BRADF ORD_CALCULATE_PROXY	Web Services
Update settings person general	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_GENER AL	Web Services
Update settings person general Proxy (Entire Organization)	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_GENER AL_PROXY	Web Services
Update settings person nchdparameters	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_NCHDP ARAMETERS	Web Services
Update settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_NCHDP ARAMETERS_PROXY	Web Services
Update settings person recoding	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_RECODI NG	Web Services
Update settings person triggerpoint groups	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_TRIGGE RPOINT_GROUPS	Web Services
Update settings person triggerpoint	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_TRIGGE RPOINT_GROUPS_PROXY	Web Services

Menu Option	Menu ID	System
groups Proxy (Entire Organization)		
Update settings person wtd	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_WTD	Web Services
Update settings shifts	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_ID	Web Services
Update settings shifts absencepremiums	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_ABSENCE PREMIUMS_ID	Web Services
Update settings shifts patterns	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_PATTERNS_ID	Web Services
Update settings shifts patterns additional	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_PATTERNS_ADDITIONAL_ID	Web Services
Update settings workgroup	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP	Web Services
Update settings workgroup advancedoptions	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_ADVANCEDOPTIONS	Web Services
Update settings workgroup defaulthours	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_DEFAULTHOURS	Web Services
Update settings workgroup defaultpayments	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_DEFAULTPAYMENTS	Web Services
Update settings workgroup standbyhours	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_STANDBYHOURS	Web Services
Update settings workgroup triggerpoint groups	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_TRIGGERPOINT_GROUPS	Web Services
Update shifts uncovered	WS_ROSTER_MENU.PATCH_SHIFTS_UNCOVERED_ID	Web Services
Shifts	MAIN_MENU.WS_SHIFTS	Web Services
Create availability	WS_SHIFTS_MENU.POST_AVAILABILITY	Web Services

Menu Option	Menu ID	System
Create hours calculation	WS_SHIFTS_MENU.POST_HOURS_CALCULATION	Web Services
Create hours calculation unlockdays	WS_SHIFTS_MENU.POST_HOURS_CALCULATION_UNLOCKDAYS	Web Services
Create swaps	WS_SHIFTS_MENU.POST_SWAPS	Web Services
Create uncovered accepted	WS_SHIFTS_MENU.POST_UNCOVERED_ACCEPTED_ID	Web Services
Get availability history	WS_SHIFTS_MENU.GET_AVAILABILITY_HISTORY	Web Services
Get availability setup	WS_SHIFTS_MENU.GET_AVAILABILITY_SETUP	Web Services
Get companies	WS_SHIFTS_MENU.GET_COMPANIES	Web Services
Get companies calendars	WS_SHIFTS_MENU.GET_COMPANIES_CALENDARS	Web Services
Get companies calendars period	WS_SHIFTS_MENU.GET_COMPANIES_CALENDARS_PERIOD	Web Services
Get companies exceptions	WS_SHIFTS_MENU.GET_COMPANIES_EXCEPTIONS	Web Services
Get companies transferaccess	WS_SHIFTS_MENU.GET_COMPANIES_TRANSFERACCESS	Web Services
Get coworkers	WS_SHIFTS_MENU.GET_COWORKERS	Web Services
Get hours calculation	WS_SHIFTS_MENU.GET_HOURS_CALCULATION	Web Services
Get hours calculation errors	WS_SHIFTS_MENU.GET_HOURS_CALCULATION_ERRORS	Web Services
Get person shifts	WS_SHIFTS_MENU.GET_PERSON_SHIFTS	Web Services
Get person shifts Proxy (Entire Organization)	WS_SHIFTS_MENU.GET_PERSON_SHIFTS_PROXY	Web Services
Get swaps coworkers	WS_SHIFTS_MENU.GET_SWAPS_COWORKERS_ID	Web Services
Get swaps history	WS_SHIFTS_MENU.GET_SWAPS_HISTORY	Web Services
Get swaps history Proxy (Entire Organization)	WS_SHIFTS_MENU.GET_SWAPS_HISTORY_PROXY	Web Services

Menu Option	Menu ID	System
Get swaps summary	WS_SHIFTS_MENU.GET_SWAPS_SUMMARY	Web Services
Get swaps summary Proxy (Entire Organization)	WS_SHIFTS_MENU.GET_SWAPS_SUMMARY_PROXY	Web Services
Get team shifts	WS_SHIFTS_MENU.GET_TEAM_SHIFTS	Web Services
Get uncovered history	WS_SHIFTS_MENU.GET_UNCOVERED_HISTORY	Web Services
Get workgroups	WS_SHIFTS_MENU.GET_WORKGROUPS	Web Services
Update companies calendars period	WS_SHIFTS_MENU.PATCH_COMPANIES_CALEDARS_PERIOD	Web Services
Update swaps	WS_SHIFTS_MENU.PATCH_SWAPS_ACTION_ID	Web Services
Update uncovered rejected	WS_SHIFTS_MENU.PATCH_UNCOVERED_REJECTED_ID	Web Services

4.3. Manager Menu Options

The following menu options can be used to customise the Person Maintenance screens.

Menu Option	Menu ID	System
Add/Update Badges	MAIN_MENU.BADGE_DETAILS_UPDATE	CorePortal
Add/Update Team Area	MAIN_MENU.TEAM_AREA_UPDATE	CorePortal
CorePortal - Change Work Schedule	MAIN_MENU.HR_ADMIN_CHANGE_SCHEDULE	CorePortal
CorePortal - Manager Education Update	MAIN_MENU.EDUCATIONALMANAGERUPDATE	CorePortal
CorePortal - Manager Education View	MAIN_MENU.EDUCATIONALMANAGERVIEW	CorePortal
CorePortal - Manager Leave Request Update	MAIN_MENU.LEAVEREQMANAGERUPDATE	CorePortal
CorePortal - Manager Leave Request View	MAIN_MENU.LEAVEREQMANAGERVIEW	CorePortal
CorePortal - Workforce Management Manager	MAIN_MENU.WRKMGMT	CorePortal

Menu Option	Menu ID	System
WFM Manager	MAIN_MENU.WFM_MANAGER	CorePortal
Person Maintenance	WFM_MANAGER_MENU.PERSON_MAINT_MGR	CorePortal
Absences	PERSON_MAINT_MGR_MENU.ABSENCE_MGR	CorePortal
Add/Delete Distribution Groups	PERSON_MAINT_MGR_MENU.CLOCKING_DISTRO_GROUPS	CorePortal
Add/Update Work Group Override	PERSON_MAINT_MGR_MENU.WRKGRP_OVERRIDE_EDIT_MGR	CorePortal
Badge Details	PERSON_MAINT_MGR_MENU.BADGE_DETAILS_MGR	CorePortal
Badge Enquiry	PERSON_MAINT_MGR_MENU.BADGE_DETAILS_ENQUIRY	CorePortal
Balances	PERSON_MAINT_MGR_MENU.BALANCES_MGR	CorePortal
Contact Information	PERSON_MAINT_MGR_MENU.CONTACT_INFO_MGR	CorePortal
Key Information	PERSON_MAINT_MGR_MENU.KEYINFORMATION_MGR	CorePortal
Leave Request History	PERSON_MAINT_MGR_MENU.LEAVE_REQ_HISTORY_MGR	CorePortal
NCHD Params	PERSON_MAINT_MGR_MENU.NCHD_MGR	CorePortal
Next Of Kin	PERSON_MAINT_MGR_MENU.NEXT_OF_KIN_MGR	CorePortal
Person Attributes	PERSON_MAINT_MGR_MENU.PERS_ATT_MGR	CorePortal
Person Settings	PERSON_MAINT_MGR_MENU.PERSON_SETTINGS_MGR	CorePortal
Personal Groups	PERSON_MAINT_MGR_MENU.PERSONAL_GROUPS_MGR	CorePortal
Qualifications	PERSON_MAINT_MGR_MENU.QUALIFICATIONS_ADM	CorePortal
Roster Contract	PERSON_MAINT_MGR_MENU.ROSTER_CONTRACT_MGR	CorePortal
Shift Swap History	PERSON_MAINT_MGR_MENU.SHIFT_SWAP_HIS_MGR	CorePortal
Team Area Assignment	PERSON_MAINT_MGR_MENU.TEAM_AREA_ASSIGN_MGR	CorePortal
Time Sheet Access	PERSON_MAINT_MGR_MENU.TIME_SHEET_MGR	CorePortal
Trigger Points	PERSON_MAINT_MGR_MENU.TRIGGER_POINTS_MGR	CorePortal
Uncovered Shifts	PERSON_MAINT_MGR_MENU.UNCOVERED_SHIFTS_HISTORY_MGR	CorePortal
Work Group Override	PERSON_MAINT_MGR_MENU.WRKGRP_OVERRIDE_MGR	CorePortal
Work Schedule	PERSON_MAINT_MGR_MENU.WORK_SCHEDULE_MGR	CorePortal
Work Schedule Delete	MAIN_MENU.WORK_SCHEDULE_DELETE	CorePortal
Work Schedule Update	MAIN_MENU.WORK_SCHEDULE_UPDATE	CorePortal
ASSIGN NEW BALANCE	EMPLOYEE_DASHBOARD_MENU.ASSIGN_NEW_BALANCE	People Management

Menu Option	Menu ID	System
Add Balances	EMPLOYEE_DASHBOARD_MENU.EMPLOYEE_DASHBOARD_MENU	People Management
BALANCE ACTIVATE	EMPLOYEE_DASHBOARD_MENU.BALANCE_ACTIVATE	People Management
BALANCE ADJUSTMENT	EMPLOYEE_DASHBOARD_MENU.BALANCE_ADJUSTMENT	People Management
BALANCE DEACTIVATE	EMPLOYEE_DASHBOARD_MENU.BALANCE_DEACTIVATE	People Management
BALANCE DELETE	EMPLOYEE_DASHBOARD_MENU.BALANCE_DELETE	People Management
BALANCE EDIT SETUP	EMPLOYEE_DASHBOARD_MENU.BALANCE_EDIT_SETUP	People Management
BALANCE ENTITLEMENT BASIS	EMPLOYEE_DASHBOARD_MENU.BALANCE_ENTITLEMENT_BASIS	People Management
BALANCE RECALCULATE	EMPLOYEE_DASHBOARD_MENU.BALANCE_RECALCULATE	People Management
Native App - Book time off - Balance	MAIN_MENU.BOOKTIMEOFF_BALANCES	Native App
Native App - Book time off - Requests	MAIN_MENU.BOOKTIMEOFF_REQUESTS	Native App
Clockings	MAIN_MENU.WS_CLOCKINGS	Web Services
Create distribution person	WS_CLOCKINGS_MENU.POST_DISTRIBUTION_PERSON	Web Services
Create distribution person Proxy (Entire Organization)	WS_CLOCKINGS_MENU.POST_DISTRIBUTION_PERSON_PROXY	Web Services
Delete distribution person	WS_CLOCKINGS_MENU.DELETE_DISTRIBUTION_PERSON	Web Services
Delete distribution person Proxy (Entire Organization)	WS_CLOCKINGS_MENU.DELETE_DISTRIBUTION_PERSON_PROXY	Web Services
Get distribution person	WS_CLOCKINGS_MENU.GET_DISTRIBUTION_PERSON	Web Services
Get distribution person Proxy (Entire Organization)	WS_CLOCKINGS_MENU.GET_DISTRIBUTION_PERSON_PROXY	Web Services
Leave	MAIN_MENU.WS_LEAVE	Web Services

Menu Option	Menu ID	System
Create absences recurring	WS_LEAVE_MENU.POST_ABSENCES_RECURRING	Web Services
Create absences recurring Proxy (Pers Post Access, Team Area Access, System User Access, Leave Request Org)	WS_LEAVE_MENU.POST_ABSENCES_RECURRING_PROXY	Web Services
Create requests	WS_LEAVE_MENU.POST_REQUESTS	Web Services
Create requests document	WS_LEAVE_MENU.POST_REQUESTS_DOCUMENT_ID_DISPLAYNAME?	Web Services
Delete absences recurring	WS_LEAVE_MENU.DELETE_ABSENCES_RECURRING	Web Services
Delete absences recurring Proxy (Pers Post Access, Team Area Access, System User Access)	WS_LEAVE_MENU.DELETE_ABSENCES_RECURRING_PROXY	Web Services
Delete requests document	WS_LEAVE_MENU.DELETE_REQUESTS_DOCUMENT_ID	Web Services
Get absences	WS_LEAVE_MENU.GET_ABSENCES	Web Services
Get absences Proxy (Entire Organization)	WS_LEAVE_MENU.GET_ABSENCES_PROXY	Web Services
Get absences team	WS_LEAVE_MENU.GET_ABSENCES_TEAM	Web Services
Get balances	WS_LEAVE_MENU.GET_BALANCES	Web Services
Get balances Proxy (Pers Post Access, Direct Reportees, Pay Access)	WS_LEAVE_MENU.GET_BALANCES_PROXY	Web Services
Get balances detail	WS_LEAVE_MENU.GET_BALANCES_DETAIL_ID	Web Services
Get balances detail Proxy (Pers Post Access, Direct Reportees, Pay Access)	WS_LEAVE_MENU.GET_BALANCES_DETAIL_ID_PROXY	Web Services
Get coworkers	WS_LEAVE_MENU.GET_COWORKERS	Web Services

Menu Option	Menu ID	System
Get reasons	WS_LEAVE_MENU.GET_REASONS	Web Services
Get requests	WS_LEAVE_MENU.GET_REQUESTS	Web Services
Get requests document	WS_LEAVE_MENU.GET_REQUESTS_DOCUMENT_ID	Web Services
Get requests history Proxy (Direct Reportees, Pers Post Access, Team Area Access, Leave Request Org, System User Access)	WS_LEAVE_MENU.GET_REQUESTS_HISTORY_PROXY	Web Services
Get requests summary	WS_LEAVE_MENU.GET_REQUESTS_SUMMARY	Web Services
Get requests summary Proxy (Entire Organization)	WS_LEAVE_MENU.GET_REQUESTS_SUMMARY_PROXY	Web Services
Get setup	WS_LEAVE_MENU.GET_SETUP	Web Services
Get setup additional	WS_LEAVE_MENU.GET_SETUP_ADDITIONAL	Web Services
Get types	WS_LEAVE_MENU.GET_TYPES	Web Services
Get types history	WS_LEAVE_MENU.GET_TYPES_HISTORY	Web Services
Get types history Proxy (Entire Organization)	WS_LEAVE_MENU.GET_TYPES_HISTORY_PROXY	Web Services
Update balances	WS_LEAVE_MENU.PATCH_BALANCES_ID	Web Services
Update requests	WS_LEAVE_MENU.PATCH_REQUESTS	Web Services
Update requests cancel	WS_LEAVE_MENU.PATCH_REQUESTS_CANCEL_ID	Web Services
Get param	WS_NATIVE_MENU.GET_PARAM_ID	Web Services
Payroll	MAIN_MENU.WS_PAYROLL	Web Services
Get employee details Proxy (Entire Organization)	WS_PAYROLL_MENU.GET_EMPLOYEE_DETAILS_PROXY	Web Services
People	MAIN_MENU.WS_PEOPLE	Web Services
Create coworker	WS_PEOPLE_MENU.POST_COWORKER	Web Services
Create roster	WS_PEOPLE_MENU.POST_ROSTER	Web Services

Menu Option	Menu ID	System
Delete roster	WS_PEOPLE_MENU.DELETE_ROSTER_ID	Web Services
Get roster	WS_PEOPLE_MENU.GET_ROSTER	Web Services
Update roster	WS_PEOPLE_MENU.PATCH_ROSTER_ID	Web Services
Profile	MAIN_MENU.WS_PROFILE	Web Services
Get address Proxy (Entire Organization)	WS_PROFILE_MENU.GET_ADDRESS_PROXY	Web Services
Get appointments Proxy (Entire Organization)	WS_PROFILE_MENU.GET_APPOINTMENTS_PROXY	Web Services
Get contacts Proxy (Entire Organization)	WS_PROFILE_MENU.GET_CONTACTS_PROXY	Web Services
Get detail Proxy (Entire Organization)	WS_PROFILE_MENU.GET_DETAIL_PROXY	Web Services
Get nextofkin Proxy (Entire Organization)	WS_PROFILE_MENU.GET_NEXTOFKIN_PROXY	Web Services
Refdata	MAIN_MENU.WS_REFDATA	Web Services
Create bytype	WS_REFDATA_MENU.POST_BYTYPE	Web Services
Get bytype	WS_REFDATA_MENU.GET_BYTYPE_TYPE	Web Services
Get types	WS_REFDATA_MENU.GET_TYPES	Web Services
Update bytype	WS_REFDATA_MENU.PATCH_BYTYPE	Web Services
Roster	MAIN_MENU.WS_ROSTER	Web Services
Create settings abscaendar	WS_ROSTER_MENU.POST_SETTINGS_ABSCAENDAR	Web Services
Create settings balances activate	WS_ROSTER_MENU.POST_SETTINGS_BALANCES_ACTIVATE	Web Services
Create settings balances recalculate	WS_ROSTER_MENU.POST_SETTINGS_BALANCES_RECALCULATE	Web Services
Create settings person bonus override	WS_ROSTER_MENU.POST_SETTINGS_PERSON_BONUS_OVERRIDE	Web Services
Create settings person bonus override Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_BONUS_OVERRIDE_PROXY	Web Services
Create settings person nchdparameters	WS_ROSTER_MENU.POST_SETTINGS_PERSON_NCHDPARAMETERS	Web Services

Menu Option	Menu ID	System
Create settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_NCHDPA RAMETERS_PROXY	Web Services
Create settings person recoding	WS_ROSTER_MENU.POST_SETTINGS_PERSON_RECODIN G	Web Services
Create settings person recoding Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_RECODIN G_PROXY	Web Services
Create settings person triggerpoint groups	WS_ROSTER_MENU.POST_SETTINGS_PERSON_TRIGGER POINT_GROUPS	Web Services
Create settings person triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_TRIGGER POINT_GROUPS_PROXY	Web Services
Create settings person wtd	WS_ROSTER_MENU.POST_SETTINGS_PERSON_WTD	Web Services
Create settings person wtd Proxy (Entire Organization)	WS_ROSTER_MENU.POST_SETTINGS_PERSON_WTD_PR OXY	Web Services
Create settings shifts	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS	Web Services
Create settings shifts absencepremiums	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_ABSENCEP REMIUMS	Web Services
Create settings shifts copy	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_COPY	Web Services
Create settings shifts patterns	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_PATTERNS	Web Services
Create settings shifts patterns additional	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_PATTERNS_ ADDITIONAL	Web Services
Create settings shifts patterns periods generate	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_PATTERNS_ PERIODS_GENERATE	Web Services
Create settings shifts validate workingtime	WS_ROSTER_MENU.POSTSETTINGS_SHIFTS_VALIDATE_ WORKINGTIME	Web Services

Menu Option	Menu ID	System
Create settings workgroup	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP	Web Services
Create settings workgroup advancedoptions	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_ADVANCEDOPTIONS	Web Services
Create settings workgroup copy	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_COPY	Web Services
Create settings workgroup defaulthours	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_DEFAULTHOURS	Web Services
Create settings workgroup defaultpayments	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_DEFAULTPAYMENTS	Web Services
Create settings workgroup standbyhours	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_STANDBYHOURS	Web Services
Create settings workgroup triggerpoint groups	WS_ROSTER_MENU.POST_SETTINGS_WORKGROUP_TRIGGERPOINT_GROUPS	Web Services
Create shifts uncovered publish	WS_ROSTER_MENU.POST_SHIFTS_UNCOVERED_PUBLISH	Web Services
Delete settings abscalendar	WS_ROSTER_MENU.DELETE_SETTINGS_ABSCALENDAR	Web Services
Delete settings person bonus override	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_BONUS_OVERRIDE	Web Services
Delete settings person bonus override Proxy (Entire Organization)	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_BONUS_OVERRIDE_PROXY	Web Services
Delete settings person nchdparameters	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_NCHD_PARAMETERS	Web Services
Delete settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_NCHD_PARAMETERS_PROXY	Web Services

Menu Option	Menu ID	System
Delete settings person recoding	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_RECODING_ID	Web Services
Delete settings person triggerpoint groups	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_TRIGGERPOINT_GROUPS	Web Services
Delete settings person triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_TRIGGERPOINT_GROUPS_PROXY	Web Services
Delete settings person wtd	WS_ROSTER_MENU.DELETE_SETTINGS_PERSON_WTD_ID	Web Services
Delete settings shifts	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_ID	Web Services
Delete settings shifts absencepremiums	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_ABSENCEPREMIUMS_ID	Web Services
Delete settings shifts patterns	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_PATTERNS_ID	Web Services
Delete settings shifts patterns additional	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_PATTERNS_ADDITIONAL_ID	Web Services
Delete settings shifts patterns range	WS_ROSTER_MENU.DELETEDSETTINGS_SHIFTS_PATTERNS_RANGE	Web Services
Delete settings workgroup	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP	Web Services
Delete settings workgroup advancedoptions	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_ADVANCEDOPTIONS	Web Services
Delete settings workgroup defaulthours	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_DEFAULTHOURS	Web Services
Delete settings workgroup defaultpayments	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_DEFAULTPAYMENTS	Web Services
Delete settings workgroup standbyhours	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_STANDBYHOURS	Web Services

Menu Option	Menu ID	System
Delete settings workgroup triggerpoint groups	WS_ROSTER_MENU.DELETE_SETTINGS_WORKGROUP_T RIGGERPOINT_GROUPS	Web Services
Get access user department	WS_ROSTER_MENU.GET_ACCESS_USER_DEPARTMENT	Web Services
Get access user workgroup	WS_ROSTER_MENU.GET_ACCESS_USER_WORKGROUP	Web Services
Get attendance	WS_ROSTER_MENU.GET_ATTENDANCE	Web Services
Get attendance Proxy (Entire Organization)	WS_ROSTER_MENU.GET_ATTENDANCE_PROXY	Web Services
Get balanceparams	WS_ROSTER_MENU.GET_BALANCEPARAMS	Web Services
Get calculate people	WS_ROSTER_MENU.GET_CALCULATE_PEOPLE	Web Services
Get general days	WS_ROSTER_MENU.GETGENERAL_DAYS	Web Services
Get general periods	WS_ROSTER_MENU.GETGENERAL_PERIODS	Web Services
Get overtimerule	WS_ROSTER_MENU.GET_OVERTIMERULE	Web Services
Get paycode absence	WS_ROSTER_MENU.GET_PAYCODE_ABSENCE	Web Services
Get paycode overtime	WS_ROSTER_MENU.GET_PAYCODE_OVERTIME	Web Services
Get settings abscalendar	WS_ROSTER_MENU.GET_SETTINGS_ABSCALENDAR	Web Services
Get settings abscalendar filter	WS_ROSTER_MENU.GET_SETTINGS_ABSCALENDAR_FILTER	Web Services
Get settings abscalendar paycode	WS_ROSTER_MENU.GET_SETTINGS_ABSCALENDAR_PAY CODE	Web Services
Get settings advancedoptions	WS_ROSTER_MENU.GET_SETTINGS_ADVANCEDOPTION S	Web Services
Get settings balances	WS_ROSTER_MENU.GET_SETTINGS_BALANCES	Web Services
Get settings balances activate	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_ACTIVAT E	Web Services
Get settings balances errors	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_ERRORS	Web Services
Get settings balances linked	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_LINKED	Web Services
Get settings balances periods	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_PERIOD S	Web Services

Menu Option	Menu ID	System
Get settings balances recalculate	WS_ROSTER_MENU.GET_SETTINGS_BALANCES_RECALCULATE	Web Services
Get settings clientparameter	WS_ROSTER_MENU.GET_SETTINGS_CLIENTPARAMETER	Web Services
Get settings company	WS_ROSTER_MENU.GET_SETTINGS_COMPANY	Web Services
Get settings company advanced	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_ADVANCED	Web Services
Get settings company triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_GROUPS	Web Services
Get settings company triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_GROUPS_PROXY	Web Services
Get settings company triggerpoint rules	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_RULES	Web Services
Get settings company triggerpoint rules Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_COMPANY_TRIGGERPOINT_RULES_PROXY	Web Services
Get settings currentperiod	WS_ROSTER_MENU.GETSETTINGS_CURRENTPERIOD	Web Services
Get settings delegation	WS_ROSTER_MENU.GET_SETTINGS_DELEGATION	Web Services
Get settings global	WS_ROSTER_MENU.GET_SETTINGS_GLOBAL	Web Services
Get settings person bonus override	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BONUS_OVERRIDE	Web Services
Get settings person bonus override Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BONUS_OVERRIDE_PROXY	Web Services
Get settings person bradford	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BRADFORD	Web Services
Get settings person bradford Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_BRADFORD_PROXY	Web Services

Menu Option	Menu ID	System
Get settings person directive recalculate	WS_ROSTER_MENU.GET_SETTINGS_PERSON_DIRECTIVE_RECALCULATE	Web Services
Get settings person directive recalculate Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_DIRECTIVE_RECALCULATE_PROXY	Web Services
Get settings person general	WS_ROSTER_MENU.GET_SETTINGS_PERSON_GENERAL	Web Services
Get settings person general Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_GENERAL_PROXY	Web Services
Get settings person nchdparameters	WS_ROSTER_MENU.GET_SETTINGS_PERSON_NCHDPARAMETERS	Web Services
Get settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_NCHDPARAMETERS_PROXY	Web Services
Get settings person recoding	WS_ROSTER_MENU.GET_SETTINGS_PERSON_RECODING	Web Services
Get settings person recoding Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_RECODING_PROXY	Web Services
Get settings person triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_GROUPS	Web Services
Get settings person triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_GROUPS_PROXY	Web Services
Get settings person triggerpoint rules	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_RULES	Web Services
Get settings person triggerpoint rules Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_TRIGGERPOINT_RULES_PROXY	Web Services

Menu Option	Menu ID	System
Get settings person wtd	WS_ROSTER_MENU.GET_SETTINGS_PERSON_WTD	Web Services
Get settings person wtd Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_PERSON_WTD_PROXY	Web Services
Get settings shifts	WS_ROSTER_MENU.GETSETTINGS_SHIFTS	Web Services
Get settings shifts absencepremiums	WS_ROSTER_MENU.GETSETTINGS_SHIFTS_ABSENCEPREMIUMS	Web Services
Get settings shifts patterns	WS_ROSTER_MENU.GETSETTINGS_SHIFTS_PATTERNS	Web Services
Get settings shifts patterns additional	WS_ROSTER_MENU.GETSETTINGS_SHIFTS_PATTERNS_ADDITIONAL	Web Services
Get settings triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_TRIGGERPOINT_GROUPS	Web Services
Get settings workgroup	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP	Web Services
Get settings workgroup advancedoptions	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_ADVANCEDOPTIONS	Web Services
Get settings workgroup balanceinterface	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_BALANCEINTERFACE	Web Services
Get settings workgroup company	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_COMPANY	Web Services
Get settings workgroup company Proxy (Entire Organization)	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_COMPANY_PROXY	Web Services
Get settings workgroup defaulthours	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_DEFAULTHOURS	Web Services
Get settings workgroup defaultpayments	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_DEFAULTPAYMENTS	Web Services

Menu Option	Menu ID	System
Get settings workgroup label	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_LABEL	Web Services
Get settings workgroup outagescheme	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_OUTAGEScheme	Web Services
Get settings workgroup overrides	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_OVERRIDES	Web Services
Get settings workgroup payrolltype	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_PAYROLLTYPE	Web Services
Get settings workgroup standbyhours	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_STANDBYHOURS	Web Services
Get settings workgroup triggerpoint groups	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_TRIGGERPOINT_GROUPS	Web Services
Get settings workgroup triggerpoint rules	WS_ROSTER_MENU.GET_SETTINGS_WORKGROUP_TRIGGERPOINT_RULES	Web Services
Get shifts additional	WS_ROSTER_MENU.GET_SHIFTS_ADDITIONAL	Web Services
Get shifts assigned	WS_ROSTER_MENU.GET_SHIFTS_ASSIGNED	Web Services
Get shifts uncovered generate	WS_ROSTER_MENU.GET_SHIFTS_UNCOVERED_GENERATE_ID	Web Services
Get shifts uncovered validate	WS_ROSTER_MENU.GET_SHIFTS_UNCOVERED_VALIDATE	Web Services
Get timetemplate	WS_ROSTER_MENU.GET_TIMETEMPLATE	Web Services
Get workpattern	WS_ROSTER_MENU.GET_WORKPATTERN	Web Services
Update settings abscalendar	WS_ROSTER_MENU.PATCH_SETTINGS_ABSCALENDAR_ID	Web Services
Update settings abscalendar filter	WS_ROSTER_MENU.PATCH_SETTINGS_ABSCALENDAR_FILTER	Web Services
Update settings abscalendar paycode	WS_ROSTER_MENU.PATCH_SETTINGS_ABSCALENDAR_PAYCODE_ID	Web Services
Update settings company	WS_ROSTER_MENU.PATCH_SETTINGS_COMPANY_ID	Web Services

Menu Option	Menu ID	System
Update settings delegation	WS_ROSTER_MENU.PATCH_SETTINGS_DELEGATION	Web Services
Update settings global	WS_ROSTER_MENU.PATCH_SETTINGS_GLOBAL	Web Services
Update settings person bradford calculate	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_BRADFORD_CALCULATE	Web Services
Update settings person bradford calculate Proxy (Entire Organization)	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_BRADFORD_CALCULATE_PROXY	Web Services
Update settings person general	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_GENERAL	Web Services
Update settings person general Proxy (Entire Organization)	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_GENERAL_PROXY	Web Services
Update settings person nchdparameters	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_NCHDPARAMETERS	Web Services
Update settings person nchdparameters Proxy (Entire Organization)	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_NCHDPARAMETERS_PROXY	Web Services
Update settings person recoding	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_RECODING	Web Services
Update settings person triggerpoint groups	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_TRIGGERPOINT_GROUPS	Web Services
Update settings person triggerpoint groups Proxy (Entire Organization)	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_TRIGGERPOINT_GROUPS_PROXY	Web Services
Update settings person wtd	WS_ROSTER_MENU.PATCH_SETTINGS_PERSON_WTD	Web Services
Update settings shifts	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_ID	Web Services

Menu Option	Menu ID	System
Update settings shifts absencepremiums	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_ABSENCEPREMIUMS_ID	Web Services
Update settings shifts patterns	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_PATTERNS_ID	Web Services
Update settings shifts patterns additional	WS_ROSTER_MENU.PATCHSETTINGS_SHIFTS_PATTERNS_ADDITIONAL_ID	Web Services
Update settings workgroup	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP	Web Services
Update settings workgroup advancedoptions	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_ADVANCEDOPTIONS	Web Services
Update settings workgroup defaulthours	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_DEFAULTHOURS	Web Services
Update settings workgroup defaultpayments	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_DEFAULTPAYMENTS	Web Services
Update settings workgroup standbyhours	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_STANDBYHOURS	Web Services
Update settings workgroup triggerpoint groups	WS_ROSTER_MENU.PATCH_SETTINGS_WORKGROUP_TRIGGERPOINT_GROUPS	Web Services
Update shifts uncovered	WS_ROSTER_MENU.PATCH_SHIFTS_UNCOVERED_ID	Web Services
Shifts	MAIN_MENU.WS_SHIFTS	Web Services
Create availability	WS_SHIFTS_MENU.POST_AVAILABILITY	Web Services
Create hours calculation	WS_SHIFTS_MENU.POST_HOURS_CALCULATION	Web Services
Create hours calculation unlockdays	WS_SHIFTS_MENU.POST_HOURS_CALCULATION_UNLOCKDAYS	Web Services
Create swaps	WS_SHIFTS_MENU.POST_SWAPS	Web Services
Create uncovered accepted	WS_SHIFTS_MENU.POST_UNCOVERED_ACCEPTED_ID	Web Services
Get availability history	WS_SHIFTS_MENU.GET_AVAILABILITY_HISTORY	Web Services

Menu Option	Menu ID	System
Get availability setup	WS_SHIFTS_MENU.GET_AVAILABILITY_SETUP	Web Services
Get companies	WS_SHIFTS_MENU.GET_COMPANIES	Web Services
Get companies calendars	WS_SHIFTS_MENU.GET_COMPANIES_CALENDARS	Web Services
Get companies calendars period	WS_SHIFTS_MENU.GET_COMPANIES_CALENDARS_PERIOD	Web Services
Get companies exceptions	WS_SHIFTS_MENU.GET_COMPANIES_EXCEPTIONS	Web Services
Get companies transferaccess	WS_SHIFTS_MENU.GET_COMPANIES_TRANSFERACCESS	Web Services
Get coworkers	WS_SHIFTS_MENU.GET_COWORKERS	Web Services
Get hours calculation	WS_SHIFTS_MENU.GET_HOURS_CALCULATION	Web Services
Get hours calculation errors	WS_SHIFTS_MENU.GET_HOURS_CALCULATION_ERRORS	Web Services
Get person shifts	WS_SHIFTS_MENU.GET_PERSON_SHIFTS	Web Services
Get person shifts Proxy (Entire Organization)	WS_SHIFTS_MENU.GET_PERSON_SHIFTS_PROXY	Web Services
Get swaps coworkers	WS_SHIFTS_MENU.GET_SWAPS_COWORKERS_ID	Web Services
Get swaps history	WS_SHIFTS_MENU.GET_SWAPS_HISTORY	Web Services
Get swaps history Proxy (Entire Organization)	WS_SHIFTS_MENU.GET_SWAPS_HISTORY_PROXY	Web Services
Get swaps summary	WS_SHIFTS_MENU.GET_SWAPS_SUMMARY	Web Services
Get swaps summary Proxy (Entire Organization)	WS_SHIFTS_MENU.GET_SWAPS_SUMMARY_PROXY	Web Services
Get team shifts	WS_SHIFTS_MENU.GET_TEAM_SHIFTS	Web Services
Get uncovered history	WS_SHIFTS_MENU.GET_UNCOVERED_HISTORY	Web Services
Get workgroups	WS_SHIFTS_MENU.GET_WORKGROUPS	Web Services
Update companies calendars period	WS_SHIFTS_MENU.PATCH_COMPANIES_CALENDARS_PERIOD	Web Services
Update swaps	WS_SHIFTS_MENU.PATCH_SWAPS_ACTION_ID	Web Services
Update uncovered rejected	WS_SHIFTS_MENU.PATCH_UNCOVERED_REJECTED_ID	Web Services

5. Appendix – T&A ONLY Site Users

Note: For WFM only sites, access to Personal Maintenance should be configured through Team Area Access or System Users.

5.1. Add New Employee

When running in a WFM only site, users can create an employee directly from Person Maintenance. This is controlled by the parameters (ct_global_param.corehr & ct_global_param.post_management both set to 'N')

When creating a new employee, the following screen are mandatory:

• Personnel No	• Surname
• Forename	• Work Group
• Dept	• Person Type
• Employee Information	• Contact Details
• Start Date	• The Add new screen will be separated into two sections

Note: When adding an employee in a WFM only site the date the employee is created will be assigned to the employees shift type and badge assignment (if this is automated).

5.2. Edit Employee

This provides a user with the ability to edit the employee's details on the Key Information screen when in a WFM only site. When in Edit mode, the user is able to amend the following values:

• Forename	• Surname
• Known as	• Date started
• Date left	• FTE on screen

• Standard hours	• Contract Hours
• Work Group	• Department
• Job Title	• Location
• Cost Centre	

5.3. Delete Employee

When running in a WFM only, site users are able to delete an employee that created in error if there are no underlying records recorded against the employee.

For example, employees cannot be deleted if there are hours generated, leave requests or shifts assigned for the employee.

The option to delete is available on the employee row under the 3-dot menu. The **Edit** button is also available in the 3-dot menu when in a WFM only site.

5.4. Contact Information

Contact Information is available to view via the Person Maintenance Screen but can be changed when running in a T&A only site.

The following options are required to view the Contact Information Screen:

Menu Option	Menu ID
Contact Information Admin	WFM Admin > Person Maintenance > Contact Information
Contact Information Manager	WFM Manager > Person Maintenance > Contact Information
Create Address	Profile > Create address
Create Address Proxy	Profile > Create address Proxy (Entire Organization)
Get Address	Profile > Get address
Get Address Proxy	Profile > Get address Proxy (Entire Organization)
Update Address	Profile > Update address
Update Address Proxy	Profile > Update address Proxy (Entire Organization)

Menu Option	Menu ID
Get Contacts	Profile > Get contacts
Get Contacts Proxy	Profile > Get contacts Proxy (Entire Organization)
Create Contacts	Profile > Create contacts
Create Contacts Proxy	Profile > Create contacts Proxy (Entire Organization)

5.5. Next of Kin

In a T&A only site, a user can view and update Next of Kin details. This is controlled by the following User Security Menu Options:

Menu Option	Menu ID
Next of Kin Admin	WFM Admin > Person Maintenance > Next Of Kin
Next of Kin Manager	WFM Manager > Person Maintenance > Next Of Kin
Get Next of Kin	Profile > Get nextofkin
Get Next of Kin Proxy	Profile > Get nextofkin Proxy (Entire Organization)
Update Next of Kin	Profile > Update nextofkin

5.6. User Security

The following Menu options are required in a T&A only site:

Menu Option	Menu ID
Create Roster	People > Create roster
Delete roster	People > Delete roster
Get Roster	People > Get roster
Update Roster	People > Update roster
Create Address	Profile > Create address
Create Address Proxy	Profile > Create address Proxy (Entire Organization)
Update Address	Profile > Update address
Update Address Proxy	Profile > Update address Proxy (Entire Organization)
Get Contacts	Profile > Get contacts
Get Contacts Proxy	Profile > Get contacts Proxy (Entire Organization)
Create Contacts	Profile > Create contacts

Menu Option	Menu ID
Create Contacts Proxy	Profile > Create contacts Proxy (Entire Organization)

6. Person Maintenance Checklist

When you are setting up the *Person Maintenance* screens, consult the checklist below to be sure you have followed all the steps.

- Ensure that you have the correct access set up. For further information on access, refer to [Employee/ Manager Access](#)
- The default menu option should be set to Employee.
- Amend the menu options as required for what you specifically wish to view and have access to.
- You may wish to change the default order. To do this, see further information on [Dashboard Order](#)