

HESA

User Guide

Access Limited Distribution

XD HESA

Table of Contents

Document Control	5
1. Overview.....	6
1.1. What is CoreHESA.....	6
2. Accessing CoreHESA	7
2.1. Where to Locate CoreHESA.....	7
3. Configuring HESA	9
3.1. User Access.....	9
3.1.1. CoreHESA Menu Options	9
3.1.2. CoreHESA User Security (Access to HESA Records).....	11
3.2. CoreHESA System Parameters	12
3.3. Configuring Staff & Contract Records.....	14
3.3.1. Configuring HESA Records Overview.....	14
3.3.2. CoreHESA Field Parameters.....	16
3.3.3. Configuring CoreHESA Data Mapping Rules	20
3.3.4. Configuring CoreHESA Mapping References.....	26
3.3.5. Mapping PeopleXD Pay Scale Points to CoreHESA Framework Points.....	29
3.3.6. Mapping Allowances	31
3.4. Configuring HESA UDFs	34
3.4.1. What are HESA UDFs?.....	34
3.4.2. Setting Up HESA UDFs	34
3.4.3. HESA UDF Updates via ESS (Portal).....	36
3.4.4. Updating Employee HESA UDFs via Back Office	38
3.5. Configuring Exemptions	40
3.6. Generating the HESA Staff ID	42
3.7. Capturing HESA Data via Portal (Employee Self Service).....	42

Table of Contents

4. CoreHESA Generation Process	43
4.1. HESA Generation Process Overview	43
4.2. Generate Data - Create the Initial Data Set	45
4.3. HESA Mapping Engine and HESA Tracker Log	49
4.4. Viewing CoreHESA Person and Contract Records	51
4.5. Generate Data for 'Year End' Fields Only	54
4.6. Manual Corrections / Uploading Data	55
4.6.1. Why is this Needed?	55
4.6.2. Updating / Correcting Employee Data on HESA Person Detail	55
4.6.3. Exclude Employee Contracts from HESA	56
4.6.4. Regenerating HESA Data for a Single Employee	57
4.6.5. Uploading Data / Corrections	58
Option 1: Bulk Uploading Person Values	59
Option 2: Bulk Uploading Contract Values	62
Bulk Uploading NULL Values for Person or Contract Fields	63
Option 3: Uploading HESA UDF Values	64
Option 4: Bulk Uploading Contract Exclusions	66
4.7. Business Rules and Validation	69
4.7.1. What is Business Rule Validation?	69
4.7.2. When is the Validation Process Run?	69
4.7.3. Configuring Business Rules	70
4.7.4. Running Business Rule Validation When Generating the Initial Data Set	72
4.7.5. Running the Validation as a Standalone Task	73
4.7.6. Reporting on Validation Results	73
4.8. Generate the HESA XML	75
4.9. HESA New Year Rollover Process	76
4.9.1. Copying the Configuration for the New Year	76

Table of Contents

4.9.2. Rolling over the HESA Year.....	77
4.9.3. Confirm the Rollover is Complete.....	79

Document Control

Version	Date	Author	Details
1.0	30.04.2024	Kat Murie	Published to Knowledge Base

1. Overview

1.1. What is CoreHESA

The CoreHESA module allows you to create & maintain HESA Records and produce a finalised report for submission to the Higher Education Statistics Agency in the UK.

The purpose of this document is to show you how to use the CoreHESA module & how to carry out specific tasks critical to producing a valid return from with the module. This includes:

- How to configure CoreHESA to generate the required XML return.
- How to generate the XML file, including correcting data and bulk uploads.

Details of the changes for the current HESA reporting year will be published separately on the Knowledge Base.

2. Accessing CoreHESA

2.1. Where to Locate CoreHESA

CoreHESA is available in the back office CoreHR application. To access this:

1. Click **CoreHR** in the *Available Products* list.
2. Click **CoreHR** menu item at the top of the screen.
3. Click **CoreHESA**.



**Note:**

Access to CoreHESA is controlled using Security menu profiles (see [3.1.1 CoreHESA Menu Options](#)).

We recommend that a separate CoreHESA menu profile is created in Security and assigned to users:


- that have responsibility for configuring and maintaining the module **AND/OR**
- who will need the access to update CoreHESA records to produce the .XML output from the module.

3. Configuring HESA

3.1. User Access

3.1.1. CoreHESA Menu Options

Access to all options within the CoreHESA module are controlled by menu options. This section provides a list of all menu options and a description of the access it provides. All of these can be added to a specific CORE_HESA menu profile in Security, which can be shared with the required back office user accounts. The *Installed System* for each of these is "CoreHR".



Menu Option	Function
Corehr Menu - HESA Menu	This is required to access the module from the CoreHR Menu from the Desktop
HESA Menu - Allowance Maintenance	Access to 12. Allowance Maintenance on the main CoreHESA screen.
HESA Menu - HESA Mapping Framework Scales Details	Access to 4. Mapping Framework Scales Details on the <i>HESA Record Type</i> screen.

Menu Option	Function
Hesa Menu - Hesa Bulk Muster Generation	Access to 8. Bulk Muster Generation on the main CoreHESA screen.
HESA Menu - HESA Data Mapping	Access to the HESA Data Mapping screen from both the main CoreHESA screen and the <i>HESA Record Type</i> screen.
Hesa Menu - Hesa End Of Year Processing	Access to 9. HESA End of Year Processing on the main CoreHESA screen.
Hesa Menu - Hesa Field Maintenance	Access to 17. HESA Field Maintenance on the main CoreHESA screen.
Hesa Menu - Hesa Grade Table Maintenance	<i>This menu option is no longer necessary as of 2012/2013 return.</i>
Hesa Menu - Hesa Maintain Muster Rules	Access to 16. HESA Maintain Muster Rules on the main CoreHESA screen.
Hesa Menu - Hesa Mapping Rules	Access to the HESA Mapping Rules screen from both the main CoreHESA screen and the <i>HESA Record Type</i> screen.
Hesa Menu - Hesa Person Detail	Access to 6. HESA Person Detail on the main CoreHESA screen.
Hesa Menu - Hesa Process Exemptions	Access to 10. HESA Process Exemptions on the main CoreHESA screen.
Hesa Menu - Hesa Record Types	Access to 3. HESA Record Types on the main CoreHESA screen.
Hesa Menu - Hesa Reference Data	Access to the HESA Reference Data option on the <i>HESA Record Type</i> screen.
Hesa Menu - Hesa Regenerate Record	Access to regenerate a person's HESA records using the Generate Data button on the <i>HESA Person Detail</i> screen.
Hesa Menu - Hesa Security	Allows a user to maintain HESA Users Access to certain field groupings in the <i>CorePersonnel > System Users</i> screen. This is the option 11. HESA Security on the main CoreHESA screen.
Hesa Menu - Hesa System Parameters	Access to 2. HESA System Parameters on the main CoreHESA screen.
Hesa Menu - Hesa Load Data File	Access to 13. Load Data File on the main CoreHESA screen.

Menu Option	Function
Hesa Menu - Maintain Hesa Business Rules	Access to 18. Maintain HESA Business Rules on the main CoreHESA screen.
Hesa Menu - Maintain Hesa User Data	Access to the HESA User Data screen from both the main CoreHESA screen and the <i>HESA Record Type</i> screen.

3.1.2. CoreHESA User Security (Access to HESA Records)

CoreHESA users need to be granted access to specific CoreHESA field groupings in order to be able to maintain & correct these fields at an individual level. To give a user access to the required field groupings, follow the below steps:

1. Go to *CorePersonnel > Reference > Reference Q - Z > System Users*.
2. Select Back Office Accounts.
3. Search for the username.
4. Select *Security Type* = "HESA Security".
5. Click Show Access. The screen updates to display the two options.

Reference Code	Description	Active	Access Granted
1	General Group	☒	☒
2	Diversity Group	☒	☒

6. Select the **Access Granted** checkbox for the groups required for the user.
7. Click  to save.

All HESA Person and Contract fields are flagged as either "General Group" or "Diversity Group" (see [3.3.2 CoreHESA Field Parameters](#)). This access ensures that the user can update/correct the HESA fields at an individual level for an employee/their contract on the HESA Person Detail screen.

Note: If the CoreHESA user cannot see any HESA fields from within the *HESA Person Detail* screen, their HESA Security access should be checked.

3.2. CoreHESA System Parameters

The CoreHESA System Parameters are typically configured during the initial setup of CoreHESA. This section provides an overview of the parameters available on this screen and how/when these may be updated.

To access this screen:

1. On the main CoreHESA screen, select **2.HESA System Parameters**.

The *HESA System Parameters* screen opens.

See the table for a description of the parameters:

Parameter	Description
Current Reporting Year	This is the year that the HESA module will generate report data for. • In the screenshot, 2019 indicates this is the 2019-2020 reporting year. • This is automatically set by the system when the HESA year is rolled forward. • Ensure that this is set to the correct reporting year before starting to process HESA.

Parameter	Description
UK Provider Reference Number	You should enter your customer UKPRN here.
Record Identifier	This is the Record Identifier for the year in question.
Disable HESA Triggers	By default, HESA triggers are enabled. This is to ensure that changes made to employee or contract records are automatically triggered to the HESA module, once the base set of HESA records have been generated. Ensure that this is disabled, so that data is triggered to the HESA module as expected. You may wish to prevent changes from HR being automatically picked up in the CoreHESA module e.g. if you are using a cut-off date for changes from HR. In that case, you can enable this parameter. Check that this is off before processing HESA for the next year.



Note: The following sections on this screen are no longer used for CoreHESA and can be ignored:

- Staff Record Validation Details
- Contract Record Validation Details
- Grade Record Validation Details

3.3. Configuring Staff & Contract Records

3.3.1. Configuring HESA Records Overview

During initial setup of the CoreHESA module, you will review and decide what fields will be returned to HESA.

Items to consider are:

- Will the field be included in or omitted from the return?
- How will the field be generated for each person/contract e.g. will this use the default value, a HESA UDF, the CoreHR reference value, mapping rules etc?

It is recommended to review these annually to ensure that the field configuration correctly reflects your requirements for the current year. For example:

- You may need to consider new fields in line with HESA legislative changes
- You may need to review mapping etc reflect changes to your HR process and configuration on PeopleXD.

To access this screen:

1. Select **3. HESA Record Types** on the main HESA screen.

The *HESA Record Type Maintenance* screen opens. The *HESA Record Type* section at the top of the screen provides a list of the HESA record types, for each reporting year.

- There are 2 record types for each reporting year: Person Record and Contract Record
 - The *Effective From Date* and *Effective To Date* fields show the date range for that HESA record e.g. 01-AUG-2019 to 31-JUL-2020
2. Click the record to update the lower half of the screen to show the list of all fields for that record i.e. selecting Person Record, shows all fields for the person record.

Access Limited Distribution

3.3.2. CoreHESA Field Parameters

The following parameters can be set for each field directly on the *HESA Record Type Maintenance* screen.

Parameter	Description
Active Ind	Each HESA field can be made active or inactive by selecting this indicator. If the field is not marked as active, then: • It will not be included within the HESA Mapping Engine. • It will not be available on the HESA Person Detail screen nor will it be included in the XML output file. At any stage a field can be made active or inactive. If a field is made active after the initial generation then you would need to start the initial generation cycle again for rules/mappings/default to be applied to the field. If this is not feasible then HESA values would have to be loaded through the module's upload facility for the employees in question can have their full data-regenerated within the HESA Person Detail screen.
Use CoreHR Value	This indicates that you want the HESA Mapping engine to use the actual PeopleXD value held for the employee/contract record. This should only be selected if there are CoreHESA Data Mapping Rules configured for the field (see 3.3.3 Configuring CoreHESA Data Mapping Rules). This ensures that the system knows how to map this HESA field to a PeopleXD data item. This is only applicable if data mapping rules exist for the field i.e. they are listed on the Data Mapping Rules screen as SQL statements. Note, this is not <i>Mapping Reference</i> field. For example, this is typically used to return date fields e.g. DATEFHEI, BIRTHDTE, STARTCON, ENDCON. Also, if you are storing HESA values in a standard UDF (i.e. not a HESA UDF) then you may want to return the value that's held in the UDF item as it's the HESA code.

Parameter	Description
	This setting would not be used, if the data mapping rule is configured to return a different value to the one held on the database e.g. PeopleXD Gender mapping to the SEXID field.
Default Value	This is the default value applied to the field for all records. This is typically used where the same value is applicable to every staff member e.g. Campus Identifier. Another use could be to default a value for mandatory information on the return that is not captured on PeopleXD or cannot be mapped. This ensures that a value is returned to HESA. You can analyse these unknowns and use this as an opportunity to update your PeopleXD data for the next year's return. If this is provided, the Return Default indicator must also be enabled. This is available by clicking the Parameters button. Further details for that indicator are available in the next table.
Mapping Reference	This identifies the PeopleXD Reference Data that the field is mapped to. Select the PeopleXD reference data that maps to this HESA field. For example, the NATION field could be directly mapped to the PeopleXD "Nationality Codes". The Map to CoreHR Reference Data indicator must be enabled in order to select an item from this list. This is available by clicking the Parameters button. Further details for that indicator are available in the next table.

 **Note:** If you change any of these 4 parameters on the main *HESA Record Type Maintenance* screen, click  to save changes.

Click **Parameters** next to the field, to view the additional corresponding field parameters. See the table below for a list of the parameters to be reviewed per field. Only the items highlighted in screenshot and the table are of relevance.

Field ID Parameters

Field ID: Date appointed at current HEI

No. Of Decimals:

Size:

Timestamp:

Decimal Format Mask:

Padding Value:

Output Field Id:

Grouping ID

Allow Zero Occurance ☐

Entity Ind ☐

Hide ☐

End Of Year ☐

Return Default ☐

Map To CoreHR Reference Data ☐

Parameter	Description
Grouping ID	This must be set for all fields. The options are: General Group: This is applicable to the majority of person or contract fields. Diversity Group: This is typically used for fields that are held on the employee Diversity Details record in PeopleXD. This is set to control what data can be seen by a user on an individual's person or contract record, as reviewed in CoreHESA User Security. You will only see fields on the person or contract record that you have been given access to see. For example, if a field has a Grouping ID of <i>Diversity Group</i>, but you have only been given access to <i>General Group</i> and not <i>Diversity Group</i>, then you will not see any fields on the person or contract record that are flagged as <i>Diversity Group</i>. You will see all fields that have been flagged as <i>General Group</i>.

Parameter	Description
	This has no impact on the XML file output. Even if the user doesn't have access to the field based on Grouping ID, the field is still included in the XML return.
Allow Zero Occurrence	Certain HESA fields are optional, and this parameter should be enabled for those fields. During the XML output generation, any field that has this indicator selected and does not contain a value will not be included within the XML file. The field will still be available within the <i>HESA Person Detail</i> screen where a value can be input.
Entity Ind	This indicator needs to be selected against the <i>Activity1</i> , <i>Activity2</i> , <i>Activity3</i> fields. These are PeopleXD specific fields and are not returned to HESA. The Entity Ind parameter ensures that HESA Contract Activities (ACTSOC/CCENTRE/CCPROP) are embedded within the Contract Element of the XML file.
Hide	This indicator will hide the field on the <i>HESA Person Detail</i> screen, but it will still be available on the XML file output as well as BI and Insight.
End of Year	If a user wishes to run an end of year generation for fields that should be calculated at year end, then this indicator should be selected against the relevant fields i.e. CONFTE. When an end of year generation is run, it will generate the HESA values for fields that have this indicator selected, for the current HESA reporting year. See 4.5 Generate Data for 'Year End' Fields Only for further details on how this is applied.
Return Default	If a default value has been specified against a field, enable this parameter to always return the default value regardless of any rule mappings values found through the HESA Mapping Engine.
Map to CoreHR Reference Data	In order to map a HESA field to a specific HR reference item, then this indicator should be selected. Once this is selected, the Mapping Reference dropdown list is available to select an option. If not selected the drop-down list will remain greyed out and mapping reference cannot be selected.

3.3.3. Configuring CoreHESA Data Mapping Rules

PeopleXD provides a set of standard Data Mapping Rules. These are used to analyse the data held on PeopleXD for a specified field and define what data this should be mapped to, for output on the HESA record.

To access the Data Mapping Rules:

1. Open the *HESA Record Type* screen.
2. Click **3. Data Mapping Rules** from the *Select Option* list.

The screenshot displays the 'HESA Record Type Maintenance' window. The 'HESA Record Type' section shows a list of records with columns for Year, Record Type, Name, Active status, and Effective dates. The 'Select Option' panel on the right lists various options, with '3. Data Mapping Rules' highlighted in red. Below this, the '2019 - 025 - Person Record' section shows a detailed mapping table for various fields.

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind	Parameters
1	Staff Identifier	STAFFID			☒	☒	Parameters
2	Institutions own staff identifier	OWNSTAFFID			☒	☒	Parameters
3	Ability to teach through the medi	ABLWELSH			☐	☐	Parameters
4	Academic teaching qualification	ACTCHQUAL1	HESA PERSON RECORD		☐	☒	Parameters
5	Academic teaching qualification	ACTCHQUAL2	HESA PERSON RECORD		☐	☒	Parameters
6	Academic teaching qualification	ACTCHQUAL3	Teaching Qualification Types		☐	☐	Parameters
7	Academic teaching qualification	ACTCHQUAL4	Teaching Qualification Types		☐	☐	Parameters
8	Academic teaching qualification	ACTCHQUAL5	Teaching Qualification Types		☐	☐	Parameters
9	Academic teaching qualification	ACTCHQUAL6	Teaching Qualification Types		☐	☐	Parameters
10	Activity after leaving	ACTLEAVE		90	☐	☒	Parameters
11	Date of Birth	BIRTHDTE			☒	☒	Parameters
12	Clinical excellence award	CLINARD	Allowance Code		☐	☒	Parameters
13	Current academic discipline one	CURACCDIS1			☐	☒	Parameters

If you have selected a field on the previous screen, the Data Mapping Rules screen opens for the rules found for that field. If not, select the Record Type and HESA Field to view the corresponding rule(s).

[illegible]

Note:

- You can mark each rule as either active/inactive.
- You can view the rule as an SQL statement used for the rule logic if necessary.
- You can also select a default value to return if the rule is returned as “True” and where the **Use CoreHR Value** is not selected against the field in question.

Rules work on the logic of being TRUE or FALSE. Where a rule is found to be TRUE then the value output into the respective HESA field can takes 2 forms.

1. The value as stored on PeopleXD i.e. Use PeopleXD Value.
2. A corresponding HESA value set as the default return value when the rule is "True".

Rules are applied sequentially until the point any rule is found to be TRUE. Where no rule is found to be “True” (matched) for a given field, the next stage of the HESA Mapping Logic will be applied i.e. applying reference data mappings. See [4.3 HESA Mapping Engine and HESA Tracker Log](#) for the order in which the rules are applied.

Example 1: Use PeopleXD Value

Any date field returned to HESA will have the **Use CoreHR Value** selected on the HESA Record Type screen.

- PeopleXD dates are stored as DD-MON-YYYY format.
- HESA requires dates to be returned in the format YYYY-MM-DD.
- A rule is required to convert the actual PeopleXD date into the new format.

The DATEFHEI field has the **Use CoreHR Value** indicator enabled.

Open the *Data Mapping Rules* screen.

HESA Record Type Maintenance

Year	Record Type	Name	Active	Effective From Date	Effective To Date
2019	025	Person Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2019	026	Contract Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2018	025	Person Record 2018/2018	☒	01-AUG-2018	31-JUL-2019
2018	026	Contract Record 2018/2018	☒	01-AUG-2018	31-JUL-2019
2017	025	Person Record 2017/2017	☒	01-AUG-2017	31-JUL-2018
2017	026	Contract Record 2017/2017	☒	01-AUG-2017	31-JUL-2018
2016	025	Person Record 2016/2016	☒	01-AUG-2016	31-JUL-2017
2016	026	Contract Record 2016/2016	☒	01-AUG-2016	31-JUL-2017

Select Option

1. HESA Reference Data
2. Map Reference Data
3. Data Mapping Rules
4. Mapping Framework Scales Details
5. Grade Table Maintenance
6. HESA User Data

2019 - 025 - Person Record

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind
11	Date of Birth	BIRTHDT			☒	☒ Parameters
12	Clinical excellence award	CLINARD	Allowance Code		☐	☒ Parameters
13	Current academic discipline one	CURACCDIS1			☐	☒ Parameters
14	Current academic discipline two	CURACCDIS2			☐	☒ Parameters
15	Current academic discipline three	CURACCDIS3			☐	☒ Parameters
16	Current academic discipline four	CURACCDIS4			☐	☒ Parameters
17	Current academic discipline five	CURACCDIS5			☐	☒ Parameters
18	Date appointed at current HEI	DATEFHEI			☒	☒ Parameters
19	Date Left	DATELEFT			☒	☒ Parameters
20	Disability	DISABLE		00	☐	☒ Parameters
21	Ethnicity	ETHNIC	Ethnicity	90	☐	☒ Parameters
22	Gender reassignment	GENREASSIGN	Gender Identity		☐	☒ Parameters
23	Government Status Flag	GOVFLAG			☐	☒ Parameters

A rule exists for this field:

Mapping Rules


HESA Mapping Rules

Record Type: 2019 - 025 - Person Record 2019/2019 HESA Field: 18 - Date appointed at current HEI

Rule Detail

Rule Number	Description	Active	Rule Owner
1	Get Latest start date (date of continuous service)	☒	HESA


Click **View SQL** to see the code that is used to apply the rule:



Example 2: User Defined Value

Some rules will not have the **Use CoreHR Value** enabled and in this case the you need to specify what value should be returned if the rule is found to be "True". In these scenarios, the value to be returned is set in the reference list.

An example of this are the two rules held against the Legal Sex field. If rule one is found to be "True" then what HESA code should be returned



Rule 1 "Check if Male" will check the person record to see if they are male. Click **Define Reference List** to see what the selected value will be.

Legal Sex Code	Description	Select	Default
1	Male	☒	☒
2	Female	☒	☐

The above screenshot is the defined reference list against rule 1 (Check if Male), for which we have selected and defaulted the return value to 1 (Male) when rule 1 is “True”.

The defined reference list against rule 2 (Check if Female) would follow the same principle but we would instead select and default 2 (Female) when rule 2 is “True”.

Note: Every item should have the select indicator against it as this enables the user to overwrite the return value to a value that has the select indicator against it via the *HESA Person Detail* screen.

Example 3: Don't Return Value

In some cases, we might have a rule which if it is found to be “True”, then we don't want to return a value to HESA. An example of this is the rule specified below held against the LOCLEAVE field.

“Where a Location after Leaving exists but Person's Date Left is Null”

Rule Number	Description	View Sql	Define Reference List	Active	Rule Owner
1	Business Rule 2. Set LocLeave to Null where recorded but Date left is Null	View Sql	Define Reference List	☒	HESA

In this case the **Use CoreHR Value** is not selected, and we do not have anything defaulted in the defined reference list, i.e. return nothing (see next page).

Code	Description	Select	Default
1	England	☒	☐
2	Wales	☒	☐
3	Scotland	☒	☐
4	Northern Ireland	☒	☐
5	UK (not otherwise specified)	☒	☐
6	Other EU	☒	☐
7	Non-EU	☒	☐
8	Not known	☒	☐
9	Information refused	☒	☐
		☐	☐
		☐	☐

Note: In these type of rule scenarios, once the rule is found to be TRUE, we return nothing, and no other rules remaining against the field are processed i.e. Rule 2, 3 etc.

Example 4: Mapping HESA UDFs

Where HESA information is being stored in a standard person/appointment UDF, then a rule is required to return the HESA code stored within the UDF.

We recommend that customers should prefix the HESA UDF item with the relevant HESA Code e.g. "0 Not clinical academic".

3.3.4. Configuring CoreHESA Mapping References

It is possible to configure a field to map directly to PeopleXD Reference data. If this is the case, the actual PeopleXD Reference Data code will be used for the return.

For this to work, the following parameters must be set on the field (as covered in [CoreHESA Field Parameters](#)):

- **Map to CoreHR Reference Data** AND
- **Mapping Reference**

The following PeopleXD Reference Data items can be mapped for **Person** records:

- Academic Discipline1
- Academic Discipline2
- Citizenship
- Company Category Code
- Contract Type
- Country Code
- Course Level
- Disability Code
- Education Code
- Ethnic Origin
- Gender Identity
- Industry Category Code
- Leaving Destination Code
- Location After Leaving
- National ID1
- National ID2
- Nationality
- Professional Body Name
- Professional Body Type
- Religion
- Sexual Orientation

The following PeopleXD Reference Data items can be mapped for **Contract** records:

- Allowance code
- Category
- Company
- Cost Centre
- Department
- Division
- Employee Status
- Employee Sub Status
- Job Title
- Leaving Reason Code
- Location
- Management Unit
- Project Code
- Reason Code
- Sub Category
- User Field1
- User Field2
- User Field3
- User Field4
- User Field5

As well as the standard mapping reference items being available, any active HESA UDF can be selected from the **Mapping Reference** column

- These will appear in uppercase.
- If the HESA UDF selected contains the field selected, then this UDF item will be mapped accordingly.

HESA Record Type Maintenance

HESA Record Type

Year	Record Type	Name	Active	Effective From Date	Effective To Date
2019	025	Person Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2019	026	Contract Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2018	025	Person Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2018	026	Contract Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2017	025	Person Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2017	026	Contract Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2016	025	Person Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2016	026	Contract Record 2016/2016	☐	01-AUG-2016	31-JUL-2017

Select Option

1. HESA Reference Data
2. Map Reference Data
3. Data Mapping Rules
4. Mapping Framework Scales Details
5. Grade Table Maintenance
6. HESA User Data

2019 - 025 - Person Record

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind
1	Staff Identifier	STAFFID			☒	☒ Parameters
2	Institutions own staff identifier	OWNSTAFFID			☒	☒ Parameters
3	Ability to teach through the medium of Welsh	ABLWELSH			☐	☐ Parameters
4	Academic teaching qualification	ACTCHQUAL1	HESA PERSON RECORD		☒	☒ Parameters
5	Academic teaching qualification	ACTCHQUAL2	HESA PERSON RECORD		☐	☒ Parameters
6	Academic teaching qualification	ACTCHQUAL3	Teaching Qualification Types		☐	☐ Parameters
7	Academic teaching qualification	ACTCHQUAL4	Teaching Qualification Types		☐	☐ Parameters
8	Academic teaching qualification	ACTCHQUAL5	Teaching Qualification Types		☐	☐ Parameters
9	Academic teaching qualification	ACTCHQUAL6	Teaching Qualification Types		☐	☐ Parameters
10	Activity after leaving	ACTLEAVE		90	☐	☒ Parameters
11	Date of Birth	BIRTHDTE			☒	☒ Parameters
12	Clinical excellence award	CLINARD	Allowance Code		☐	☒ Parameters
13	Current academic discipline one	CURACCDIS1			☐	☒ Parameters

Once a Mapping Reference has been set for the field, the next step is to review the PeopleXD Reference data to be mapped. To do this:

1. Select the field on the screen.
2. Click **2. Map Reference Data** on the *Select Options* list.

HESA Record Type Maintenance

HESA Record Type

Year	Record Type	Name	Active	Effective From Date	Effective To Date
2019	025	Person Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2019	026	Contract Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2018	025	Person Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2018	026	Contract Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2017	025	Person Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2017	026	Contract Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2016	025	Person Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2016	026	Contract Record 2016/2016	☐	01-AUG-2016	31-JUL-2017

Select Option

1. HESA Reference Data
2. Map Reference Data
3. Data Mapping Rules
4. Mapping Framework Scales Details
5. Grade Table Maintenance
6. HESA User Data


2019 - 026 - Contract Record 2019/201

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind
30	Source of Basic Salary 3	SOBS3			☐	☐ Parameters
31	Salary Point	SPOINT			☒	☒ Parameters
32	Start Date of Contract	STARTCON			☒	☒ Parameters
33	Teaching through the medium of Welsh	TCHWLH			☐	☐ Parameters
34	Terms of Employment	TERMS	Employee Status	3	☐	☒ Parameters
35	Zero Hours Contract	ZEROHRS			☐	☒ Parameters

The *Data Mapping* screen displays all the PeopleXD reference data items for the selected reference data on the left-hand side e.g. all of the possible options for “Employee Status”.

3. Map each PeopleXD item to the expected HESA Reference Data for that field

Click the  for each field and select the HESA equivalent. The list is restricted to HESA codes for the selected field e.g. only codes required for TERMS.



CoreHR Reference Data	Description	HESA Reference Data
A	Apprentice/Trainee	3 ? Atypical
CS	Casual / Zero Hours	2 ? Fixed-term
FT	Fixed Term	2 ? Fixed-term
LE	Leaver (Coretime-Do Not Remove)	3 ? Atypical
NE	3rd Party / Non-Employee	?
O	Other Person Engaged	3 ? Atypical
P	Permanent	1 ? Open-ended/Permanent
PE	Pensioner	?
		?
		?
		?

4. Click  to save changes made.

Note: It is not mandatory for every reference item to be mapped to a HESA Code. For example:

- Some reference data items may apply to categories of staff not being returned e.g. Pensioners. **OR**
- Reference data may no longer be active / in use on PeopleXD.

Where no mapping is provided, the next stage of the HESA Mapping Logic will be applied

3.3.5. Mapping PeopleXD Pay Scale Points to CoreHESA Framework Points

As per standard approach PeopleXD Pay Scale points are mapped to their respective HESA point value. This configuration can be performed within the *HESA Record Type* screen

1. Select the SPOINT field on the contract record

- Click **4. Mapping Framework Scales Details** from the *Select Option* list.

HESA Record Type Maintenance

Year	Record Type	Name	Active	Effective From Date	Effective To Date
2019	025	Person Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2019	026	Contract Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2018	025	Person Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2018	026	Contract Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2017	025	Person Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2017	026	Contract Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2016	025	Person Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2016	026	Contract Record 2016/2016	☐	01-AUG-2016	31-JUL-2017

2019 - 026 - Contract Record 2019/201

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind	Parameters
30	Source of Basic Salary 3	SOBS3			☐	☐	Parameters
31	Salary Point	SPOINT			☒	☒	Parameters
32	Start Date of Contract	STARTCON			☐	☐	Parameters
33	Teaching through the medium of	TCHWLH			☐	☐	Parameters
34	Terms of Employment	TERMS	Employee Status	3	☐	☒	Parameters
35	Zero Hours Contract	ZEROHRS			☐	☒	Parameters

The *Mapping Framework Scales Details* screen opens.

This provides a list of all of the Pay Scales that are set up on your instance of PeopleXD. If the list is quite long, you can use the Pay Scale search option at the top of the screen to filter the screen to one.

Mapping Framework Scales Details

Search

Pay Scale

Pay Scale	Description	Framework IND	Map
GR1	Grade 1	☒	Map
GR2	Grade 2	☒	Map
GR3	Grade 3	☒	Map
GR4	Grade 4	☐	Map
GR5	Grade 5	☐	Map
GR6	Grade 6	☐	Map
1	Personal Rate	☐	Map

- Select the **Framework Ind** checkbox for the Pay Scale to be mapped.
- Click **Map**.
- On the *Mapping Details* screen, map each point to the relevant HESA Framework point.

Framework Point is a free text field and you should input the corresponding HESA code in this column.

Scale Point	Framework Point
1	
2	
3	
4	
5	

8. Click **Save**
9. Repeat steps 5 to 8 for all Pay Scales to be mapped.

Note: If the employee is not a Spinal Point, or their relevant Pay Scale point is not mapped, then this field is not returned against their contract. In this case the SALREF value would be returned as explained in the Common Design Document.

3.3.6. Mapping Allowances

As per standard approach, Allowances are mapped to HESA CLINARD values. Specific Allowance pay codes must first be marked as eligible for mapping.

To map the Allowance Pay Codes, follow the below steps:

1. On the main CoreHESA screen, click option **12. Allowance Maintenance**.
The *Allowance Maintenance* screen lists all of the pay codes.

The screenshot shows the 'Allowance Maintenance' window. It contains a table with the following columns: 'Pay Code', 'Description', and 'Payroll Fte Count Indicator'. The 'Payroll Fte Count Indicator' column contains checkboxes for each allowance. The 'Salary' allowance (Pay Code 1000) is highlighted in blue, and its checkbox is checked. All other allowances have unchecked checkboxes.

Pay Code	Description	Payroll Fte Count Indicator
1000	Salary	☒
1002	Salary Arrears	☐
1003	Occupational Salary Offset	☐
1004	Additional Salary Arrears	☐
1005	Basic Hours	☐
1006	Basic Hours Arrears	☐
1007	Holiday Pay (17.00%)	☐
1008	Holiday Pay Value	☐
1009	Holiday Pay Hours	☐
1010	Holiday Pay Hours Arrears	☐
1011	Part Time Lecturer	☐
1012	Part Time Lecturer Arrears	☐
1013	Tutorial Hours	☐
1014	Tutorial Hours Arrears	☐
1016	Company Holiday Pay	☐
1017	Public Holiday(Coretime)	☐
1018	Public Holiday Arrears	☐
1019	University Holiday	☐
1020	University Holiday Arrears	☐
1072	Directorship Scale	☐

2. Select the **Payroll FTE Count Indicator** for all required allowances to be mapped.
3. Click  to save changes made.
4. Map the eligible allowance codes to the CLINARD field on the HESA Person record.
 - a. Open the *HESA Record Type* screen.
 - b. Select the Person record.
 - c. Scroll to the CLINARD field.
 - d. Ensure that the mapping parameters are enabled for CLINARD i.e.
 - i. Click **Parameters** and enable **Map to CoreHR Reference Data**.
 - e. Select **Allowance Code** from *Mapping Reference*.
 - f. Click  to save changes made.
5. Click **2. Map Reference Data** from the *Select Option* list.

HESA Record Type Maintenance

Year	Record Type	Name	Active	Effective From Date	Effective To Date
2019	025	Person Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2019	026	Contract Record 2019/2019	☒	01-AUG-2019	31-JUL-2020
2018	025	Person Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2018	026	Contract Record 2018/2018	☐	01-AUG-2018	31-JUL-2019
2017	025	Person Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2017	026	Contract Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2016	025	Person Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2016	026	Contract Record 2016/2016	☐	01-AUG-2016	31-JUL-2017

2019 - 025 - Person Record

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind	Parameters
10	Activity after leaving	ACTLEAVE		90	☐	☒	Parameters
11	Date of Birth	BIRTHDTE			☒	☒	Parameters
12	Clinical excellence award	CLINARD	Allowance Code		☐	☒	Parameters
13	Current academic discipline one	CURACCDIS1			☐	☒	Parameters
14	Current academic discipline two	CURACCDIS2			☐	☒	Parameters
15	Current academic discipline three	CURACCDIS3			☐	☒	Parameters
16	Current academic discipline four	CURACCDIS4			☐	☒	Parameters
17	Current academic discipline five	CURACCDIS5			☐	☒	Parameters

Select Option

- HESA Reference Data
- Map Reference Data
- Data Mapping Rules
- Mapping Framework Scales Details
- Grade Table Maintenance
- HESA User Data

Only Allowance Codes that have the *Payroll Fte Count Ind* selected within the *Allowance Maintenance* screen will be available to map

HESA Data Mapping

Record Type: 2013 - 025 - Person Record 2013/2014 Reference Type: Clinical excellence award

Mapping Values

CoreHR Reference Data	Description	HESA Reference Data
3052	ACTUARIAL SCIENCE SUPP	Clinical Excellence Award (local level 9) (England & Wales)
3053	INTENSITY SUPPLEMENT	Merit Award (B) (England & Wales)

6. Map the allowance code to the HESA Reference Data.

7. Click  to save changes made.

3.4. Configuring HESA UDFs

3.4.1. What are HESA UDFs?

HESA UDFs can be used to capture data from employees to be mapped to their person or contract record for HESA purposes only. These are typically used where a standard PeopleXD reference data item is not available to capture the required data.

Once configured the HESA UDF record can be updated for an employee in a number of ways:

- The employee can update this themselves via Portal.
- A HR Administrator can update on behalf of an employee.
- Data can be bulk uploaded for a group of employees.

 **Note:** These are not the same as standard PeopleXD employee or post appointment UDFs. These are configured within the CoreHESA module and captured on different back office and Portal screens. All of this is covered in the next sections.

3.4.2. Setting Up HESA UDFs

To create a HESA UDF, follow the below steps:.

1. Click **15. HESA User Data** on the main *CoreHESA* screen.
2. Create the UDF.
 - a. Provide a *Reference Code* e.g. "H1"
 - b. Provide a *Description*. This will appear to employees on Portal, so provide a meaningful description, so employees understand what they need to supply.
 - c. Select **Active Ind.**
 - d. Select the *UDF Type* of Person or Contract. This ensures the UDF items for this UDF are mapped to either Person or Contract fields.
 - e. Select **Publish to Employee**, if this UDF will be shared with employees on Portal, to update with their details.

Reference Code	Description	Field Details	Active Ind	UDF Type	Publish To Employee
H1	HESA PERSON RECORD	Field Details	☒	Person	☒
H2	HESA CONTRACT RECORD	Field Details	☒	Contract	☒

3. Click **Field Details** to define the list of items to be captured in the UDF.

For each item, define the following:

- a. *Display Sequence* i.e. the order the item appears on the UDF.
- b. The *HESA Field* that this data will map to.
- c. Select the **Active Ind** to ensure the item is available to view.
- d. Select **ESS Update** to ensure the employee can update this item via CorePortal.
- e. Select the **Field Format**.
Options available are Text Field, Text Area, Date Field and Combo.
You should select Combo for fields that are based on HESA reference lists i.e. the user can select from a list of HESA reference data for that field.
- f. Click  to save and **OK** to close.


Display Sequence	Hesa Field Id	Description	Active Ind	ESS Update	Field Format
1	ABLWELSH	Ability to teach through the medium of Welsh	☒	☒	COMBO
2	ACTCHQUAL	Academic teaching qualification One	☒	☒	COMBO
3	ACTCHQUAL	Academic teaching qualification Two	☒	☒	COMBO
4	RESAST	Research Assistant	☒	☒	COMBO

4. Map the HESA UDF items to the required HESA record field.

- a. Open the *HESA Record Type* screen

- Select the Person or Contract record and select the required field e.g. ACTCHQUAL1.
- Ensure the mapping parameters are set i.e. the **Map to CoreHR Reference Data** parameter is enabled on the **Parameters** screen.
- Select the HESA UDF used to capture this data. This appears in uppercase to differentiate from standard PeopleXD reference data.

Click  to save.



Note: The actual HESA Field Id has been defined on the HESA UDF, so no further mapping is needed i.e. for ACTCHQUAL1, this was defined as item 2 on the HESA Person Record UDF already, so no further mapping is required.

3.4.3. HESA UDF Updates via ESS (Portal)

Any UDFs that have been configured to be shared with employees to updated via ESS, will be available to them on Portal i.e.

- The UDF is flagged as "Publish to Employee".
- The UDF items are flagged as "ESS Update".


To do this, the following menu option is required on the employee menu profile for portal e.g. COREPORTAL_EMPLOYEE:

System	Menu Option
CorePortal	CorePortal - HESA


Once an employee has this menu option they will be able to access the specific HESA UDFs. Once information has been submitted, then it will be passed to the HESA mapping engine for processing, which will process the update within 10 minutes.

To access HESA UDFs:

1. Open the *My Profile* screen.



2. Click **HESA Information** to expand the list to view all HESA UDFs available:



When a contract level UDF is selected, the header section displays the employee's active contracts, for which they can then specify HESA information per contract.

3.4.4. Updating Employee HESA UDFs via Back Office

HESA UDF can also be updated via Back Office. To do this, the HESA UDF screen needs to be added to the Personal Profile screen for the employee:

1. Navigate to *Core Personnel > References > Letter Module > Form Options Maintenance*.
2. Select the form HR0120 (Personal Profile).
3. Create a new List Item.
4. Specify **HESA035** within the *Call Form* section.
5. Select the **Call Form Indicator**.
6. Give the entry a description and make sure the list item is active.

Reference Type	Active Indicator	Form Option	Call Form	Call Form Indicator	Description
LIST	☒	40	HESA035	☒	HESA UDF

7. Click  to save changes.

The option is now available on the *Person Profile* screen for an employee, in the *Select Detail* list.

Click on the option to open the *HESA Maintain User Data* screen.

HESA Maintain Employee User Data

Filter by Person or Appointment UDF Type: ALL

Filter by the Individual Person or Appointment UDF: ALL

Source	User Defined Field	Appointment ID	Start Date	End Date	Job Title

New View / Edit Close

- If any HESA UDFs are already captured for the employee, these will be listed on screen. Click **View / Edit** to view or update those existing records.
- Alternatively click **New** to add a new HESA UDF.

3.5. Configuring Exemptions

Exemptions are used to identify employees that are not to be included at all on the HESA return. For example, if you have pensioner records on PeopleXD, you can create a rule to ensure that they are exempt from the HESA generation process.

Note: This applies to cases where the **person** should not be included on the return. If the person should be included but one of their contracts should be excluded, this is catered for using the **Exclude** indicator for the Contract record.

To create an exemption rule:

1. On the main CoreHESA screen, click **10. HESA Process Exemptions**.
2. Click **Add New Rule**.

The screenshot shows the 'HESA Process Exemptions Rules' window. It features a table with the following columns: Rule Number, Description, Active, Edit, and Delete. The table contains 15 rows, with the first row highlighted in blue. Below the table, there is a button labeled 'Add New Rule' with a red arrow pointing to it.

3. Add the rule details:
 - Code
 - Description
 - Select the employee / contract field used to categories the employees e.g. *Employee Status*.
 - Select the relevant code e.g. *Pensioners*.

You can add many rules on this screen. If there are more than one, these are applied on an “AND” basis i.e. the person must meet all conditions set on the rule.

4. Click **Save**.

Add Rule

Rule Detail

Rule Number: Description:

Group Item	Value	Description	
Employee Status	PE	Pensioner	Delete
			Delete
			Delete
			Delete
			Delete
			Delete
			Delete
			Delete
			Delete
			Delete

5. The rule is added to the *HESA Process Exemption Rules* screen. This is defaulted to **Active**. The rules must be active, in order to be picked up as part of the generation process.

If there are many rules on the outer screen, these are applied on an “OR” basis i.e. if an employee meets any of the rules not all, they are exempt.

HESA Process Exemptions

HESA Process Exemption Rules

Rule Number	Description	Active	
1	Pensioner Exemption	☒	Edit Delete
		☐	Edit Delete
		☐	Edit Delete
		☐	Edit Delete
		☐	Edit Delete

3.6. Generating the HESA Staff ID

For all new starters to the organisation, or employees that don't already have a HESA Staff ID assigned to them, CoreHESA generates a Staff ID for them as part of the generation process.

However, if an employee already has a Staff ID (e.g. they may be moving from one institution to another) this should be captured for them on PeopleXD. The recommended approach to do this is to use a UDF to capture the Staff ID.

A custom mapping rule is required to map this to the Staff ID field on the person record. You will need to contact PeopleXD Customer Support or your Project team to arrange for this rule to be created and made available on your instance of CoreHESA.

3.7. Capturing HESA Data via Portal (Employee Self Service)

It is possible that certain information captured for the HESA person record may be provided by the employee themselves via Portal.

The following Portal screens are typically shared with employees to capture information required for HESA purposes.

- **Standard UDFs**
 - These are shared with the employee on the Employee Profile, in the Other Information section.
 - UDFs can be shared with employees as view only or updateable.
- **HESA UDFs**
 - As covered in [3.4 Configuring HESA UDFs](#).
- **Diversity Details**
 - The *Background* and *Diversity* screens can be shared with the employee on the Employee Profile.

4. CoreHESA Generation Process

4.1. HESA Generation Process Overview

The following is a summary of the key stages in the HESA generation process:

1. Ensure the year has been rolled forward.

The CoreHESA module should be set up for the current reporting year. See [4.9 HESA New Year Rollover Process](#) for steps on how to roll the year forward and confirm that this is ready for the new year.

2. Confirm configuration for the new year.

It is recommended to review the CoreHESA configuration for exemptions and field settings, to confirm that these meet the current year's requirements. There may be a need to update the configuration for the current year e.g.

- To reflect changes from HESA to the required fields e.g. map new fields for 2018/2019.
- To reflect changes to the underlying PeopleXD reference data.

Refer to the guidance in [3. Configuring HESA](#) for further details on how to view and update configuration for the various configurable elements.

3. Create the initial data set (and repeat as necessary).

Generate the first set of HESA records from PeopleXD data.

See [4.2 Generate Data - Create the Initial Data Set](#) for guidance on how to complete this.

This can be done many times to allow you to validate the person and contract records created based on your configuration. You may need to repeat this many times, to capture changes you make to the configuration.

4. Mapping engine picks up changes to employee records.

Once the initial data set has been generated, the CoreHESA mapping engine and tracker log pick up changes to employee and contract records on PeopleXD. These are run through the mapping engine and the relevant person and contract records are updated automatically.

See [4.3 HESA Mapping Engine and HESA Tracker Log](#) for full details on this step.

5. Correct Data / Bulk Upload Data

You can directly update the CoreHESA records without impacting the PeopleXD record i.e. you can change the actual HESA fields directly on the person or contract record if needed.

This can be done manually for an individual or in bulk using the data load screens.

See [4.6.5 Uploading Data / Corrections](#) for full details why and how they can be achieved.

6. Generate the XML file.

This can be done at any stage from when the initial data set is created. This is a useful way to validate the configuration. The XML can be loaded to the HESA validation engine. Any errors flagged by HESA can then be corrected on the system e.g.

- Changes to configuration.
- Manually correct a person or contract record.
- Bulk upload changes.

Once all changes have been applied, the XML can be generated for the final time and submitted to HESA.

7. New Year Roll Over process

This is the same as step 1 and ensures that you are setting up CoreHESA for the next reporting year. This can be done at any time after the XML has been sent but must be done before you begin processing HESA for the next reporting year.

4.2. Generate Data - Create the Initial Data Set

This is the first step in generating employee and contract HESA records for the current year. This is done to create an initial data set and can be done at any time during the year. This data set can be used to validate that your configuration is as expected.

Note: If you need to update employee records on PeopleXD or amend the HESA configuration, you can rerun the Generate Data step at any time. However, doing this **clears down all HESA records** that have been created for the current year including and data that has been manually corrected / bulk uploaded.

To create the initial data set, follow the below steps:

1. On the main CoreHESA screen, click **9. HESA End of Year Processing**.

The *Generate Data* section is in the middle of the screen.

HESA End of Year Processing

HESA Reporting Year: 2018 Run End of Year End of Year Last Submitted End of Year Last Run

XML Generation

Output File Location: C:\hesa_xml Browse Generate XML File Include Muster

Error File Location: C:\hesa_xml\ERRORSVKResults_2013_10 Browse Read XML Error File

HESA Record	Effective From Date	Effective To Date	Number Of Records	Error Count	Last Generate Time
025 - Person Record 2018/2018	01-AUG-2018	31-JUL-2019	0	0	Generate View Errors
026 - Contract Record 2018/2018	01-AUG-2018	31-JUL-2019	0	0	Generate View Errors

Generate Data


The following section is used to generate data for the given HESA generation year. This facility is used to create data for a new HESA year or to generate the HESA data for the first time. Once the data has generated, the HESA generation year will be set to next year to prevent accidental generation. HESA record layouts must exist for the given reporting year to generate the data. If a Year is regenerated, it will clear down all the data for the year in question.

Run Validation Rules Post Generation ☐ HESA Generation Year: 2018 2019 Generate Data

2. Select the *HESA Generation Year*


As a precautionary measure, this defaults to the current year + 1, to prevent you from accidentally generating data for the current year in error and overwriting any data already generated and updated. Select the current HESA year from the list i.e. if this is 2019 / 2020 reporting year, select "2019".

On selecting this option, the following prompt appears to warn you that this clears down any data previously generated or update for the current year. This includes any corrections or bulk uploaded data that you have applied since the last generation.



3. Click **Yes** to proceed.
4. Click **Generate Data** to start generating the data set.

A second validation prompt appears to warn you that this clears down all current records for that year.



5. Click **Yes** to proceed.

After selecting **Yes**, CoreHESA gathers all specific person/contract records and will submit this information to the HESA tracker log (i.e. the HESA Mapping Engine).

Note: Depending on the amount of records to be generated, this initial record gathering process may take up to 30 minutes. This generation process will generate data for all HESA fields and overwrite any previous manual corrections that may have been uploaded previously for the HESA year in question.

- The generation process will start automatically, when the underlying CoreHESA schedule database job runs every 10 minutes. Alternatively, you can kick start this on the main CoreHESA screen, by clicking **Run HESA**.

The screenshot shows the 'Maintain Form Options' window. On the left, under 'Select Option', there is a list of options including '9. HESA End Of Year Processing'. In the center, the 'Run HESA' button is highlighted with a red rectangle. To the right, there is a 'Search' section with radio buttons for 'With Errors', 'Core Codes Updated', and 'HESA Codes Updated'. Below this is the 'HESA Tracker Log' section, which contains a table with columns for 'Date Input', 'Information Message', and 'Error Message'. A dialog box titled 'HESA Process Running' is overlaid on the table, displaying the message: 'HESA records are being processed, this may take a few minutes, please wait. Please do not attempt to close this screen.'

Depending on the amount of data to be generated, this full year generation process can take anywhere from 15 minutes to several hours. Once the generation process has started, there will be an entry to that effect in the *Systems Error Log*. To view this, click **View System Errors** on the main CoreHESA screen.

The screenshot shows the 'Form Option Maintenance' window. On the left, under 'Select Option', there is a list of options including '5. HESA Mapping Rules'. In the center, the 'View System Errors' button is highlighted with a red rectangle. To the right, there is a 'Search' section with radio buttons for 'With Errors', 'Core Codes Updated', and 'HESA Codes Updated'.

The **process_hesa_eoy_initial** process appears in the log for the generation process. The *Status* field displays the following values:

- I** = Initial. This implies the job has started
- C** = Completed. This implies the job has completed and records are ready to view.


The screenshot shows the 'HESA System Error Log' window. It features a search interface with fields for 'Error Date From', 'Error Date To', 'Error Level', and 'Personnel No', along with 'SEARCH' and 'CLEAR' buttons. Below the search fields is a table with the following data:

Date / Time	Process Name	Status	Username	Level	Error Message
11-FEB-2020 03:00 55	process_tracker_log	C	COREHR	4	process_tracker_log completed
11-FEB-2020 03:00 39	process_tracker_log	I	COREHR	4	process_tracker_log started

- Return to the *HESA End of Year Processing* screen.

The top section of the screen provides a view of the 2 HESA records being processed for the current year i.e. Person and Contract.

The *Number of Records* is displayed for each. This will update during the generation process, as records have been processed. Once the job is completed, the count here reflects the total count of HESA person and contract records generated for this year.



HESA End Of Year Processing

HESA Reporting Year: Run End Of Year

End Of Year Last Submitted: End Of Year Last Run:

XML Generation

Output File Location: Browse Generate XML File ☐ Include Muster


Error File Location: Browse Read XML Error File

HESA Record	Effective From Date	Effective To Date	Number Of Records	Error Count	Last Generate Time
025 - Person Record 2019/2019	01-AUG-2019	31-JUL-2020	185	0	11-FEB-2020 10:57 14
026 - Contract Record 2019/2019	01-AUG-2019	31-JUL-2020	197	0	11-FEB-2020 10:57 15

After the initial data generation, if you generate the data again, the *Number of Records* resets to 0 and will increment as the HESA person and contract records are generated.

Note: The *Number of Records* counts will exclude any person/contract records made exempt from the HESA process exemption rules.

Once the generation has been completed, then the below message appears on the main CoreHESA screen, in the *HESA Tracker Log* section.



Form Option Maintenance

Maintain Form Options

Select Option

- 8. Bulk Muster Generation
- 9. HESA End Of Year Processing
- 10. HESA Process Exemptions
- 11. HESA Security
- 12. Allowance Maintenance
- 13. Load Data File
- 14. Regenerate HESA Record

View System Errors

Run HESA

Search

With Errors: ☐ Yes ☐ No ☒ All

Core Codes Updated: ☐ Yes ☐ No ☒ All

HESA Codes Updated: ☐ Yes ☐ No ☒ All

HESA Tracker Log

Date Input: 11th February 2020 16:18

Information Message: HESA data created for 2019.

Error Message:

HESA Codes Updated: ☒ Core Codes Updated: ☒

4.3. HESA Mapping Engine and HESA Tracker Log

When the HESA records are being generated, the HESA Mapping engine is responsible for mapping the PeopleXD employee and contract data, to the corresponding CoreHESA person and contract records. For each record, each field is processed in the mapping engine in the following order:

1. Is the employee exempt?
2. Is there a default value set?
3. Apply SQL Mapping Rules
4. Apply CoreHR Mapping References
5. Business rule validation engine (optional)

The HESA tracker log is a record of CoreHESA records that have been created or updated. Once the initial data set (Full Generation) has been created for the current reporting year, any changes to employee / contract records in PeopleXD will be processed by the HESA tracker log and mapping engine. This will apply any rules, mappings and default values as appropriate. This information is passed to the tracker log by a scheduled job that runs every 10 minutes. This includes:

- Any **new employees** created on PeopleXD.
- Any **updates to existing employee** records that have already been processed. Updates apply to the following:
 - Salary Details including Allowances
 - Qualifications Details
 - Appointment Details
 - Professional Body Details
 - Employment History Details
 - HESA UDF Details (Not Standard UDFs)
 - Diversity Details
 - Personal Profile Details

When a new starter is created in PeopleXD, or an update above occurs then it will be processed by the HESA Tracker Log. For each update that is created a corresponding row will be visible on the tracker log as seen on the main screen:

Form Option Maintenance

Maintain Form Options

Select Option

- 8. Bulk Muster Generation
- 9. HESA End Of Year Processing
- 10. HESA Process Exemptions
- 11. HESA Security
- 12. Allowance Maintenance
- 13. Load Data File
- 14. Regenerate HESA Record

View System Errors

Run HESA

Search

With Errors ☐ Yes ☐ No ☒ All

Core Codes Updated ☐ Yes ☐ No ☒ All

HESA Codes Updated ☐ Yes ☐ No ☒ All

HESA Tracker Log

Date Input	Information Message	Error Message	HESA Codes Updated	Core Codes Updated
11th February 2020 16:18	HESA data created for 2019.		☒	☒
11th February 2020 02:17	Employee profile updated due to contract modification. Employee Number 000080 (Mary Tynan).		☐	☐
11th February 2020 02:17	Employee contract modified. Employee Number 000080 (Mary Tynan).		☐	☐
08th February 2020 02:52	Employee contract modified. Employee Number 000080 (Mary Tynan).		☐	☐
08th February 2020 02:52	Employee profile updated due to contract modification. Employee Number 000080 (Mary Tynan).		☐	☐

For each row on the tracker log there are two indicators, depending on the update:

Indicator	Description
Core Codes Updated	If the update was a result from a Core field being updated, the tracker log entry will have this indicator selected.
HESA Codes Updated	If the update of a Core field resulted in a new HESA codes being determined, then the tracker log entry will have this indicator selected.

Note: The HESA scheduled databased job runs every 10 minutes. Therefore, it can take a few minutes for changes made to employee or contract records to appear in the tracker log. Click **Run HESA** at any time to kick start the job ahead of the scheduled time.


4.4. Viewing CoreHESA Person and Contract Records

Once the initial data set has been generated, you can review the CoreHESA records for all employees and their contracts.

To view the CoreHESA records per employee:

1. On the main CoreHESA screen click **6. HESA Person Detail**.
2. Enter the employee's number in the Person field or click  to select from a list of employees.

Once the employee is selected, the screen automatically updates to show their CoreHESA records for the current year. You can also lookup the employee by entering their Staff ID if known.



The screenshot shows the 'Hesa Person Details' window. At the top, there are fields for 'Person' (000079), 'Staff ID' (1610750000792), 'Year' (2019), 'Date Started' (03-OCT-2016), and 'Date Left'. Below these are buttons for 'Validate', 'Generate Data', and 'View Errors'. The 'Posts' section contains a table with columns: Start Date, End Date, Post Title, Appointment ID, Management Unit, Department, Pay Scale, FTE, and Exclude. The 'Hesa Record Data' section has a 'Record Type' dropdown set to 'Person Record 2019/2019'. Below this is a table with columns: Field No., Description, Field Id, Hesa Code, Description, CoreHR Generated Code, and Comments. The table lists various fields such as Staff Identifier, Institutions own staff identifier, Academic teaching qualification, Activity after leaving, Date of Birth, Clinical excellence award, Current academic discipline, Date appointed at current HEI, Date Left, Disability, and Ethnicity.

Field No.	Description	Field Id	Hesa Code	Description	CoreHR Generated Code	Comments
1	Staff Identifier	STAFFID	1610750000792	?	1610750000792	
2	Institutions own staff identifier	OWNSTAFFID	000079	?	000079	
4	Academic teaching qualification One	ACTCHQUAL1	90	?	90	
5	Academic teaching qualification Two	ACTCHQUAL2		?		
10	Activity after leaving	ACTLEAVE	90	?	90	
11	Date of Birth	BIRTHOTE	1989-02-13	?	1989-02-13	
12	Clinical excellence award	CLINARD		?		
13	Current academic discipline one	CURACCDIS1		?		
15	Current academic discipline three	CURACCDIS3		?		
16	Current academic discipline four	CURACCDIS4		?		
17	Current academic discipline five	CURACCDIS5		?		
18	Date appointed at current HEI	DATEFHEI	2016-10-03	?	2016-10-03	
19	Date Left	DATELEFT		?		
20	Disability	DISABLE	00	?	00	
21	Ethnicity	ETHNIC	90	?	90	

If the employee has multiple contracts, these are listed in the Posts section.

3. The screen defaults to show the Person record. To show the Contract record, select that from the *Record Type* drop-down list.

Hesa Person Detail

Person: 000079 Claire Burton Year: 2019 Date Started: 03-OCT-2016
 Staff ID: 161075000792 Claire Burton Date Left:
 [Generate Data] [Validate] [View Errors]

Posts

	Start Date	End Date	Post Title	Appointment ID	Management Unit	Department	Pay Scale	FTE	Exclude
1	24-JUL-2017		It Support Manager	502213-2	It	Technical Support	Grade 2	1.000000	☐

Hesa Record Data

Record Type: Contract Record 2019/2019 (1) [View Appointment] [Generate Staff ID]

Field No.	Description	Field Id	Hesa Code	Description	CoreHR Generated Code	Comments
1	Contract Identifier	CONTRID	502213-2		502213-2	
2	Institutions own contract identifier	OWNCONTRID	502213-2		502213-2	
3	Academic Employment Function	ACEMPFUN	4	Not an academic contract	4	
4	Apprenticeship Marker	APPRENTICESHIP				
5	Campus Identifier	CAMPID	A	Default	A	
6	Clinical Status	CLINICAL	1	Clinical academic doctors and dentists	1	
7	Clinical sub-specialty 1	CLINSUB1	0503	Clinical cytogenetics & Molecular gene	0503	
8	Clinical sub-specialty 2	CLINSUB2	0905	Clinical genetics	0905	
10	FTE during reporting period	CONFTE				
11	Early Career Researchers	ECRSTAT				
12	End Date of Contract	ENDCON				
14	Hourly Paid Marker	HOURLYPAD				
15	Healthcare professional specialty 1	HSPEC1	01	Anaesthetics	01	
16	Healthcare professional specialty 2	HSPEC2	44	Healthcare scientists	44	
18	Contract Levels	LEVELS	F2	UCEA level 5B	F2	

By default, all contracts that are active in the current HESA year are listed in the *Posts* section. If multiple contracts are listed here, then you will have multiple contract records to select from in the *Record Type* list.

All HESA fields listed for each record contain 2 distinct columns:

Column	Description
HESA Code	This is the HESA value that will be submitted to HESA. After the initial generation these will match the CoreHR generated code. This HESA code can be updated on this screen by selecting the list of values against the field in question (see 4.6.1 Updating / Correcting Employee Data). These can also be updated via the upload facility (see 4.6.4 Uploading Data / Corrections).
CoreHR Generated Code	This is the HESA value that has been generated either by a Rule, Mapping or a Default.

Note: Where a field remains empty as seen within the *HESA Person Detail* screen, these fields are **not returned to HESA** for the employee in question i.e. no field entry within the XML file produced.

The exceptions to this are the fields that require a reason for null attribute returned e.g.

- DATEFHEI
- STARTONCON
- ENDCON

For these fields, where a HESA value is not recorded within the module, the field will still be included within the XML file an entry below specific to these fields

<DATEFHEI ReasonForNull="1"></DATEFHEI>

By default, the data is shown for the current reporting year. Update the *Year* in the drop-down list at the top of the screen to view previous years for the employee. Previous years are read-only and cannot be updated.

Hesa Person Details

Person: 000141 Mary Peters Year: 2018 Date Started: 18-FEB-2019

Staff ID: 1910750001413 Mary Peters Generate Data Date Left: View E

Start Date	End Date	Post Title	Appointment ID	Management Unit	Department	Pay Scale	FTE
18-FEB-2019		Accountant	502241-1	Finance	Accounts	Grade 1	1.0

Hesa Record Data

Record Type: Person Record 2018/2019 View Appoi

4.5. Generate Data for 'Year End' Fields Only

It is possible to generate CoreHESA data only for the fields that have the **End of Year** parameter set for them (see [3.3.1 CoreHESA Field Parameters](#)).

Note: End of Year generation is not a mandatory step and is only optional. This is typically only set for CONFTE.

Generally, this is only relevant where you have fully generated the HESA data set, you have completed all manual / bulk updates required and the return date has elapsed i.e. it is after 1st Aug. This process allows you to generate the data again for the current reporting year only, for fields that have the End of Year parameter set. For example, if this was run on 10th Aug 2019, the data generated would be for the return year 2018/2019.

A customer can always use the main 'Generate Data' option after 31-JUL-XX which will generate data for all fields and, for the likes of CONFTE, calculate it up until the HESA reporting year end date. Remember that running the full generation clears down any manual updates/bulk uploads applied since data was last generated.

To do this:

1. On the main CoreHESA screen, click **9. HESA End of Year Processing**.
2. Ensure the correct *HESA Reporting Year* is selected at the top of the screen.
3. Click **Run End of Year**.

HESA Record	Effective From Date	Effective To Date	Number Of Records	Error Count	Last Generate Time
025 - Person Record 2019/2019	01-AUG-2019	31-JUL-2020	185	0	11-FEB-2020 10:57 14
026 - Contract Record 2019/2019	01-AUG-2019	31-JUL-2020	197	0	11-FEB-2020 10:57 15

This will submit data to the HESA tracker log and will run at 1am the following day.

4.6. Manual Corrections / Uploading Data

4.6.1. Why is this Needed?

CoreHESA allows you to directly overwrite the data generated for an employee by CoreHESA. This may be required:

- To flag a contract as excluded.
- If data is missing on the PeopleXD employee record.
- If data quality is poor for particular fields and needs to be updated.
- If the HESA validation toolkit identifies data as incorrect for a person.

This can be done in a number of ways:

- Overwriting data for an individual employee on the HESA Person Details screen.
- Bulk uploading new data for an employee / group of employees using the *Load Data File* screen.

4.6.2. Updating / Correcting Employee Data on HESA Person Detail

HESA data can be viewed and updated on a person-by-person basis by selecting the HESA Person Detail option from the main HESA screen.

1. On the main CoreHESA screen, click **6. HESA Person Detail**.
2. Lookup the employee record using the *Person* field (employee number) or HESA *Staff ID*.
3. Select the required record type i.e. Person or Contract.

The fields for the selected record appear on screen.

- The *CoreHR Generated Code* column is the data that has been generated for the field for the employee in the HESA Mapping Engine.
- The *HESA Code* column is the actual data to be included on the XML file and returned to HESA. Unless updated, this will match the *CoreHR Generated Code*

Hesa Person Detail

Person: 000079 Claire Burton Year: 2018 Date Started: 03-OCT-2016 Validate

Staff ID: 161075000792 Claire Burton Generate Data Date Left: View Errors

Posts

	Start Date	End Date	Post Title	Appointment ID	Management Unit	Department	Pay Scale	FTE	Exclude
1	24-JUL-2017		It Support Manager	502213-2	It	Technical Support	Grade 2	1.000000	☐

Hesa Record Data

Record Type: Contract Record 2018/2018 (1) View Appointment Generate Staff ID

Field No.	Description	Field Id	Hesa Code	Description	CoreHR Generated Code	Comments
1	Academic Employment Function	ACEMPFUN	4	Not an academic contract	4	
2	Apprenticeship Marker	APPRENTICESHIP				
3	Campus Identifier	CAMPID	A	Default	A	
4	Clinical Status	CLINICAL	1	Clinical academic doctors and dentists	1	
5	Clinical sub-specialty 1	CLINSUB1	0503	Clinical cytogenetics & Molecular gene	0503	
6	Clinical sub-specialty 2	CLINSUB2	0905	Clinical genetics	0905	
8	FTE during reporting period	CONFTE				
9	Contract Identifier	CONTID	502213-2		502213-2	
10	End Date of Contract	ENDCON				
12	Hourly Paid Marker	HOURLYPAD				
13	Healthcare professional speciality 1	HSPEC1	01	Anaesthetics	01	
14	Healthcare professional speciality 2	HSPEC2	44	Healthcare scientists	44	
16	Contract Levels	LEVELS	F2	UCEA level 5B	F2	
17	Mode of Employment	MOEMP	5	Atypical	5	
20	Institutions own contract identifier	OWNCONTID	502213-2		502213-2	

- To update the field data, overwrite the value in the *HESA Code* field.

Click  to choose a new value OR directly type in the new required value.

When making manual corrections to the field it is recommended to add *Comments* for reference.

- Click  to save changes.

4.6.3. Exclude Employee Contracts from HESA

It is possible to flag an employee's contract to be excluded from HESA. This is typically done if there is an appointment on PeopleXD for a position that is not relevant to the HESA return.


Note:

- When the XML is generated, any contracts flagged as **Exclude** will be omitted.
- If all contracts for the employee are excluded, then the employee will be omitted from the XML file.

To exclude an employee's contract:

- On the main CoreHESA screen, click **6. HESA Person Detail**.

2. Lookup the employee record using the *Person* field (employee number) or HESA *Staff ID*. All of their active contracts for the current HESA year are listed in the *Posts* section.
3. Select the **Exclude** checkbox for any contracts to be excluded.
4. Click  to save changes.



HESA Person Details

Person: 000098 Mary Keyne Year: 2018 Date Started: 09-OCT-2017
 Staff ID: 1710750000984 Mary Keyne Date Left:
 Buttons: Validate, Generate Data, View Errors

Posts

No.	Start Date	End Date	Post Title	Appointment ID	Management Unit	Department	Pay Scale	FTE	Exclude
1	09-OCT-2017		Payroll Administrator	502204-22	Human Resources	Payroll	Grade 2	1.000000	☐
2	30-NOV-2017		Administrator	502200-1	Senior Management	Senior Management	Grade 2	1.000000	☐
3	04-DEC-2017		Sales Manager	502199-4	Senior Management	Senior Management	Grade 2	1.000000	☐

HESA Record Data

Record Type: Person Record 2018/2018

No.	Description	Field Id	Hesa Code	Description	CoreHR Generated Code	Comments
2	Academic teaching qualification One	ACTCHQUAL1	90	Not known	90	
3	Academic teaching qualification Two	ACTCHQUAL2		Not known		
8	Activity after leaving	ACTLEAVE	90	Not known	90	

4.6.4. Regenerating HESA Data for a Single Employee

On the HESA Person Detail screen, there is an option to generate the CoreHESA record for the employee. When this is run, this regenerates the CoreHESA records using the CoreHESA mapping login.

This is typically used to regenerate data for an employee based on the system rules and configuration, where their record has been updated in error e.g. via a manual correction on the HESA Person Detail screen or via a bulk upload. This is also useful to test configuration.

Note: This will clear down all existing CoreHESA person and contract records for the employee and reapply the mapping logic from scratch to create new records. All manual corrections will be lost.

To regenerate the HESA records for an employee:

1. On the main CoreHESA screen, click **6. HESA Person Detail**.
2. Lookup the employee record using the *Person* field (employee number) or HESA *Staff ID*.
3. Click **Generate Data**.
4. A validation prompt appears to confirm that the data will be cleared down and regenerated. Click **Yes** to proceed.

4.6.5. Uploading Data / Corrections

Within the CoreHESA module there is the facility to perform bulk updates via CSV file upload. CSV files can be configured by a user to identify fields that are to be updated, and the file can be created from a BI or Insight report.

To access the bulk update screen, click **13. Load Data File** from the *Select Option* list on the main CoreHESA screen.

The *HESA Data Load* screen appears:

The screenshot shows the 'HESA Data Load' application window. It features a toolbar with icons for navigation and actions. The main area has three tabs: 'File Details', 'Errors', and 'Hesa Load Details'. The 'File Details' tab is selected, displaying a 'Load Definition' section with a 'Filename' input field and a 'Select File' button, a 'Record Type' dropdown menu, and 'Upload Data' and 'Generate Preview' buttons. To the right, the 'Records Processed' section includes three yellow input fields for 'Records Loaded', 'Records Rejected', and 'Total Valid'. The 'What To Load' section at the bottom contains a table with columns for 'Column Number', 'First Record Value', 'Field ID', and an empty column. The table has 10 rows, each with a yellow input field for 'First Record Value' and a 'Field ID' dropdown menu.

Within the Load Data File facility, the user has 4 options.

- Update HESA values for *Person* records.
- Update HESA values for *Contract* records.
- Upload HESA codes into employee HESA UDFs
- Upload Contract Exclusions (updates the exclude indicator against appointment specified).

The next sections in this document provide guidance on how to complete each of the data load options.

Option 1: Bulk Uploading Person Values



Note:

- When a bulk upload is performed for Person or Contract records, this updates the CoreHESA record directly. The employee's PeopleXD record is not updated.
- Data should be loaded in the specified CSV file format.
- Person and Contract uploads are separate files.
- CSV file names to be uploaded should not be more than 10 characters in length.
- CSV files cannot contain columns with no entry.

The person bulk upload file can contain all Staff Record HESA fields, however column 1 needs to reference the *Personnel Number* for which the information is being loaded against. Where multiple columns are supplied in the CSV file, each column value should be of the same HESA reference type.

Example

In this example a file is constructed to update the ACTCHQUAL1 and LOCLEAVE values against 2 employees.

	Personnel No	ACTCHQUAL1	LOCLEAVE
CSV File Row 1	000241	01	8
CSV File Row 2	000019	02	1


This would take the format of the below in raw CSV format. Headers are not included.

```
000241,01,8
000019,02,1
```

To upload the Person data:

1. Create the CSV file.
2. Click **13. Load Data File** from the *Select Option* list on the main CoreHESA screen.
3. Click **Select File** and browse for the CSV file to be uploaded.
4. Select a *Record Type* of **Person Record**.
5. Click **Upload Data**.

- This will display the first record on the file provided. This is to allow you to map the CSV file columns to the HESA fields.
- Use the  button to select the HESA *Field ID* for each column in the CSV file.



HESA Data Load

File Details | Errors | Hesa Load Details

Load Definition

Filename: C:\Users\Deirdre.Lonergan\Desktop\HESA Person Update 2018.csv Select File

Record Type: 2018 - 025 - Person Record 2018/2018

Upload Data Generate Preview

Records Processed

Records Loaded: 2

Records Rejected: 0


Total Valid: 0

What To Load

Column Number	First Record Value	Field ID	
1	10000013	PERSON	Personnel Number
2	01	ACTCHQUAL	Academic teaching qualification 1
3	8	LOCLEAVE	Location After Leaving

- Click **Generate Preview** to view a preview of the load.

Once complete, the *Records Processed* section updates to show you how many records were loaded, rejected and valid.



HESA Data Load

File Details | Errors | Hesa Load Details

Load Definition

Filename: C:\Users\Deirdre.Lonergan\Desktop\HESA Person Update 2018.csv Select File

Record Type: 2018 - 025 - Person Record 2018/2018

Upload Data Generate Preview

Records Processed

Records Loaded: 2


Records Rejected: 1

Total Valid: 1

What To Load

Column Number	First Record Value	Field ID	
1	10000013	PERSON	Personnel Number
2	01	ACTCHQUAL	Academic teaching qualification 1
3	8	LOCLEAVE	Location After Leaving

- If any records have been rejected, click the **Errors** tab to view the details:



HESA Data Load

File Details | Errors | Hesa Load Details

Error Details

Rownumber	Field Id	Error Text
1	PERSON	Invalid Personnel Number: 10000013

10. Resolve any errors found in the CSV and repeat steps 3 to 7 to upload the corrected file.

When all records loaded are valid, you are ready to complete the update.

The screenshot shows the 'HESA Data Load' application window. The 'Load Definition' section on the left includes a 'Filename' field with the path 'C:\Users\Deirdre.Loneragan\Desktop\HESA Person Update 2018.csv' and a 'Record Type' dropdown set to '2018 - 025 - Person Record 2018/2018'. Below these are 'Upload Data' and 'Generate Preview' buttons. The 'Records Processed' section on the right shows a summary: 'Records Loaded' is 2, 'Records Rejected' is 0, and 'Total Valid' is 2. The 'What To Load' section at the bottom lists columns and their corresponding field IDs and descriptions.

Column Number	First Record Value	Field ID	
1	000013	PERSON	Personnel Number
2	01	ACTCHQUAL	Academic teaching qualification 1
3	8	LOCLEAVE	Location After Leaving

11. Click the **HESA Load Details** tab.

All valid records are listed here. You can see the *Old Value* (i.e. current value) and the *New Value* (i.e. what it will be updated to).

The screenshot shows the 'Hesa Load Details' tab selected. It displays a table with columns: Personnel No, Staff Id, Contract Id, Field Id, Old Value, New Value, and Processed Ind. The first four rows of data are highlighted in yellow. A red arrow points to the 'Complete Upload' button at the bottom.

Personnel No	Staff Id	Contract Id	Field Id	Old Value	New Value	Processed Ind
000013	1110750000133		ACTCHQUAL1	90	01	Successfully completed an institution
000014	0410750000146		ACTCHQUAL1	90	02	Recognised by the HEA as an Assor
000013	1110750000133		LOCLEAVE	NO_OLD_VA	8	Not known
000014	0410750000146		LOCLEAVE	NO_OLD_VA	1	England

12. Click **Complete Upload** to complete the upload.

Once completed the **Processed Ind** checkbox is ticked for all processed records.

Option 2: Bulk Uploading Contract Values

The contract bulk upload file can contain all Contract Record HESA fields, however column 1 needs to reference the *Personnel Number* and column 2 needs to reference the *Appointment Id* for which the contract is being updated. Where multiple columns are supplied in the CSV file, each column value should be of the same HESA reference type.

Example

In this example, a file is constructed to update the CLINICAL and CLINSUB1 values for 2 employees.

	Personnel No	Appointment ID	CLINICAL	CLINSUB1
CSV File Row 1	000241	502055-14	01	8
CSV File Row 2	000019	501991-2	02	1

This would take the format of the below in raw CSV format. Headings are not included.

```
000241,502055-14,1,0102
000019,501991-2,3,1209
```

The process of bulk loading HESA contract updates follows the exact same process as per person bulk updates. Differences to be aware of are:

- Record Type = "Contract Record".
- When the **Upload Data** is selected, the first record displayed will include the contract id column.

HESA Data Load

File Details | Errors | Hesa Load Details

Load Definition

Filename: C:\Users\edward.oflynn\Documents\contract_updates.txt [Select File]

Record Type: 2013 - 026 - Contract Record 2013/2013

[Upload Data] [Generate Preview]

Records Processed

Records Loaded: 2

Records Rejected: 0

Total Valid: 2

What To Load

Column Number	First Record Value	Field ID	Field Name
1	000241	PERSON	Personnel Number
2	502055-14	CONTID	Contract ID

Follow all steps provided for [Option 1: Bulk Uploading Person Values](#) to complete a contract bulk upload.

Bulk Uploading NULL Values for Person or Contract Fields

The bulk upload facility supports the uploading of NULL values against Person and Contract HESA fields. This may be required as part of the standard validation process where HESA no longer requires a default value to be returned against every field. This will also be used to correct data in order to pass the initial 'Insert Stage' validation.

Where a HESA fields should be reset to NULL, the CSV file column should contain the entry "NULL".

In the example below, we are resetting the contract field 'CLINICAL' to NULL:

	Personnel No	Appointment ID	CLINICAL
CSV File Row 1	000241	502055-14	NULL
CSV File Row 2	000019	501991-2	NULL

This would take the format of the below in raw CSV format. Headings are not included.

000241, 502055-14,NULL

000019,501991-2,NULL

The screenshot displays the 'Hesa Load Details' tab. Under 'Load Definition', the filename is 'C:\Users\edward.oflynn\Documents\contract_updates.txt' and the record type is '2013 - 026 - Contract Record 2013/2013'. The 'Records Processed' summary shows 2 records loaded, 0 rejected, and 0 total valid. The 'What To Load' section contains a table with the following data:

Column Number	First Record Value	Field ID	Field Name
1	000241	PERSON	Personnel Number
2	502055-14	CONTID	Contract ID
3	NULL	CLINICAL	Clinical Status

Once the file has been selected and the **Upload Data** button clicked, then as per normal process specify the HESA fields to be set to NULL, generate the preview and complete the upload via the **HESA Load Details** Tab.

Option 3: Uploading HESA UDF Values

Both Person and Contract HESA UDF information can be loaded in 1 single CSV file. This facility allows for data to be inserted into the underlying HESA UDF record i.e. this updates the CoreHRHESA UDF and changes are then picked up via the scheduled database job (runs every 10 minutes) and is processed in the HESA mapping engine.

Note: If the employee has already provided a value via Portal, this value won't be overwritten via the bulk upload into their HESA UDF. If the value needs to be overwritten, this can be done via HESA Person Detail screen, or through standard Person / Contract bulk upload.

Whether loading into a Person level HESA UDF or a Contract Level UDF, an appointment id needs to be included on the CSV file.

- If loading into a Contract HESA UDF, supply the appointment id in question.
- If loading into a Person HESA UDF, supply the employee's substantive appointment id.
- If all fields are mandatory, comments can be left as a blank entry on the CSV file.

Required CSV Format

	Personnel No	Appointment ID	HESA UDF	HESA Field ID	HESA Value	Comments
Row 1						
Row 2						

In the following example we have 2 active HESA UDFs for which we want to upload data into:

HESA User Types				Publish To Employee
Reference Code	Description	Field Details	Active Ind	UDF Type
H1	HESA PERSON RECORD	Field Details	☒	Person
H2	HESA CONTRACT RECORD	Field Details	☒	Contract
		Field Details	☐	

1. H1 contains 2 HESA Fields – ACTCHQUAL1, ACTCHQUAL2
2. H2 contains 2 HESA Fields – CLINSUB1, CLINSUB2

The CSV file presented does not require every field within the UDF to be specified.

Sample HESA UDF CSV File

	Personnel No	Appointment ID	HESA UDF	HESA Field ID	HESA Value	Comments
Row 1	000241	502055-14	H1	ACTCHQUAL1	01	
Row 2	000019	501991-2	H2	CLINSUB1	0301	
Row 3	000019	501991-2	H2	ACTCHQUAL2	01	

This would take the format of the below in raw CSV format. Headings are not included.

```
000241,502055-14,H1,ACTCHQUAL1,01
000019,501991-2,H2,CLINSUB1,0301
000019,501991-2,H1,ACTCHQUAL2,01
```

Follow these steps to bulk upload the HESA UDF data:

1. Create the CSV file.
2. Click **13. Load Data File** from the *Select Option* list on the main CoreHESA screen.
3. Click **Select File** and browse for the CSV file to be uploaded.
4. Select a *Record Type* of **HESA User Defined Load**.
5. Click **Upload Data**.

This will display the first record on the file provided. This is to allow you to map the CSV file columns to the HESA fields.

The screenshot shows the 'Hesa Load Details' tab in a software interface. Under 'Load Definition', the 'Filename' field contains 'C:\Users\edward.oflynn\Documents\contract_updates.txt' and the 'Record Type' dropdown is set to 'HESA User Defined Load'. To the right, the 'Records Processed' summary shows 'Records Loaded: 0', 'Records Rejected: 0', and 'Total Valid: 0'. Below, the 'What To Load' section has three rows of input fields for 'Column Number', 'First Record Value', and 'Field ID'. The 'Generate Preview' button is highlighted with a red box.

6. Once the record type has been selected, click **Generate Preview**.

The **Upload Data** button will be greyed out as it is not required.

7. In order to complete the upload, click the **HESA Load Details** tab, then click **Complete Upload**. Standard validation will be applied to the upload.

Hesa load Details							
Personnel No	Staff Id	Contract Id	Field Id	Old Value	New Value	Processed	Ind
000241	1310750002418	502055-14	ACTCHQUAL1		01	Successfully completed an institution	☐
000019	1310750000193	501991-2	CLINSUB1		0301	Ophthalmology	☐
000019	1310750000193	501991-2	ACTCHQUAL2		01	Successfully completed an institution	☐
							☐



Note:

Once the data has been uploaded, it will not appear straight away against the Person's HESA records, as the data is uploaded into PeopleXD. This data will be passed into the CoreHESA mapping engine when the standard DBA job runs within 10 minutes. To push these uploads through the user can select the **Run HESA** option from the main HESA Screen.

Option 4: Bulk Uploading Contract Exclusions

HESA contracts can be marked as exempt through the bulk upload CSV file facility. This allows you to exclude a large number of contracts/staff from the return and xml file generated.

If it has not been possible to exclude these staff/contracts through the normal process exemptions rules, the below process would be followed. Once the HESA data has been generated for the year in question contracts can be marked as excluded in bulk through the 'Exclude Indicator'.

Required CSV Format

	Personnel No	Appointment ID	Exclude Indicator
CSV File Row 1	000270	502038-228	Y
CSV File Row 2	000456	506333-45	N



Note:

1. Personnel Number must be specified
2. Appointment ID must be specified as exclusions are flagged at contract level.
3. Exclude Indicator must be specified.
 - o Y = Exclude
 - o N = Include (i.e. clear the Exclude indicator on the contract record).

This would take the format of the below in raw CSV format. Headings are not included.

```
000720,502038-228,Y
000456,506333-45,N
```

Follow these steps to bulk upload the HESA contract exclusion data:

1. Create the CSV file.
2. Click **13. Load Data File** from the *Select Option* list on the main CoreHESA screen.
3. Click **Select File** and browse for the CSV file to be uploaded.
4. Select a *Record Type* of **HESA Contract Exemption Load**.

5. Once the record type has been selected, click **Generate Preview**.
The **Upload Data** button will be greyed out as it is not required.
6. In order to complete the upload, click the **HESA Load Details** tab, then click **Complete Upload** after reviewing the **Errors** tab for any errors.
7. On selection of the **Complete Upload**, contracts will be excluded if the exclude indicator specified in the CSV file is 'Y'. If they have been provided with the exclude indicator set to 'N', then they will be included within the return.

[illegible]

8. Confirm that the contracts have been excluded on the HESA Person Details screen, *Posts* list. The **Exclude** indicator will be selected for any contracts to be excluded.

The Exclude indicator is also available to report on in BI and Insight.

Posts									
	Start Date	End Date	Post Title	Appointment ID	Management Unit	Department	Pay Scale	FTE	Exclude
1	10-APR-2013		APPRENTICE	502038-229	SCHOOL OF ARTS	DRAMA	SUPPORT STAFF	1.0000	☐
2	20-APR-2013		APPRENTICE	502038-228	SCHOOL OF ARTS	DRAMA	SUPPORT STAFF	1.0000	☒
									☐

4.7. Business Rules and Validation

4.7.1. What is Business Rule Validation?

Business rules can be configured on PeopleXD to help validate the data generated by the CoreHESA mapping engine. These rules can be set up to align to the standard HESA Business Rules or they can be set up specific to your own organisation.

Once the rules are configured on PeopleXD, you can run a validation to check if there are any exceptions. Those exceptions can be automatically updated to the correct expected value OR you can manually correct if required.

**Note:**

- The rules are applied against the generated HESA data, and not the data held within People Management.
- PeopleXD does not supply any out of the box rules.

4.7.2. When is the Validation Process Run?

Option 1: Validation can be run as part of the Data Generation Process, when you select Generate Data from the year end screen and by selecting the **Run Validation Rules Post Generation** indicator. After the initial data set has been generated then the business rules will then be applied. See [4.7.4 Running Business Rule Validation When Generating the Initial Data Set](#) for further guidance on how to complete this.

Option 2: Alternatively, if you do not want to run the business rules as part of the generate data process, then you can run the validation rules as a standalone task. This allows you to run the validation process independent of having to rebuild the HESA data from scratch through the data generation process. See [4.7.5 Running the Validation as a Standalone Task](#).

Depending on how the business rules have been configured on PeopleXD, when the validation process is run the following outcomes are possible:

- A BI/ Insight report can be created to review the validation results (see [4.7.6 Reporting on Validation Results](#))

- You can then manually update these records as required, following the steps covered in [4.6.2 Updating / Correcting Employee Data on HESA Person Detail](#).

OR

- The employee/contract data is automatically updated to the expected value and manual corrections are not required. This occurs on a field-by-field basis, depending on whether the **Update** indicator has been set for that field in the Business Rule (see [4.7.3 Configuring Business Rules](#)).

4.7.3. Configuring Business Rules

Follow these steps to configure business rules on CoreHESA:

- On the main CoreHESA screen, click **18. Maintain HESA Business Rules**.
- Select the *Record Type* for the rule i.e. **Person Record** or **Contract Record**.
- Click **Add New Rule** to create a rule for that record type.

HESA Maintain Business Rules

Record Type: Person Record

No.	Field Id	Description	Active	Update	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit

Copy Rule Add New Rule

The **Add Rule** screen opens.

- Complete the rule setup.
 - Provide a unique **Rule ID** (max 3 alphanumeric characters).

- b. Select the HESA field that the rule is based on, from Field ID.

This list displays either all the fields for the Person Record or the Contract Record, depending on the Record Type selected on the previous screen.

For example, if the rule is to validate the Current Academic Discipline 1 field, select **CURACCDIS1**.

- c. Select the *Expected Result*.
- d. Provide a *Description* of the rule.
- e. Set the *Rule Conditions*.

See the example in the screenshot below to validate that CURACCDIS1 is populated where any Contract.ACEMPFUN is coded 1, 2 or 3 and Contract.TERMS is coded 1 or 2.

The screenshot shows the 'Add Rule' dialog box with the following details:

- Business Rules Detail:**
 - Rule No.: [Empty text box]
 - Field Id: CURACCDIS1
 - Expected result: IS NOT NULL
 - Description: Return CURACCDIS1 Where ACEMPFUN is coded 1,2 or 3 and TERMS is coded 1 or 2
- Rule Conditions:**
 - Condition 1: ACEMPFUN IN 1,2,3
 - Condition 2: TERMS IN 1,2
 - Condition 3: [Empty]
 - Condition 4: [Empty]
 - Condition 5: [Empty]
 - Condition 6: [Empty]


Buttons at the bottom: Delete, Save, Cancel, Back.

- f. Click **Save** to create the rule.

5. Click **Back** to return to the *HESA Maintain Business Rules* screen.

The new rule is listed on screen for the selected *Record Type*. At this stage the rule is inactive.

6. Enable the **Active** indicator and click  to save changes. This is required to ensure that this rule is included when the validation process is run.



No.	Field Id	Description	Active	Update	
1	CURACCDIS1	Return CURACCDIS1 Where ACEMPFUN is coded 1,2 or 3 and TERMS is coded 1 or 2	☒	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit
			☐	☐	Edit


7. As covered in [4.7.2 When is the Validation Process Run?](#), the rule can be configured so that if the validation process finds an exception, the HESA field is automatically updated.

To do this, enable the **Update** indicator and click  to save changes.

4.7.4. Running Business Rule Validation When Generating the Initial Data Set

When generating the initial data set (following the steps provided in [4.2 Generate Data - Create the Initial Data Set](#)), it is possible to run the validation process.

Before you generate the data, tick the **Run Validation Rules Post Generation** indicator, to ensure that once the data set has been generated, the validation rule process is run.



The following section is used to generate data for the given HESA generation year. This facility is used to create data for a new HESA year or to generate the HESA data for the first time. Once the data has generated, the HESA generation year will be set to next year to prevent accidental generation. HESA record layouts must exist for the given reporting year to generate the data. If a Year is regenerated, it will clear down all the data for the year in question.

Run Validation Rules Post Generation ☒ HESA Generation Year: 2018 Generate Data

Note: When running this process in this way, if any rules have the **Update** indicator enabled, the field will be automatically updated to the expected value once the conditions against the rules are met.

See [4.7.6 Reporting on Validation Results](#) for details on where the results of the validation process can be viewed.

4.7.5. Running the Validation as a Standalone Task

Follow these steps to run the validation process, independent of the Generate Data step:

1. On the main CoreHESA screen, click option **9. HESA End of Year Processing**.
The *Validate Data* section is in the middle of the screen.
The *HESA Reporting Year* is defaulted to the current reporting year.
2. Updates are not applied by default as part of this process. If the process finds exceptions and you want these to be updated (where the **Update** parameter is on for the rule), you must select the **Please Tick to Allow Validation Rule Update** indicator, before running the validation.
3. Click **Run Validation**.

Validate Data

HESA Reporting Year: 2018 Run Validation Please Tick to Allow Validation Rule Update ☐ Status:

4.7.6. Reporting on Validation Results

You can create a report in BI/Insight to report on the validation errors.

Note: This is the only source for viewing the output of the validation process.

This is the relevant Business Area and View for reporting.

- **Business Area:** Core HESA
- **View:** Validation Errors

Report Wizard
Coreinsight > Report Wizard

1 Report Type

2 Report Area

3 Report Columns

What business areas would you like to report ...

core hes

Business Area

Core HESA

What views would you like to use in your repo...

validation

View Name

Validation Errors

Core HESA

If you are not using the update feature (as described as part of the validation process in [4.7.4](#) and [4.7.5](#)), you could create a report to review the results and use that to produce a CSV file which could then be bulk uploaded to CoreHESA to update the data.

The following fields are available to add to the report.

- Appointment Id
- Data
- Description
- Effective From Date
- Effective To Date
- Error Code
- Error Text
- Field Id
- Field Number
- Pay Scale
- Pay Scale Code
- Pay Scale Description
- Person Reference
- Record Type
- Record Type Description
- Severity
- Year

4.8. Generate the HESA XML

The HESA XML file can be generated on PeopleXD at any stage in the process. It can be useful to do this many times, in order to validate your configuration and record data e.g.

- Generate the XML.
- Validate it using the HESA validation engine.
- Review errors found in validation.
- Amend the configuration on CoreHESA OR manually update / correct employee records.
- Generate the XML.
- Validate the new file.
- Repeat as many times as necessary.

Follow these steps to generate the XML file:

1. On the main CoreHESA screen, click **9. HESA End of Year Processing**.
2. Ensure the correct year is set in the HESA Reporting Year e.g. 2018 is for 2018/2019 reporting year.
3. Click **Browse** next to *Output File Location* to select the location that the file is generated to.
4. Click **Generate XML File**.

HESA End Of Year Processing

HESA Reporting Year: 2018 Run End Of Year End Of Year Last Submitted: 22-MAR-2019 12:39 50 End Of Year Last Run:

XML Generation

Output File Location: C:\hesa_xml\ Browse Generate XML File ☐ Include Muster

Error File Location: C:\hesa_xml\ERRORS\VKResults_2013_10_ Browse Read XML Error File

HESA Record	Effective From Date	Effective To Date	Number Of Records	Error Count	Last Generate Time
025 - Person Record 2018/2018	01-AUG-2018	31-JUL-2019	114	0	Generate View Errors
026 - Contract Record 2018/2018	01-AUG-2018	31-JUL-2019	136	0	Generate View Errors

4.9. HESA New Year Rollover Process

The HESA rollover process should be performed once the final return data has been submitted to HESA. This process involves copying the current configuration into 2 new records types (person and contract) for the next reporting year, and then rolling over the year to the next reporting year.

Note: Typically, the annual HESA release automatically rolls forward the HESA year including copying the previous year's configuration (e.g. mappings and rules) to the new year. Please refer to the relevant release notes.

Alternatively, if required you can complete the New Year Rollover Process in advance of the release by following the instructions in this section.

4.9.1. Copying the Configuration for the New Year

This creates the new Person and Contract records for the next HESA reporting year.


1. Open the *HESA Record Type* screen.
2. Select the active Person Record.
3. Click **7. Copy Configuration for New Year** on the *Select Option* list.

Year	Record Type	Name	Active	Effective From Date	Effective To Date
2017	025	Person Record 2017/2017	☒	01-AUG-2017	31-JUL-2018
2017	026	Contract Record 2017/2017	☒	01-AUG-2017	31-JUL-2018
2016	025	Person Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2016	026	Contract Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2015	025	Person Record 2015/2015	☐	01-AUG-2015	31-JUL-2016
2015	026	Contract Record 2015/2015	☐	01-AUG-2015	31-JUL-2016
2014	025	Person Record 2014/2014	☐	01-AUG-2014	31-JUL-2015
2014	026	Contract Record 2014/2014	☐	01-AUG-2014	31-JUL-2015

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind
1	Ability to teach through the medi	ABLWELSH			☐	☐

The following prompt appears. This confirms that a new Person record will be created for the new year and all configuration for the records and fields for the current year will be carried over.


Click **Copy Configuration** to continue.



Repeat this for the Contract record.

Once completed, two new Person and Contract records are available on the HESA Record type screen for the new year.

These will be inactive until the HESA year has been rolled forward (see next section).




4.9.2. Rolling over the HESA Year

Once the configuration has been copied for the new year, you need to roll the year forward. To do this:

1. On the main CoreHESA screen, click **9. HESA End of Year Processing**.

The rollover section is at the end of the screen under *HESA End of Year Cut Off*.



HESA End Of Year Cut Off


The following section should be completed when the final HESA return has been generated.
Once this has been completed, the current reporting year indicated above will no longer be updated.

Please Tick To Indicate End Of Year ☐

Date Username

2. Select the indicator **Please Tick to Indicate End of Year**.

The date and username are automatically updated to your username and the current timestamp.



HESA End Of Year Cut Off


The following section should be completed when the final HESA return has been generated.
Once this has been completed, the current reporting year indicated above will no longer be updated.

Please Tick To Indicate End Of Year ☒


Date Username

3. Click **Cut Off**.

A validation prompt requires you to confirm you are happy to proceed. Click **Yes**.



A final confirmation prompt appears to let you know the rollover is complete.



4.9.3. Confirm the Rollover is Complete

The following checks can be completed to ensure the rollover has completed.

1. Check the **Current Reporting Year** parameter is updated on the *HESA System Parameters* screen:

HESA System Parameters

Current Reporting Year: 2018

Error Level: 10

Warning Level: 01

UK Provider Reference Number:

Record Identifier:

Disable HESA Triggers: ☐

Regen. HESA Rules Ind.: ☐

Staff Record Validation Details

Staff Record Validation File Location: C:\HESA\STAFF

Staff Record Validation File: 13025.EXE

Staff Record Error File: 13025.ERR

Staff Record Output File: 13025P.CSV

Contract Record Validation Details

Contract Record Validation File Location: C:\HESA\CONTRACT

Contract Record Validation File: 13026.EXE

Contract Record Error File: 13026.ERR

Contract Record Output File: 13026C.CSV

Grade Record Validation Details

Grade Record Validation File Location: C:\HESA\GRADE

Grade Record Validation File: 08027.EXE

Grade Record Error File: 13027.ERR

Grade Record Output File: 13027G.CSV

2. Check the **HESA Reporting Year** on the *HESA Year End Processing* screen.

HESA End Of Year Processing

HESA Reporting Year: 2018

Run End Of Year

End Of Year Last Submitted:

End Of Year Last Run:

XML Generation

Output File Location: C:\hesa_xml\ Browse Generate XML File ☐ Include Muster

Error File Location: C:\hesa_xml\ERRORS\VKResults_2013_10_ Browse Read XML Error File

HESA Record	Effective From Date	Effective To Date	Number Of Records	Error Count	Last Generate Time
025 - Person Record 2018/2018	01-AUG-2018	31-JUL-2019	0	0	Generate View Errors
026 - Contract Record 2018/2018	01-AUG-2018	31-JUL-2019	0	0	Generate View Errors

- Check that the Person and Contract records for the new year are active on the *HESA Record Type* screen and confirm the configuration has been copied across for the new records as expected.

HESA Record Type Maintenance

HESA Record Type

Year	Record Type	Name	Active	Effective From Date	Effective To Date
2018	025	Person Record 2018/2018	☒	01-AUG-2018	31-JUL-2019
2018	026	Contract Record 2018/2018	☒	01-AUG-2018	31-JUL-2019
2017	025	Person Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2017	026	Contract Record 2017/2017	☐	01-AUG-2017	31-JUL-2018
2016	025	Person Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2016	026	Contract Record 2016/2016	☐	01-AUG-2016	31-JUL-2017
2015	025	Person Record 2015/2015	☐	01-AUG-2015	31-JUL-2016
2015	026	Contract Record 2015/2015	☐	01-AUG-2015	31-JUL-2016

Select Option

- HESA Reference Data
- Map Reference Data
- Data Mapping Rules
- Mapping Framework Scales Details
- Grade Table Maintenance
- HESA User Data
- Copy Configuration for New Year

2018 - 025 - Person Record

Field No.	Description	Field ID	Mapping Reference	Default Value	Use CoreHR Value	Active Ind
1	Ability to teach through the medi	ABLWELSH			☐	☐ Parameters
2	Academic teaching qualification	ACTCHQUAL1	HESA PERSON RECORD		☐	☒ Parameters
3	Academic teaching qualification	ACTCHQUAL2	HESA PERSON RECORD		☐	☒ Parameters
4	Academic teaching qualification	ACTCHQUAL3	Teaching Qualification Types		☐	☐ Parameters
5	Academic teaching qualification	ACTCHQUAL4	Teaching Qualification Types		☐	☐ Parameters
6	Academic teaching qualification	ACTCHQUAL5	Teaching Qualification Types		☐	☐ Parameters
7	Academic teaching qualification	ACTCHQUAL6	Teaching Qualification Types		☐	☐ Parameters
8	Activity after leaving	ACTLEAVE		90	☐	☒ Parameters
9	Clinical excellence award	CLINARD	Allowance Code		☐	☒ Parameters
10	Current academic discipline one	CURACCDIS1			☐	☒ Parameters
11	Current academic discipline two	CURACCDIS2			☐	☐ Parameters
12	Date appointed at current HEI	DATEFHEI			☒	☒ Parameters
13	Date Left	DATELEFT			☒	☒ Parameters