

# **Закон Туркменистана «О дипломатических рангах» признан утратившим силу Законом Туркменистана**

**от 29 августа 2013 г. № 427-IV.**

## **ЗАКОН**

## **ТУРКМЕНИСТАНА**

### **О дипломатических рангах**

(Ведомости Меджлиса Туркменистана 1995 г., № 3, ст. 45)

Настоящий Закон устанавливает дипломатические ранги для дипломатических работников Туркменистана в соответствии с общепризнанными нормами международного права.

#### **Статья 1**

В Туркменистане устанавливаются следующие дипломатические ранги:

Чрезвычайный и Полномочный посол;

Чрезвычайный и Полномочный посланник;

советник;

первый секретарь;

второй секретарь;

третий секретарь;

атташе.

## **Статья 2**

Дипломатические ранги Чрезвычайного и Полномочного Посла, Чрезвычайного и Полномочного Посланника присваиваются Президентом Туркменистана.

Другие дипломатические ранги присваиваются Министром иностранных дел Туркменистана на основании рекомендации аттестационной комиссии Министерства иностранных дел Туркменистана.

## **Статья 3**

Дипломатические ранги Чрезвычайного и Полномочного Посла, Чрезвычайного и Полномочного Посланника присваиваются руководителям дипломатических и иных представительств Туркменистана за рубежом, а также руководителям и ответственным работникам Министерства иностранных дел Туркменистана.

В отдельных случаях дипломатические ранги Чрезвычайного и Полномочного Посла, Чрезвычайного и Полномочного Посланника могут присваиваться ответственным работникам высших органов государственной власти и управления Туркменистана.

## **Статья 4**

Дипломатический ранг атташе присваивается лицу, проработавшему на дипломатической службе не менее одного года.

Очередные дипломатические ранги присваиваются дипломатическим сотрудникам в зависимости от квалификации и успешного прохождения службы как в аппарате Министерства иностранных дел Туркменистана, так в дипломатических и иных представительствах Туркменистана за рубежом не менее двух лет в отношении дипломатических рангов третьего секретаря и второго секретаря, не менее трех лет в отношении первого секретаря и советника.

За значительные достижения в работе дипломатические работники могут быть представлены к присвоению более высокого дипломатического ранга ранее указанного срока.

## **Статья 5**

За дипломатический ранг к должностному окладу устанавливается доплата, размер которой определяется Президентом Туркменистана.

## **Статья 6**

Дипломатические ранги Чрезвычайного и Полномочного Посла и Чрезвычайного и Полномочного Посланника присваиваются пожизненно.

За лицами, имеющими другие дипломатические ранги, они сохраняются в случае ухода на пенсию этих должностных лиц из системы Министерства иностранных дел Туркменистана.

## **Статья 7**

Лишение дипломатических рангов Чрезвычайного и Полномочного Посла, Чрезвычайного и Полномочного Посланника производится Президентом Туркменистана.

Лишение других дипломатических рангов производится Министром иностранных дел Туркменистана по представлению аттестационной комиссии Министерства иностранных дел Туркменистана.

**Президент**

**Сапармурат**

**Туркменистана**

**Туркменбаши**

гор. Ашгабат

24 ноября 1995 г.

№ 92-1

Symfony\Component\HttpFoundation\File\Exception\FileNotFoundException: The file "C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\public\0 дипломатических панрах.doc" does not exist in file C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\symfony\HttpFoundation\File\File.php on line 36

```
#0 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\symfony\HttpFoundation\BinaryFileResponse.php(94): Symfony\Component\HttpFoundation\File\File->__construct('C:\\Users\\Admini...')
#1 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\symfony\HttpFoundation\BinaryFileResponse.php(52): Symfony\Component\HttpFoundation\BinaryFileResponse->setFile('C:\\Users\\Admini...', 'attachment', false, true)
#2 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\ResponseFactory.php(165): Symfony\Component\HttpFoundation\BinaryFileResponse->__construct('C:\\Users\\Admini...', 200, Array, true, 'attachment')
#3 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\app\Http\Controllers\ActController.php(35): Illuminate\Routing\ResponseFactory->download('C:\\Users\\Admini...')
#4 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Controller.php(54): App\Http\Controllers\ActController->export_word('35543')
#5 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\ControllerDispatcher.php(45): Illuminate\Routing\Controller->callAction('export_word', Array)
#6 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Route.php(262): Illuminate\Routing\ControllerDispatcher->dispatch(Object(Illuminate\Routing\Route), Object(App\Http\Controllers\ActController), 'export_word')
#7 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Route.php(205): Illuminate\Routing\Route->runController()
#8 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Router.php(721): Illuminate\Routing\Route->run()
#9 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(128): Illuminate\Routing\Router->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\app\Http\Middleware\Check.php(30): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#11 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): App\Http\Middleware\Check->handle(Object(Illuminate\Http\Request), Object(Closure))
#12 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\app\Http\Middleware\Locale.php(27): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#13 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): App\Http\Middleware\Locale->handle(Object(Illuminate\Http\Request), Object(Closure))
#14 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Middleware\SubstituteBindings.php(50): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#15 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Routing\Middleware\SubstituteBindings->handle(Object(Illuminate\Http\Request), Object(Closure))
#16 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\VerifyCsrfToken.php(78): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#17 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Foundation\Http\Middleware\VerifyCsrfToken->handle(Object(Illuminate\Http\Request), Object(Closure))
#18 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\View\Middleware\ShareErrorsFromSession.php(49): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#19 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\View\Middleware\ShareErrorsFromSession->handle(Object(Illuminate\Http\Request), Object(Closure))
#20 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Session\Middleware\StartSession.php(121): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\
```

```
src\Illuminate\Session\Middleware\StartSession.php(64): Illuminate\Session\Middleware\StartSession->handleRequest(Object(Illuminate\Http\Request), Object(Illuminate\Session\Store), Object(Closure))
#22 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Session\Middleware\StartSession->handle(Object(Illuminate\Http\Request), Object(Closure))
#23 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse.php(37): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#24 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse->handle(Object(Illuminate\Http\Request), Object(Closure))
#25 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Cookie\Middleware\EncryptCookies.php(67): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Cookie\Middleware\EncryptCookies->handle(Object(Illuminate\Http\Request), Object(Closure))
#27 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(103): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#28 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Router.php(723): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#29 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Router.php(698): Illuminate\Routing\Router->runRouteWithinStack(Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request))
#30 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Router.php(662): Illuminate\Routing\Router->runRoute(Object(Illuminate\Http\Request), Object(Illuminate\Routing\Route))
#31 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Routing\Router.php(651): Illuminate\Routing\Router->dispatchToRoute(Object(Illuminate\Http\Request))
#32 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Foundation\Http\Kernel.php(167): Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#33 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(128): Illuminate\Foundation\Http\Kernel->Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#34 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\livewire\livewire\src\DisableBrowserCache.php(19): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#35 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Livewire\DisableBrowserCache->handle(Object(Illuminate\Http\Request), Object(Closure))
#36 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\TransformsRequest.php(21): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#37 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\ConvertEmptyStringsToNull.php(31): Illuminate\Foundation\Http\Middleware\TransformsRequest->handle(Object(Illuminate\Http\Request), Object(Closure))
#38 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Foundation\Http\Middleware\ConvertEmptyStringsToNull->handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\TransformsRequest.php(21): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#40 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\TrimStrings.php(40): Illuminate\Foundation\Http\Middleware\TransformsRequest->handle(Object(Illuminate\Http\Request), Object(Closure))
#41 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Foundation\Http\Middleware\TrimStrings->handle(Object(Illuminate\Http\Request), Object(Closure))
#42 C:\Users\Administrator\AppData\Roaming\Adalat EMT\www\vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\ValidatePostSize.php(27): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#43 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Foundation\Http\Middleware\
ValidatePostSize->handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Foundation\Http\Middleware\PreventRequestsDuringMaintenance.php(86):
Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\
Request))
#45 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Foundation\Http\Middleware\
PreventRequestsDuringMaintenance->handle(Object(Illuminate\Http\Request),
Object(Closure))
#46 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\fruitcake\laravel-
cors\src\HandleCors.php(38): Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\
{closure}(Object(Illuminate\Http\Request))
#47 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Pipeline\Pipeline.php(167): Fruitcake\Cors\HandleCors-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#48 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Http\Middleware\TrustProxies.php(39): Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#49 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Pipeline\Pipeline.php(167): Illuminate\Http\Middleware\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#50 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Pipeline\Pipeline.php(103): Illuminate\Pipeline\Pipeline->Illuminate\
Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Foundation\Http\Kernel.php(142): Illuminate\Pipeline\Pipeline-
>then(Object(Closure))
#52 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\vendor\laravel\framework\
src\Illuminate\Foundation\Http\Kernel.php(111): Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#53 C:\Users\Administrator\AppData\Roaming\Adalat EMTP\www\public\index.php(52):
Illuminate\Foundation\Http\Kernel->handle(Object(Illuminate\Http\Request))
#54 {main}
```