


SUJETO A CAMBIOS



Utilidades

```
texto: [char] --> stringToBytes()  
[byte]    <--
```

```
uuid: [char] --> stringToUUID()  
UUID    <--
```

```
uuid: UUID --> uuidToString()  
[char]    <--
```

```
uuid: UUID --> uuidToHexString()  
[char]    <--
```

```
bytes: [byte] --> bytesToString()  
[char]    <--
```

```
dosLongToBytes() <-- masSignificativos: long, menosSignificativos: long  
--> [byte]
```

```
bytesToInt() <-- bytes: [byte]  
--> Z
```

```
bytesToLong() <-- bytes: [byte]  
--> long
```

```
bytesToIntOK() <-- bytes: [byte]  
--> Z
```

```
bytesToHexString() <-- bytes: [byte]  
--> [char]
```

Medicion

```
Medicion() -->
```

```
Medicion: Z
```



```
--> getLatitud() --> R
```

```
latitud: R
```

```
Z <-- getMedicion() <--
```

```
longitud: R
```

```
--> getLongitud() --> R
```



TramaIBeacon()

```
prefijo:[byte] <-- getPrefijo() <--
```

```
uuid:[byte] <-- getUUID() <--
```

```
major:[byte] <-- getMajor() <--
```

```
minor:[byte] <-- getMinor() <--
```

```
txPower:[byte] <-- getTxPower() <--
```

```
losBytes:[byte] <-- getlosBytes() <--
```

```
prefijo: [byte]
```

```
uuid: [byte]
```

```
major: [byte]
```

```
minor: [byte]
```

```
txPower: [byte]
```

```
iBeaconLength: [byte]
```

```
losBytes: [byte]
```

```
advFlags: [byte]
```

```
advHeader: [byte]
```

```
companyID: [byte]
```

```
iBeaconType: [byte]
```

```
--> getAdvFlags() --> advFlags:[byte]
```

```
--> getAdvHeader() --> advHeader
```

```
--> getcompanyID() --> companyID
```

```
--> getiBeaconType() --> iBeaconType
```

```
--> getiBeaconLength() --> iBeaconLength
```

```
<-- TramaIBeacon() <-- bytes:[byte]
```