

Day 1 – R Programming

```
> #install.packages('caret')
> num = 10
> num
[1] 10
> library('caret')
> x = 10.2
> y <- 10
> z = "Hello"
> x
[1] 10.2
> y
[1] 10
> z
[1] "Hello"
> as.integer(x)
[1] 10
> a = 1 + 10i
> a
[1] 1+10i
> sqrt(144)
[1] 12
> a = 5; b = 15
> out = a > b
> out
[1] FALSE
> age <- c(21, 25, 28, 30, 20, 26)
> age
[1] 21 25 28 30 20 26
> id = c(1:10) #range values from 1-10
> id
[1] 1 2 3 4 5 6 7 8 9 10
> seq(1, 20)
[1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20
> seq(2, 20, 2) #range values from 2 to 20 with offset 2
[1] 2 4 6 8 10 12 14 16 18 20
> loan_default <- c(TRUE, FALSE, FALSE, TRUE, TRUE)
> loan_default
[1] TRUE FALSE FALSE TRUE TRUE
> place_names <- c("China", "India", "Denmark", "UK", "Finland")
> place_names
[1] "China" "India" "Denmark" "UK" "Finland"
> class(loan_default)
[1] "logical"
```

```

> class(age)
[1] "numeric"
> class(z)
[1] "character"
> num_as_str <- c("10", "30", "40", "50")
> class(num_as_str)
[1] "character"
> numbers <- as.integer(num_as_str)
> class(numbers)
[1] "integer"
> mean(numbers)
[1] 32.5
> max(age)
[1] 30
> min(numbers)
[1] 10
> median(age)
[1] 25.5
> range(numbers)
[1] 10 50
> var(age)
[1] 15.2
> sort(age)
[1] 20 21 25 26 28 30
> sort(age, decreasing = TRUE)
[1] 30 28 26 25 21 20
> random_ele <- c(15, 2.5, TRUE, "Hello")
> random_ele
[1] "15"  "2.5"  "TRUE" "Hello"
> class(random_ele)
[1] "character"
> mat <- c(1:16)
> mat <- matrix(mat, ncol=4)
> mat
      [,1] [,2] [,3] [,4]
[1,]  1   5   9  13
[2,]  2   6  10  14
[3,]  3   7  11  15
[4,]  4   8  12  16
> mat1 <- c(1:16)
> mat1 <- matrix(mat1, ncol = 4, byrow = T)
> mat1
      [,1] [,2] [,3] [,4]
[1,]  1   2   3   4

```

```

[2,] 5 6 7 8
[3,] 9 10 11 12
[4,] 13 14 15 16
> matrix(c(56, 72, 25, 14, 87, 99), ncol = 3, byrow = T)
      [,1] [,2] [,3]
[1,] 56 72 25
[2,] 14 87 99
> mat1[2,]
[1] 5 6 7 8
> mat1[2,2]
[1] 6
> mat1[,4]
[1] 4 8 12 16
> matr = matrix(c(5:16), nrow = 3, byrow = TRUE)
> column.names <- c("COL1", "COL2", "COL3")
> row.names <- c("ROW1", "ROW2", "ROW3")
> column.names <- c("COL1", "COL2", "COL3", "COL4")
> result <- matrix(c(5:16), nrow = 3, byrow = TRUE, dimnames = list(row.names, column.names))
> result
      COL1 COL2 COL3 COL4
ROW1  5  6  7  8
ROW2  9 10 11 12
ROW3 13 14 15 16
> employee = list(1, c("John", "Rose"), c(12000, 15000))
> employee
[[1]]
[1] 1

[[2]]
[1] "John" "Rose"

[[3]]
[1] 12000 15000

> employee[[1]]
[1] 1
> employee[[2]]
[1] "John" "Rose"
> employee[[3]]
[1] 12000 15000
> employee = list(EmpID=1, EmpName=c("John", "Rose"), basic_pay=c(12000, 15000))
> employee
$EmpID
[1] 1

```

```
$EmpName  
[1] "John" "Rose"
```

```
$basic_pay  
[1] 12000 15000
```

```
> employee$EmpName  
[1] "John" "Rose"  
> list_of_expenses <- list(100, 150, 350, 50)  
> class(list_of_expenses)  
[1] "list"  
> expenses <- unlist(list_of_expenses)  
> class(expenses)  
[1] "numeric"  
> length(expenses)  
[1] 4  
> days_from_purchase <- c(10, 15, 20, 25)  
> days_from_purchase  
[1] 10 15 20 25  
> ctf <- as.factor(days_from_purchase)  
> typeof(ctf)  
[1] "integer"  
> class(ctf)  
[1] "factor"  
> age <- c(21, 42, 28, 31, 19)  
> names <- c("John", "Sachin", "Rahul", "Ravi", "Sameer")  
> salary <- c(12000, 20000, 25000, 16000, 28000)  
> ownhouse <- c(TRUE, FALSE, TRUE, TRUE, FALSE)  
> mydf <- data.frame(names, age, salary, ownhouse)  
> mydf  
  names age salary ownhouse  
1 John  21  12000    TRUE  
2 Sachin 42  20000   FALSE  
3 Rahul  28  25000    TRUE  
4 Ravi   31  16000    TRUE  
5 Sameer 19  28000   FALSE  
> stock_price <- c(110.55, 102.50, 145.90, 130.70, 160.45, 112.80)  
> stock_mat <- matrix(stock_price, ncol = 2, byrow = T)  
> stock_df = data.frame(stock_mat)  
> stock_df  
  X1  X2  
1 110.55 102.5  
2 145.90 130.7
```

```

3 160.45 112.8
> colnames(stock_df) <- c("Open Price", "Close Price")
> letters[1:10]
[1] "a" "b" "c" "d" "e" "f" "g" "h" "i" "j"
> letters[1:26]
[1] "a" "b" "c" "d" "e" "f" "g" "h" "i" "j" "k" "l" "m" "n" "o" "p" "q" "r" "s" "t" "u" "v" "w" "x" "y" "z"
> rownames(stock_df) <- letters[1:3]
> stock_df
  Open Price Close Price
a    110.55    102.5
b    145.90    130.7
c    160.45    112.8
> stock_df$`Close Price`
[1] 102.5 130.7 112.8

```

Day 2 – R Programming

```

> X <- matrix(c(50, 70, 40, 90, 60, 80, 50, 90, 100, 50, 30, 70), nrow = 3)
> X
      [,1] [,2] [,3] [,4]
[1,]  50  90  50  50
[2,]  70  60  90  30
[3,]  40  80 100  70
> rowSums(X)
[1] 240 250 290
> colSums(X)
[1] 160 230 240 150
> X <- rbind(X, apply(X, 2, mean)) #Add a row and apply mean function columnwise - 2, for rowwise its
1
> X
      [,1] [,2] [,3] [,4]
[1,] 50.00000 90.00000  50  50
[2,] 70.00000 60.00000  90  30
[3,] 40.00000 80.00000 100  70
[4,] 53.33333 76.66667  80  50
> X <- cbind(X, apply(X, 1, var)) #Add a column and apply variance function rowwise - 1
> X
      [,1] [,2] [,3] [,4] [,5]
[1,] 50.00000 90.00000  50  50 400.0000
[2,] 70.00000 60.00000  90  30 625.0000
[3,] 40.00000 80.00000 100  70 625.0000
[4,] 53.33333 76.66667  80  50 240.7407
> X <- matrix(c(50, 70, 40, 90, 60, 80, 50, 90, 100, 50, 30, 70), nrow = 3)
> X <- cbind(X, apply(X, 1, sd)) #Add a column and apply standard deviation function rowwise - 1
> X

```

```

      [,1] [,2] [,3] [,4] [,5]
[1,]  50  90  50  50  20
[2,]  70  60  90  30  25
[3,]  40  80 100  70  25
> X <- rbind(X, apply(X, 2, max)) #Add a row and apply maximum function columnwise - 2, for rowwise
its 1
> X
      [,1] [,2] [,3] [,4] [,5]
[1,]  50  90  50  50  20
[2,]  70  60  90  30  25
[3,]  40  80 100  70  25
[4,]  70  90 100  70  25
> stock_df[[1]] #1st column
[1] 110.55 145.90 160.45
> stock_df[[2]] #2nd column
[1] 102.5 130.7 112.8
> stock_df
  Open Price Close Price BuyOrSell
a   110.55    102.5    Sell
b   145.90    130.7    Sell
c   160.45    112.8    Sell
> stock_df[1:2, 2]
[1] 102.5 130.7
> stock_df[1:3, 1:2]
  Open Price Close Price
a   110.55    102.5
b   145.90    130.7
c   160.45    112.8
> stock_df[, 1:2]
  Open Price Close Price
a   110.55    102.5
b   145.90    130.7
c   160.45    112.8
> stock_df[c(1, 3), 1:2]
  Open Price Close Price
a   110.55    102.5
c   160.45    112.8
> stock_df[-1, 1]
[1] 145.90 160.45
> stock_df[-c(1, 3), 1:2]
  Open Price Close Price
b   145.9    130.7
> v_sub <- stock_df[1:3, 2]
> v_sub

```

```

[1] 102.5 130.7 112.8
> df_subsetdata <- stock_df[1:3, 2, drop=F]
> df_subsetdata
  Close Price
a    102.5
b    130.7
c    112.8
> class(v_sub)
[1] "numeric"
> class(df_subsetdata)
[1] "data.frame"
> setwd("C:/zubeda/PGA02_Zubu/R Programming") #Set current working directory
> housing_df <- read.csv("Housing.csv")
> housing_df
  price area bedrooms bathrooms stories mainroad guestroom basement
1 13300000 7420    4      2      3   yes     no     no
2 12250000 8960    4      4      4   yes     no     no
3 12250000 9960    3      2      2   yes     no    yes
4 12215000 7500    4      2      2   yes     no    yes
5 11410000 7420    4      1      2   yes    yes    yes
6 10850000 7500    3      3      1   yes     no    yes
7 10150000 8580    4      3      4   yes     no     no
8 10150000 16200   5      3      2   yes     no     no
9 9870000 8100    4      1      2   yes    yes    yes
10 9800000 5750    3      2      4   yes    yes     no
11 9800000 13200   3      1      2   yes     no    yes
12 9681000 6000    4      3      2   yes    yes    yes
13 9310000 6550    4      2      2   yes     no     no
14 9240000 3500    4      2      2   yes     no     no
15 9240000 7800    3      2      2   yes     no     no
16 9100000 6000    4      1      2   yes     no    yes
17 9100000 6600    4      2      2   yes    yes    yes
18 8960000 8500    3      2      4   yes     no     no
19 8890000 4600    3      2      2   yes    yes     no
20 8855000 6420    3      2      2   yes     no     no
21 8750000 4320    3      1      2   yes     no    yes
22 8680000 7155    3      2      1   yes    yes    yes
23 8645000 8050    3      1      1   yes    yes    yes
24 8645000 4560    3      2      2   yes    yes    yes
25 8575000 8800    3      2      2   yes     no     no
26 8540000 6540    4      2      2   yes    yes    yes
27 8463000 6000    3      2      4   yes    yes    yes
28 8400000 8875    3      1      1   yes     no     no
29 8400000 7950    5      2      2   yes     no    yes

```

30	8400000	5500	4	2	2	yes	no	yes
31	8400000	7475	3	2	4	yes	no	no
32	8400000	7000	3	1	4	yes	no	no
33	8295000	4880	4	2	2	yes	no	no
34	8190000	5960	3	3	2	yes	yes	yes
35	8120000	6840	5	1	2	yes	yes	yes
36	8080940	7000	3	2	4	yes	no	no
37	8043000	7482	3	2	3	yes	no	no
38	7980000	9000	4	2	4	yes	no	no
39	7962500	6000	3	1	4	yes	yes	no
40	7910000	6000	4	2	4	yes	no	no
41	7875000	6550	3	1	2	yes	no	yes
42	7840000	6360	3	2	4	yes	no	no
43	7700000	6480	3	2	4	yes	no	no
44	7700000	6000	4	2	4	yes	no	no
45	7560000	6000	4	2	4	yes	no	no
46	7560000	6000	3	2	3	yes	no	no
47	7525000	6000	3	2	4	yes	no	no
48	7490000	6600	3	1	4	yes	no	no
49	7455000	4300	3	2	2	yes	no	yes
50	7420000	7440	3	2	1	yes	yes	yes
51	7420000	7440	3	2	4	yes	no	no
52	7420000	6325	3	1	4	yes	no	no
53	7350000	6000	4	2	4	yes	yes	no
54	7350000	5150	3	2	4	yes	no	no
55	7350000	6000	3	2	2	yes	yes	no
56	7350000	6000	3	1	2	yes	no	no
57	7343000	11440	4	1	2	yes	no	yes
58	7245000	9000	4	2	4	yes	yes	no
59	7210000	7680	4	2	4	yes	yes	no
60	7210000	6000	3	2	4	yes	yes	no
61	7140000	6000	3	2	2	yes	yes	no
62	7070000	8880	2	1	1	yes	no	no
63	7070000	6240	4	2	2	yes	no	no
64	7035000	6360	4	2	3	yes	no	no
65	7000000	11175	3	1	1	yes	no	yes
66	6930000	8880	3	2	2	yes	no	yes
67	6930000	13200	2	1	1	yes	no	yes
68	6895000	7700	3	2	1	yes	no	no
69	6860000	6000	3	1	1	yes	no	no
70	6790000	12090	4	2	2	yes	no	no
71	6790000	4000	3	2	2	yes	no	yes
72	6755000	6000	4	2	4	yes	no	no
73	6720000	5020	3	1	4	yes	no	no

74	6685000	6600	2	2	4	yes	no	yes
75	6650000	4040	3	1	2	yes	no	yes
76	6650000	4260	4	2	2	yes	no	no

hotwaterheating airconditioning parking prefarea furnishingstatus

1	no	yes	2	yes	furnished
2	no	yes	3	no	furnished
3	no	no	2	yes	semi-furnished
4	no	yes	3	yes	furnished
5	no	yes	2	no	furnished
6	no	yes	2	yes	semi-furnished
7	no	yes	2	yes	semi-furnished
8	no	no	0	no	unfurnished
9	no	yes	2	yes	furnished
10	no	yes	1	yes	unfurnished
11	no	yes	2	yes	furnished
12	yes	no	2	no	semi-furnished
13	no	yes	1	yes	semi-furnished
14	yes	no	2	no	furnished
15	no	no	0	yes	semi-furnished
16	no	no	2	no	semi-furnished
17	no	yes	1	yes	unfurnished
18	no	yes	2	no	furnished
19	no	yes	2	no	furnished
20	no	yes	1	yes	semi-furnished
21	yes	no	2	no	semi-furnished
22	no	yes	2	no	unfurnished
23	no	yes	1	no	furnished
24	no	yes	1	no	furnished
25	no	yes	2	no	furnished
26	no	yes	2	yes	furnished
27	no	yes	0	yes	semi-furnished
28	no	no	1	no	semi-furnished
29	yes	no	2	no	unfurnished
30	no	yes	1	yes	semi-furnished
31	no	yes	2	no	unfurnished
32	no	yes	2	no	semi-furnished
33	no	yes	1	yes	furnished
34	no	no	1	no	unfurnished
35	no	yes	1	no	furnished
36	no	yes	2	no	furnished
37	yes	no	1	yes	furnished
38	no	yes	2	no	furnished
39	no	yes	2	no	unfurnished
40	no	yes	1	no	semi-furnished

41	no	yes	0	yes	furnished
42	no	yes	0	yes	furnished
43	no	yes	2	no	unfurnished
44	no	no	2	no	semi-furnished
45	no	yes	1	no	furnished
46	no	yes	0	no	semi-furnished
47	no	yes	1	no	furnished
48	no	yes	3	yes	furnished
49	no	no	1	no	unfurnished
50	no	yes	0	yes	semi-furnished
51	no	no	1	yes	unfurnished
52	no	yes	1	no	unfurnished
53	no	yes	1	no	furnished
54	no	yes	2	no	semi-furnished
55	no	yes	1	no	semi-furnished
56	no	yes	1	no	unfurnished
57	no	no	1	yes	semi-furnished
58	no	yes	1	yes	furnished
59	no	yes	1	no	semi-furnished
60	no	yes	1	no	furnished
61	no	no	1	no	semi-furnished
62	no	yes	1	no	semi-furnished
63	no	yes	1	no	furnished
64	no	yes	2	yes	furnished
65	no	yes	1	yes	furnished
66	no	yes	1	no	furnished
67	yes	no	1	no	furnished
68	no	no	2	no	unfurnished
69	no	yes	1	no	furnished
70	no	no	2	yes	furnished
71	no	yes	0	yes	semi-furnished
72	no	yes	0	no	unfurnished
73	no	yes	0	yes	unfurnished
74	no	no	0	yes	furnished
75	yes	no	1	no	furnished
76	yes	no	0	no	semi-furnished

[reached 'max' / getOption("max.print") -- omitted 469 rows]

```
> dim(housing_df) #no. of rows, no. of columns
```

```
[1] 545 13
```

```
> filter_df <- housing_df[housing_df$price > 10000000, ]
```

```
> filter_df
```

	price	area	bedrooms	bathrooms	stories	mainroad	guestroom	basement
1	13300000	7420	4	2	3	yes	no	no
2	12250000	8960	4	4	4	yes	no	no

3	12250000	9960	3	2	2	yes	no	yes
4	12215000	7500	4	2	2	yes	no	yes
5	11410000	7420	4	1	2	yes	yes	yes
6	10850000	7500	3	3	1	yes	no	yes
7	10150000	8580	4	3	4	yes	no	no
8	10150000	16200	5	3	2	yes	no	no

hotwaterheating airconditioning parking prefarea furnishingstatus

1	no	yes	2	yes	furnished
2	no	yes	3	no	furnished
3	no	no	2	yes	semi-furnished
4	no	yes	3	yes	furnished
5	no	yes	2	no	furnished
6	no	yes	2	yes	semi-furnished
7	no	yes	2	yes	semi-furnished
8	no	no	0	no	unfurnished

```
> filt_df <- housing_df[housing_df$area > 6000, ]
```

```
> filt_df
```

	price	area	bedrooms	bathrooms	stories	mainroad	guestroom	basement
1	13300000	7420	4	2	3	yes	no	no
2	12250000	8960	4	4	4	yes	no	no
3	12250000	9960	3	2	2	yes	no	yes
4	12215000	7500	4	2	2	yes	no	yes
5	11410000	7420	4	1	2	yes	yes	yes
6	10850000	7500	3	3	1	yes	no	yes
7	10150000	8580	4	3	4	yes	no	no
8	10150000	16200	5	3	2	yes	no	no
9	9870000	8100	4	1	2	yes	yes	yes
11	9800000	13200	3	1	2	yes	no	yes
13	9310000	6550	4	2	2	yes	no	no
15	9240000	7800	3	2	2	yes	no	no
17	9100000	6600	4	2	2	yes	yes	yes
18	8960000	8500	3	2	4	yes	no	no
20	8855000	6420	3	2	2	yes	no	no
22	8680000	7155	3	2	1	yes	yes	yes
23	8645000	8050	3	1	1	yes	yes	yes
25	8575000	8800	3	2	2	yes	no	no
26	8540000	6540	4	2	2	yes	yes	yes
28	8400000	8875	3	1	1	yes	no	no
29	8400000	7950	5	2	2	yes	no	yes
31	8400000	7475	3	2	4	yes	no	no
32	8400000	7000	3	1	4	yes	no	no
35	8120000	6840	5	1	2	yes	yes	yes
36	8080940	7000	3	2	4	yes	no	no
37	8043000	7482	3	2	3	yes	no	no

38	7980000	9000	4	2	4	yes	no	no
41	7875000	6550	3	1	2	yes	no	yes
42	7840000	6360	3	2	4	yes	no	no
43	7700000	6480	3	2	4	yes	no	no
48	7490000	6600	3	1	4	yes	no	no
50	7420000	7440	3	2	1	yes	yes	yes
51	7420000	7440	3	2	4	yes	no	no
52	7420000	6325	3	1	4	yes	no	no
57	7343000	11440	4	1	2	yes	no	yes
58	7245000	9000	4	2	4	yes	yes	no
59	7210000	7680	4	2	4	yes	yes	no
62	7070000	8880	2	1	1	yes	no	no
63	7070000	6240	4	2	2	yes	no	no
64	7035000	6360	4	2	3	yes	no	no
65	7000000	11175	3	1	1	yes	no	yes
66	6930000	8880	3	2	2	yes	no	yes
67	6930000	13200	2	1	1	yes	no	yes
68	6895000	7700	3	2	1	yes	no	no
70	6790000	12090	4	2	2	yes	no	no
74	6685000	6600	2	2	4	yes	no	yes
77	6650000	6420	3	2	3	yes	no	no
78	6650000	6500	3	2	3	yes	no	no
83	6615000	10500	3	2	1	yes	no	yes
86	6510000	8250	3	2	3	yes	no	no
87	6510000	6670	3	1	3	yes	no	yes
89	6475000	7410	3	1	1	yes	yes	yes
90	6440000	8580	5	3	2	yes	no	no
92	6419000	6750	2	1	1	yes	yes	yes
94	6300000	7200	3	2	1	yes	no	yes
97	6300000	9000	3	1	1	yes	no	yes
98	6300000	6400	3	1	1	yes	yes	yes
99	6293000	6600	3	2	3	yes	no	no
101	6230000	6600	3	2	1	yes	no	yes
104	6195000	6350	3	2	3	yes	yes	no
108	6125000	6420	3	1	3	yes	no	yes
110	6090000	6615	4	2	2	yes	yes	no
111	6090000	6600	3	1	1	yes	yes	yes
112	6090000	8372	3	1	3	yes	no	no
114	6083000	9620	3	1	1	yes	no	yes
115	6020000	6800	2	1	1	yes	yes	yes
116	6020000	8000	3	1	1	yes	yes	yes
117	6020000	6900	3	2	1	yes	yes	yes
119	5950000	6420	3	1	1	yes	no	yes
120	5950000	7020	3	1	1	yes	no	yes

121	5950000	6540	3	1	1	yes	yes	yes
122	5950000	7231	3	1	2	yes	yes	yes
123	5950000	6254	4	2	1	yes	no	yes
124	5950000	7320	4	2	2	yes	no	no
125	5950000	6525	3	2	4	yes	no	no
126	5943000	15600	3	1	1	yes	no	no

hotwaterheating airconditioning parking prefarea furnishingstatus

1	no	yes	2	yes	furnished
2	no	yes	3	no	furnished
3	no	no	2	yes	semi-furnished
4	no	yes	3	yes	furnished
5	no	yes	2	no	furnished
6	no	yes	2	yes	semi-furnished
7	no	yes	2	yes	semi-furnished
8	no	no	0	no	unfurnished
9	no	yes	2	yes	furnished
11	no	yes	2	yes	furnished
13	no	yes	1	yes	semi-furnished
15	no	no	0	yes	semi-furnished
17	no	yes	1	yes	unfurnished
18	no	yes	2	no	furnished
20	no	yes	1	yes	semi-furnished
22	no	yes	2	no	unfurnished
23	no	yes	1	no	furnished
25	no	yes	2	no	furnished
26	no	yes	2	yes	furnished
28	no	no	1	no	semi-furnished
29	yes	no	2	no	unfurnished
31	no	yes	2	no	unfurnished
32	no	yes	2	no	semi-furnished
35	no	yes	1	no	furnished
36	no	yes	2	no	furnished
37	yes	no	1	yes	furnished
38	no	yes	2	no	furnished
41	no	yes	0	yes	furnished
42	no	yes	0	yes	furnished
43	no	yes	2	no	unfurnished
48	no	yes	3	yes	furnished
50	no	yes	0	yes	semi-furnished
51	no	no	1	yes	unfurnished
52	no	yes	1	no	unfurnished
57	no	no	1	yes	semi-furnished
58	no	yes	1	yes	furnished
59	no	yes	1	no	semi-furnished

62	no	yes	1	no	semi-furnished
63	no	yes	1	no	furnished
64	no	yes	2	yes	furnished
65	no	yes	1	yes	furnished
66	no	yes	1	no	furnished
67	yes	no	1	no	furnished
68	no	no	2	no	unfurnished
70	no	no	2	yes	furnished
74	no	no	0	yes	furnished
77	no	yes	0	yes	furnished
78	no	yes	0	yes	furnished
83	no	yes	1	yes	furnished
86	no	yes	0	no	furnished
87	no	no	0	yes	unfurnished
89	no	yes	2	yes	unfurnished
90	no	no	2	no	furnished
92	no	no	2	yes	furnished
94	no	yes	3	no	semi-furnished
97	no	no	1	yes	furnished
98	no	yes	1	yes	semi-furnished
99	no	yes	0	yes	unfurnished
101	no	yes	0	yes	unfurnished
104	no	yes	0	no	furnished
108	no	no	0	yes	unfurnished
110	yes	no	1	no	semi-furnished
111	no	no	2	yes	semi-furnished
112	no	yes	2	no	unfurnished
114	no	no	2	yes	furnished
115	no	no	2	no	furnished
116	no	yes	2	yes	semi-furnished
117	no	no	0	yes	unfurnished
119	no	yes	0	yes	furnished
120	no	yes	2	yes	semi-furnished
121	no	no	2	yes	furnished
122	no	yes	0	yes	semi-furnished
123	no	no	1	yes	semi-furnished
124	no	no	0	no	furnished
125	no	no	1	no	furnished
126	no	yes	2	no	semi-furnished

[reached 'max' / getOption("max.print") -- omitted 81 rows]

```
> price <- 5
> if(price > 5) {
+   print("Sell the stock")
+ } else {
```

```

+ print("Buy the stock")
+ }
[1] "Buy the stock"
> source("Conditional.R")
[1] "Buy the stock"
> stock_df
  Open Price Close Price BuyOrSell
a   110.55    102.5    Sell
b   145.90    130.7    Sell
c   160.45    112.8    Sell
> stock_df$BuyOrSell <- ifelse(stock_df$`Close Price` < 80, "Buy", "Sell")
> stock_df
  Open Price Close Price BuyOrSell
a   110.55    102.5    Sell
b   145.90    130.7    Sell
c   160.45    112.8    Sell
> for (x in 1:10) { print(x ^ 2) } #i raised to 2
[1] 1
[1] 4
[1] 9
[1] 16
[1] 25
[1] 36
[1] 49
[1] 64
[1] 81
[1] 100
> mtcars #inbuilt dataset
      mpg cyl  disp  hp drat   wt  qsec vs am gear carb
Mazda RX4           21.0  6 160.0 110 3.90 2.620 16.46 0 1  4  4
Mazda RX4 Wag       21.0  6 160.0 110 3.90 2.875 17.02 0 1  4  4
Datsun 710           22.8  4 108.0  93 3.85 2.320 18.61 1 1  4  1
Hornet 4 Drive       21.4  6 258.0 110 3.08 3.215 19.44 1 0  3  1
Hornet Sportabout   18.7  8 360.0 175 3.15 3.440 17.02 0 0  3  2
Valiant              18.1  6 225.0 105 2.76 3.460 20.22 1 0  3  1
Duster 360           14.3  8 360.0 245 3.21 3.570 15.84 0 0  3  4
Merc 240D             24.4  4 146.7  62 3.69 3.190 20.00 1 0  4  2
Merc 230              22.8  4 140.8  95 3.92 3.150 22.90 1 0  4  2
Merc 280              19.2  6 167.6 123 3.92 3.440 18.30 1 0  4  4
Merc 280C             17.8  6 167.6 123 3.92 3.440 18.90 1 0  4  4
Merc 450SE            16.4  8 275.8 180 3.07 4.070 17.40 0 0  3  3
Merc 450SL            17.3  8 275.8 180 3.07 3.730 17.60 0 0  3  3
Merc 450SLC           15.2  8 275.8 180 3.07 3.780 18.00 0 0  3  3
Cadillac Fleetwood   10.4  8 472.0 205 2.93 5.250 17.98 0 0  3  4

```

```

Lincoln Continental 10.4  8 460.0 215 3.00 5.424 17.82 0 0  3  4
Chrysler Imperial  14.7  8 440.0 230 3.23 5.345 17.42 0 0  3  4
Fiat 128            32.4  4 78.7  66 4.08 2.200 19.47 1 1  4  1
Honda Civic         30.4  4 75.7  52 4.93 1.615 18.52 1 1  4  2
Toyota Corolla      33.9  4 71.1  65 4.22 1.835 19.90 1 1  4  1
Toyota Corona       21.5  4 120.1 97 3.70 2.465 20.01 1 0  3  1
Dodge Challenger    15.5  8 318.0 150 2.76 3.520 16.87 0 0  3  2
AMC Javelin         15.2  8 304.0 150 3.15 3.435 17.30 0 0  3  2
Camaro Z28          13.3  8 350.0 245 3.73 3.840 15.41 0 0  3  4
Pontiac Firebird    19.2  8 400.0 175 3.08 3.845 17.05 0 0  3  2
Fiat X1-9           27.3  4 79.0  66 4.08 1.935 18.90 1 1  4  1
Porsche 914-2       26.0  4 120.3  91 4.43 2.140 16.70 0 1  5  2
Lotus Europa        30.4  4 95.1 113 3.77 1.513 16.90 1 1  5  2
Ford Pantera L      15.8  8 351.0 264 4.22 3.170 14.50 0 1  5  4
Ferrari Dino        19.7  6 145.0 175 3.62 2.770 15.50 0 1  5  6
Maserati Bora       15.0  8 301.0 335 3.54 3.570 14.60 0 1  5  8
Volvo 142E          21.4  4 121.0 109 4.11 2.780 18.60 1 1  4  2

```

```
> iris #inbuilt dataset
```

```

Sepal.Length Sepal.Width Petal.Length Petal.Width Species
1      5.1      3.5      1.4      0.2  setosa
2      4.9      3.0      1.4      0.2  setosa
3      4.7      3.2      1.3      0.2  setosa
4      4.6      3.1      1.5      0.2  setosa
5      5.0      3.6      1.4      0.2  setosa
6      5.4      3.9      1.7      0.4  setosa
7      4.6      3.4      1.4      0.3  setosa
8      5.0      3.4      1.5      0.2  setosa
9      4.4      2.9      1.4      0.2  setosa
10     4.9      3.1      1.5      0.1  setosa
11     5.4      3.7      1.5      0.2  setosa
12     4.8      3.4      1.6      0.2  setosa
13     4.8      3.0      1.4      0.1  setosa
14     4.3      3.0      1.1      0.1  setosa
15     5.8      4.0      1.2      0.2  setosa
16     5.7      4.4      1.5      0.4  setosa
17     5.4      3.9      1.3      0.4  setosa
18     5.1      3.5      1.4      0.3  setosa
19     5.7      3.8      1.7      0.3  setosa
20     5.1      3.8      1.5      0.3  setosa
21     5.4      3.4      1.7      0.2  setosa
22     5.1      3.7      1.5      0.4  setosa
23     4.6      3.6      1.0      0.2  setosa
24     5.1      3.3      1.7      0.5  setosa
25     4.8      3.4      1.9      0.2  setosa

```


26	5.0	3.0	1.6	0.2	setosa
27	5.0	3.4	1.6	0.4	setosa
28	5.2	3.5	1.5	0.2	setosa
29	5.2	3.4	1.4	0.2	setosa
30	4.7	3.2	1.6	0.2	setosa
31	4.8	3.1	1.6	0.2	setosa
32	5.4	3.4	1.5	0.4	setosa
33	5.2	4.1	1.5	0.1	setosa
34	5.5	4.2	1.4	0.2	setosa
35	4.9	3.1	1.5	0.2	setosa
36	5.0	3.2	1.2	0.2	setosa
37	5.5	3.5	1.3	0.2	setosa
38	4.9	3.6	1.4	0.1	setosa
39	4.4	3.0	1.3	0.2	setosa
40	5.1	3.4	1.5	0.2	setosa
41	5.0	3.5	1.3	0.3	setosa
42	4.5	2.3	1.3	0.3	setosa
43	4.4	3.2	1.3	0.2	setosa
44	5.0	3.5	1.6	0.6	setosa
45	5.1	3.8	1.9	0.4	setosa
46	4.8	3.0	1.4	0.3	setosa
47	5.1	3.8	1.6	0.2	setosa
48	4.6	3.2	1.4	0.2	setosa
49	5.3	3.7	1.5	0.2	setosa
50	5.0	3.3	1.4	0.2	setosa
51	7.0	3.2	4.7	1.4	versicolor
52	6.4	3.2	4.5	1.5	versicolor
53	6.9	3.1	4.9	1.5	versicolor
54	5.5	2.3	4.0	1.3	versicolor
55	6.5	2.8	4.6	1.5	versicolor
56	5.7	2.8	4.5	1.3	versicolor
57	6.3	3.3	4.7	1.6	versicolor
58	4.9	2.4	3.3	1.0	versicolor
59	6.6	2.9	4.6	1.3	versicolor
60	5.2	2.7	3.9	1.4	versicolor
61	5.0	2.0	3.5	1.0	versicolor
62	5.9	3.0	4.2	1.5	versicolor
63	6.0	2.2	4.0	1.0	versicolor
64	6.1	2.9	4.7	1.4	versicolor
65	5.6	2.9	3.6	1.3	versicolor
66	6.7	3.1	4.4	1.4	versicolor
67	5.6	3.0	4.5	1.5	versicolor
68	5.8	2.7	4.1	1.0	versicolor
69	6.2	2.2	4.5	1.5	versicolor

70	5.6	2.5	3.9	1.1 versicolor
71	5.9	3.2	4.8	1.8 versicolor
72	6.1	2.8	4.0	1.3 versicolor
73	6.3	2.5	4.9	1.5 versicolor
74	6.1	2.8	4.7	1.2 versicolor
75	6.4	2.9	4.3	1.3 versicolor
76	6.6	3.0	4.4	1.4 versicolor
77	6.8	2.8	4.8	1.4 versicolor
78	6.7	3.0	5.0	1.7 versicolor
79	6.0	2.9	4.5	1.5 versicolor
80	5.7	2.6	3.5	1.0 versicolor
81	5.5	2.4	3.8	1.1 versicolor
82	5.5	2.4	3.7	1.0 versicolor
83	5.8	2.7	3.9	1.2 versicolor
84	6.0	2.7	5.1	1.6 versicolor
85	5.4	3.0	4.5	1.5 versicolor
86	6.0	3.4	4.5	1.6 versicolor
87	6.7	3.1	4.7	1.5 versicolor
88	6.3	2.3	4.4	1.3 versicolor
89	5.6	3.0	4.1	1.3 versicolor
90	5.5	2.5	4.0	1.3 versicolor
91	5.5	2.6	4.4	1.2 versicolor
92	6.1	3.0	4.6	1.4 versicolor
93	5.8	2.6	4.0	1.2 versicolor
94	5.0	2.3	3.3	1.0 versicolor
95	5.6	2.7	4.2	1.3 versicolor
96	5.7	3.0	4.2	1.2 versicolor
97	5.7	2.9	4.2	1.3 versicolor
98	6.2	2.9	4.3	1.3 versicolor
99	5.1	2.5	3.0	1.1 versicolor
100	5.7	2.8	4.1	1.3 versicolor
101	6.3	3.3	6.0	2.5 virginica
102	5.8	2.7	5.1	1.9 virginica
103	7.1	3.0	5.9	2.1 virginica
104	6.3	2.9	5.6	1.8 virginica
105	6.5	3.0	5.8	2.2 virginica
106	7.6	3.0	6.6	2.1 virginica
107	4.9	2.5	4.5	1.7 virginica
108	7.3	2.9	6.3	1.8 virginica
109	6.7	2.5	5.8	1.8 virginica
110	7.2	3.6	6.1	2.5 virginica
111	6.5	3.2	5.1	2.0 virginica
112	6.4	2.7	5.3	1.9 virginica
113	6.8	3.0	5.5	2.1 virginica

114	5.7	2.5	5.0	2.0	virginica
115	5.8	2.8	5.1	2.4	virginica
116	6.4	3.2	5.3	2.3	virginica
117	6.5	3.0	5.5	1.8	virginica
118	7.7	3.8	6.7	2.2	virginica
119	7.7	2.6	6.9	2.3	virginica
120	6.0	2.2	5.0	1.5	virginica
121	6.9	3.2	5.7	2.3	virginica
122	5.6	2.8	4.9	2.0	virginica
123	7.7	2.8	6.7	2.0	virginica
124	6.3	2.7	4.9	1.8	virginica
125	6.7	3.3	5.7	2.1	virginica
126	7.2	3.2	6.0	1.8	virginica
127	6.2	2.8	4.8	1.8	virginica
128	6.1	3.0	4.9	1.8	virginica
129	6.4	2.8	5.6	2.1	virginica
130	7.2	3.0	5.8	1.6	virginica
131	7.4	2.8	6.1	1.9	virginica
132	7.9	3.8	6.4	2.0	virginica
133	6.4	2.8	5.6	2.2	virginica
134	6.3	2.8	5.1	1.5	virginica
135	6.1	2.6	5.6	1.4	virginica
136	7.7	3.0	6.1	2.3	virginica
137	6.3	3.4	5.6	2.4	virginica
138	6.4	3.1	5.5	1.8	virginica
139	6.0	3.0	4.8	1.8	virginica
140	6.9	3.1	5.4	2.1	virginica
141	6.7	3.1	5.6	2.4	virginica
142	6.9	3.1	5.1	2.3	virginica
143	5.8	2.7	5.1	1.9	virginica
144	6.8	3.2	5.9	2.3	virginica
145	6.7	3.3	5.7	2.5	virginica
146	6.7	3.0	5.2	2.3	virginica
147	6.3	2.5	5.0	1.9	virginica
148	6.5	3.0	5.2	2.0	virginica
149	6.2	3.4	5.4	2.3	virginica
150	5.9	3.0	5.1	1.8	virginica

```
> names(mtcars) #variable/column names
```

```
[1] "mpg" "cyl" "disp" "hp" "drat" "wt" "qsec" "vs" "am" "gear" "carb"
```

```
> for (c in names(mtcars)) { print(c) }
```

```
[1] "mpg"
```

```
[1] "cyl"
```

```
[1] "disp"
```

```
[1] "hp"
```

```

[1] "drat"
[1] "wt"
[1] "qsec"
[1] "vs"
[1] "am"
[1] "gear"
[1] "carb"
> price <- 12.99
> while (price < 15) {
+   price <- price + 1
+   print(price)
+ }
[1] 13.99
[1] 14.99
[1] 15.99
> check_price <- function(x) {
+   if(x > 110) {
+     print("Price beyond threshold")
+   } else {
+     print("Price within threshold")
+   }
+ }
> check_price(200)
[1] "Price beyond threshold"
> myvect <- c(10, 20, 30, NA, 60, 80)
> mean(myvect)
[1] NA
> sd(myvect)
[1] NA
> min(myvect)
[1] NA
> mean(myvect, na.rm = TRUE)
[1] 40
> stock_price <- c(10, 5, 20, 15, 12, 22)
> matrix_form <- matrix(stock_price, ncol = 2, byrow = TRUE)
> matrix_form
      [,1] [,2]
[1,]  10   5
[2,]  20  15
[3,]  12  22
> apply(matrix_form, 1, sum)
[1] 15 35 34
> apply(matrix_form, 2, sum)
[1] 42 42

```

```
> lapply(1:3, function(x) x ^ 2) #Returns list
```

```
[[1]]
```

```
[1] 1
```

```
[[2]]
```

```
[1] 4
```

```
[[3]]
```

```
[1] 9
```

```
> sapply(1:3, function(x) x ^ 2) #Returns vector
```

```
[1] 1 4 9
```

```
> l <- lapply(1:3, function(x) x ^ 2)
```

```
> class(l)
```

```
[1] "list"
```

```
> s <- sapply(1:3, function(x) x ^ 2)
```

```
> class(s)
```

```
[1] "numeric"
```

```
> #Initial Date: 1/1/1970
```

```
> purchase_on <- 365
```

```
> class(purchase_on) <- "Date" #Convert to Date & Adds 365 days to the default date
```

```
> purchase_on
```

```
[1] "1971-01-01"
```

```
> purchase_on <- -10
```

```
> class(purchase_on) <- "Date" #Convert to Date & Subtracts 10 days from the default date
```

```
> purchase_on
```

```
[1] "1969-12-22"
```

```
> purchase_date <- as.Date(365, origin=as.Date("2015-03-31")) #365 days added to origin date
```

```
> purchase_date
```

```
[1] "2016-03-30"
```

```
> sale_date <- as.Date(-10, origin=as.Date("2015-02-10")) #10 days subtracted from origin date
```

```
> sale_date
```

```
[1] "2015-01-31"
```

```
> format(sale_date, "%Y")
```

```
[1] "2015"
```

```
> format(sale_date, "%m")
```

```
[1] "01"
```

```
> format(sale_date, "%b")
```

```
[1] "Jan"
```

```
> format(sale_date, "%B")
```

```
[1] "January"
```

```
> Sys.Date()
```

```
[1] "2022-02-15"
```

```
> format(Sys.Date(), "%d/%m/%Y")
```

```

[1] "15/02/2022"
> as.Date("2021/02/04", format="%Y/%m/%d") #convert a format of date to date type
[1] "2021-02-04"
> as.Date(purchase_date) > as.Date(sale_date)
[1] TRUE
> as.Date(purchase_date) < as.Date(sale_date)
[1] FALSE
> first_date <- "2020-05-16"
> second_date <- "2020-12-24"
> as.Date(first_date) > as.Date(second_date)
[1] FALSE
> as.Date(first_date) < as.Date(second_date)
[1] TRUE
> dim(housing_df)
[1] 545 13
> str(housing_df)
'data.frame': 545 obs. of 13 variables:
 $ price      : int 13300000 12250000 12250000 12215000 11410000 10850000 10150000 10150000
9870000 9800000 ...
 $ area       : int 7420 8960 9960 7500 7420 7500 8580 16200 8100 5750 ...
 $ bedrooms   : int 4 4 3 4 4 3 4 5 4 3 ...
 $ bathrooms  : int 2 4 2 2 1 3 3 3 1 2 ...
 $ stories    : int 3 4 2 2 2 1 4 2 2 4 ...
 $ mainroad   : chr "yes" "yes" "yes" "yes" ...
 $ guestroom  : chr "no" "no" "no" "no" ...
 $ basement   : chr "no" "no" "yes" "yes" ...
 $ hotwaterheating : chr "no" "no" "no" "no" ...
 $ airconditioning : chr "yes" "yes" "no" "yes" ...
 $ parking    : int 2 3 2 3 2 2 2 0 2 1 ...
 $ prefarea   : chr "yes" "no" "yes" "yes" ...
 $ furnishingstatus: chr "furnished" "furnished" "semi-furnished" "furnished" ...
> summary(housing_df)
  price      area      bedrooms  bathrooms
Min.   :1750000 Min.   :1650  Min.   :1.000  Min.   :1.000
1st Qu.: 3430000 1st Qu.: 3600  1st Qu.:2.000  1st Qu.:1.000
Median : 4340000 Median : 4600  Median :3.000  Median :1.000
Mean   : 4766729 Mean   : 5151  Mean   :2.965  Mean   :1.286
3rd Qu.: 5740000 3rd Qu.: 6360  3rd Qu.:3.000  3rd Qu.:2.000
Max.   :13300000 Max.   :16200  Max.   :6.000  Max.   :4.000
 stories  mainroad  guestroom  basement
Min.   :1.000 Length:545  Length:545  Length:545
1st Qu.:1.000 Class:character Class:character Class:character
Median :2.000 Mode :character Mode :character Mode :character
Mean   :1.806

```

3rd Qu.:2.000

Max. :4.000

hotwaterheating airconditioning parking prefarea

Length:545 Length:545 Min. :0.0000 Length:545

Class :character Class :character 1st Qu.:0.0000 Class :character

Mode :character Mode :character Median :0.0000 Mode :character

Mean :0.6936

3rd Qu.:1.0000

Max. :3.0000

furnishingstatus

Length:545

Class :character

Mode :character