
Концептуальная схема — сервис аренды GPU-серверов (нотация «воронья лапка»)



Логическая схема — атрибуты, ключи, связующие таблицы

Обозначения

PK	первичный ключ
FK	внешний ключ
	связующая таблица (N:M)
||—<	один — ноль или много
||—o|	один — ноль или один

tariffs — Тариф

PK	**tariff_id**
	name
	billing_unit
	min_units
	discount_pct
	is_active

users — Пользователь

PK	**user_id**
	email
	full_name
	phone
	balance
	created_at

server_tariffs — Сервер–Тариф · связующая

PK, FK	**server_id**
PK, FK	**tariff_id**
	price_per_unit

(server_id, tariff_id)

bookings — Бронирование

PK	**booking_id**
FK	user_id
FK	server_id
FK	tariff_id
	period
	status
	total_price
	created_at

payments — Платёж

PK	**payment_id**
FK	booking_id
	amount
	method
	status
	paid_at

reviews — Отзыв

PK	**review_id**
FK	user_id
FK	server_id
	rating
	comment
	created_at

providers — Провайдер

PK	**provider_id**
	name
	inn
	contact_email
	created_at

data_centers — Дата-центр

PK	**dc_id**
FK	provider_id
	name
	country
	city
	address
	tier

servers — Сервер

PK	**server_id**
FK	dc_id
	hostname
	cpu_model
	cpu_cores
	ram_gb
	storage_tb
	status

gpus — Видеокарта

PK	**gpu_id**
FK	server_id
FK	gpu_model_id
	serial_number
	slot_no

gpu_models — Модель GPU

PK	**gpu_model_id**
	vendor
	name
	vram_gb
	fp16_tflops

server_images — Сервер–Образ ПО · связующая

PK, FK	**server_id**
PK, FK	**image_id**
	installed_at

software_images — Образ ПО

PK	**image_id**
	name
	version
	framework
	cuda_version

training_jobs — Задача обучения

PK	**job_id**
FK	booking_id
FK	image_id
	name
	params
	status
	started_at
	finished_at

Физическая схема (PostgreSQL) — типы и ограничения

