

# Problem report for:

NotoSerifDisplay[width,wght].ttf

sha1: 3acda8781e93d59786df7a65e7a080ddec89ffa1

Family name: Noto Serif Display

Version: Version 2.003

## Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

## Legend:

- ▶ Contour start point and direction
- Contour start point when the first two points overlap
- ▶ Contour start point in contours with wrong direction
- Suggested new contour start point
- Point causing kink in the contour
- Kink artifact
- Colored contours: contours with the wrong order
- Underweight contours

Tolerance: badness; closer to zero the worse

# Summary of problems

**wrong\_start\_point: 2**

- uni2E48
- uniAB42



**underweight: 2**

- uni2E48
- uniAB42

Problems: underweight, wrong\_start\_point



”

midway interpolation



'width=62.5'



proposed fix



Problems: underweight, wrong\_start\_point



”

midway interpolation



'wght=100.0'



proposed fix



Problems: underweight, wrong\_start\_point



'wght=699.9878'

midway interpolation



'wght=900.0'

proposed fix





# Glyph name: uni2E48

tolerance: 0.01

Problems: underweight, wrong\_start\_point



'width=62.5 wght=699.9878'

midway interpolation



'width=62.5 wght=900.0'

proposed fix



# Index

6 uni2E48

3 uniAB42

# Table of contents

3	uniAB42
6	uni2E48