# Problem report for:

## ShantellSans[BNCE,INFM,SPAC,wght].ttf

sha1: c75a3f4f489c08c1d864b947e010de496287e4d3
Family name: Shantell Sans
Version: Version 1.008;[ac192a2d6]

## Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

## Legend:

► Contour start point and direction

● Contour start point when the first two points overlap

► Contour start point in contours with wrong direction

● Suggested new contour start point

• Point causing kink in the contour

○ Kink artifact

▨ Colored contours: contours with the wrong order

Tolerance: badness; closer to zero the worse

# kink

'INFM=100.0'

midway interpolation

'INFM=100.0 wght=800.0'

proposed fix

# Glyph name: ordmasculine

## kink

### 'BNCE=−100.0'

### midway interpolation

### 'BNCE=−100.0 wght=800.0'

### proposed fix

# kink

'INFM=100.0'



midway interpolation



'INFM=100.0 wght=800.0'



proposed fix

# Glyph name: uni20A9.001

tolerance: 0.36

## kink, wrong_start_point

,,



midway interpolation



'wght=800.0'



proposed fix

kink, wrong_start_point

'BNCE=−100.0'

midway interpolation



'BNCE=−100.0 wght=800.0'

proposed fix

# kink, wrong_start_point

'BNCE=100.0'

midway interpolation

'BNCE=100.0 wght=800.0'

proposed fix

## kink, wrong_start_point

''

midway interpolation



'wght=800.0'

proposed fix

# Glyph name: uni20B1

## kink, wrong_start_point



'BNCE=−100.0'

midway interpolation

'BNCE=−100.0 wght=800.0'

proposed fix