Problem report for:

NotoSerifJP[wght].ttf

sha1: 6db17534ee2e5f0242e94b5c7329dd2d2696b378

Family name: Noto Serif JP

Version: Version 2.003-H1; hotconv 1.1.1; makeotfexe 2.6.0

Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

Legend:

- Contour start point and direction
- Contour start point when the first two points overlap
- Contour start point in contours with wrong direction
- Suggested new contour start point
- Point causing kink in the contour
- Kink artifact
- Colored contours: contours with the wrong order
- Underweight contours

Tolerance: badness; closer to zero the worse

Summary of problems

kink: 2 uniFF7C uniFF9D


underweight: 1 uni3B22

Glyph name: uniFF7C


tolerance: 0.84

Problems: kink


,,




'wght=900.0'



midway interpolation



proposed fix




Glyph name: uniFF9D


tolerance: 0.88

Problems: kink

,,


midway interpolation






'wght=900.0'

proposed fix






Glyph name: uni3B22


tolerance: 0.94

Problems: underweight


,,

midway interpolation





'wght=900.0'





Index

5 uni3B22

3 uniFF7C 4 uniFF9D

Table of contents

3 uniFF7C

4 uniFF9D 5 uni3B22