Problem report for:

NotoEmoji[wght].ttf

sha1: 0b698c3b0d6d4d42bf6c2b7212122afc7ba1f7cc
Family name: Noto Emoji

Version: Version 3.002

Parameters:

Error tolerance: 0.95

Kink-reporting aggressiveness: 0.5

Legend:

- ► Contour start point and direction
- ● Contour start point when the first two points overlap
- ► Contour start point in contours with wrong direction
- ● Suggested new contour start point
- ● Point causing kink in the contour
- ○ Kink artifact
- ▮ Colored contours: contours with the wrong order
- ▮ Underweight contours

Tolerance: badness; closer to zero the worse

Summary of problems

wrong_start_point: 3
  emojiComponentRedHair
  openMailboxWithRaisedFlag
  u1F493

kink: 1
  u1F493

underweight: 2
  emojiComponentRedHair
  u1F493

Glyph name: openMailboxWithRaisedFlag

tolerance: 0.00

Problems: wrong_start_point

”



midway interpolation



’wght=300.0’



proposed fix



Glyph name: u1F493

tolerance: 0.16

Problems: kink, underweight, wrong_start_point

”



midway interpolation



’wght=700.0’



proposed fix



Glyph name: emojiComponentRedHair

tolerance: 0.53

Problems: underweight, wrong_start_point

”



midway interpolation



’wght=300.0’



proposed fix



Glyph name: emojiComponentRedHair

tolerance: 0.51

Problems: underweight, wrong_start_point

”



midway interpolation



’wght=700.0’



proposed fix



Index

5 emojiComponentRedHair
3 openMailboxWithRaisedFlag
4 u1F493

Table of contents

3 openMailboxWithRaisedFlag
4 u1F493
5 emojiComponentRedHair