Problem report for:

Labrada[wght].ttf
sha1: a3c67afc4d33165f3d649a9d726cf050532e805e
Family name: Labrada
Version: Version 1.000

Parameters:

Error tolerance: 0.95
Kink-reporting aggressiveness: 0.5

Legend:

- Contour start point and direction
- Contour start point when the first two points overlap
- Contour start point in contours with wrong direction
- Suggested new contour start point
- Point causing kink in the contour
- Kink artifact
- Colored contours: contours with the wrong order
- Underweight contours

Tolerance: badness; closer to zero the worse

Glyph name: R

tolerance: 0.69

kink

”



midway interpolation



’wght=100.0’



proposed fix



Glyph name: exclamdown

tolerance: 0.85

wrong_start_point

”



midway interpolation



’wght=100.0’



proposed fix



Glyph name: g

tolerance: 0.94

wrong_start_point

”



midway interpolation



’wght=900.0’



proposed fix



Glyph name: g.BRACKET.varAlt01

tolerance: 0.94

wrong_start_point

”



midway interpolation



’wght=900.0’



proposed fix



Glyph name: notequal

tolerance: 0.91

underweight

”



midway interpolation



’wght=900.0’



Glyph name: sterling

tolerance: 0.04

wrong_start_point

”



midway interpolation



’wght=100.0’



proposed fix



Glyph name: zero

tolerance: 0.35

wrong_start_point

”



midway interpolation



’wght=900.0’



proposed fix



Glyph name: zero.lf

tolerance: 0.30

wrong_start_point

”



midway interpolation



’wght=900.0’



proposed fix



Glyph name: zero.zero

tolerance: 0.35

wrong_start_point

”



midway interpolation



’wght=900.0’



proposed fix