

Problem report for:

NotoSans–Italic[width,wght].ttf

sha1: 86c8966857f18b3b774c72a1b4eeb27ac747cb6a

Family name: Noto Sans

Version: Version 2.013

Parameters:

Error tolerance: 0.95

Kink-reporting aggressiveness: 0.5

Legend:

- ▶ Contour start point and direction
 - Contour start point when the first two points overlap
 - ▶ Contour start point in contours with wrong direction
 - Suggested new contour start point
 - Point causing kink in the contour
 - Kink artifact
 - Colored contours: contours with the wrong order
 - Underweight contours
- Tolerance: badness; closer to zero the worse

Summary of problems

wrong_start_point: 2

- omegaroundcy
- uni213A

kink: 1


- six.osf

underweight: 1


- omegaroundcy

Problems: underweight, wrong_start_point


'width=62.5 wght=699.9878'




midway interpolation



'width=62.5 wght=900.0'





proposed fix



Problems: wrong_start_point



”

midway interpolation



'width=62.5'

proposed fix




Glyph name: six.osf


tolerance: 0.73

Problems: kink


'wght=699.9878'




midway interpolation



'wght=900.0'



proposed fix



Index

- 3 omegaroundcy
- 5 six.osf
- 4 uni213A

Table of contents

- 3 omegaroundcy
- 4 uni213A
- 5 six.osf