

Problem report for:

PoltawskiNowy–Italic[wght].ttf

sha1: 31eb907985c962aada76f15854eee8add0f27eef

Family name: Poltawski Nowy

Version: Version 1.001;gftools[0.9.25]

Parameters:

Error tolerance: 0.95

Kink-reporting aggressiveness: 0.5

Legend:

- ▶ Contour start point and direction
 - Contour start point when the first two points overlap
 - ▶ Contour start point in contours with wrong direction
 - Suggested new contour start point
 - Point causing kink in the contour
 - Kink artifact
 - Colored contours: contours with the wrong order
 - Underweight contours
- Tolerance: badness; closer to zero the worse

Summary of problems

contour_order: 2

- lira
- uni20BA

wrong_start_point: 1

- zero.osf

underweight: 1


- zero.osf

Glyph name: lira


tolerance: 0.12

Problems: contour_order


”




midway interpolation



'wght=700.0'




proposed fix




Problems: contour_order


”




midway interpolation



'wght=700.0'



proposed fix




Glyph name: zero.osf


tolerance: 0.00

Problems: underweight, wrong_start_point


”




midway interpolation



'wght=700.0'



proposed fix



Index

3 [lira](#)

4 [uni20BA](#)

5 [zero.osf](#)

Table of contents

- 3 [lira](#)
- 4 [uni20BA](#)
- 5 [zero.osf](#)