Problem report for:

ShantellSans—Italic[BNCE,INFM,SPAC,wght].ttf

sha1: 3ac175a4b65aaa6046f48b127bed05d82148d53b
Family name: Shantell Sans

Version: Version 1.008;[ac192a2d6]

Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

Legend:

► Contour start point and direction

● Contour start point when the first two points overlap

► Contour start point in contours with wrong direction

● Suggested new contour start point

● Point causing kink in the contour

◯ Kink artifact

🟥 Colored contours: contours with the wrong order

⬛ Underweight contours

Tolerance: badness; closer to zero the worse

Summary of problems

contour_order: 1
   uni20A9.001

wrong_start_point: 2
   uni20A9.001
   uni20B1

kink: 2
   uni20A9.001
   uni20B1

underweight: 2
   uni20A9.001
   uni20B1

Glyph name: uni20A9.001

Problems: contour_order, kink, underweight, wrong_start_point

,,   midway interpolation


'wght=800.0'   proposed fix

Glyph name: uni20A9.001

tolerance: 0.39

Problems: contour_order, kink, underweight, wrong_start_point

’BNCE=−100.0’

midway interpolation

’BNCE=−100.0 wght=800.0’

proposed fix

4

Glyph name: uni20A9.001

tolerance: 0.39

Problems: contour_order, kink, underweight, wrong_start_point

'BNCE=100.0'

midway interpolation

'BNCE=100.0 wght=800.0'

proposed fix

Glyph name: uni20B1

Problems: kink, underweight, wrong_start_point

,,

midway interpolation

'wght=800.0'

proposed fix

Glyph name: uni20B1

Problems: kink, underweight, wrong_start_point

'BNCE=−100.0'

midway interpolation

'BNCE=−100.0 wght=800.0'

proposed fix

Index

Table of contents