Problem report for:

NotoSansDisplay—Italic[wdth,wght].ttf

sha1: d89aa3909293f486fc232ecfb8232cb5a9d52f52

Family name: Noto Sans Display

Version: Version 2.003

Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

Legend:

► Contour start point and direction

● Contour start point when the first two points overlap

► Contour start point in contours with wrong direction

● Suggested new contour start point

● Point causing kink in the contour

○ Kink artifact

▇ Colored contours: contours with the wrong order

▇ Underweight contours

Tolerance: badness; closer to zero the worse

Summary of problems

wrong_start_point: 4
   RotatedQ
    uniA650
    uniA651
    uniAB4F

underweight: 3
    uniA650
    uniA651
    uniAB4F

# Glyph name: uniAB4F

Problems: underweight, wrong_start_point

,,

midway interpolation

'wdth=62.5'

proposed fix

Glyph name: uniAB4F

Problems: underweight, wrong_start_point

,,

midway interpolation

'wght=699.9878'

proposed fix

Glyph name: uniA651

Problems: underweight, wrong_start_point

'wght=699.9878'

midway interpolation

'wght=900.0'

proposed fix

Glyph name: uniA650

Problems: underweight, wrong_start_point

'wght=699.9878'

midway interpolation

'wght=900.0'

proposed fix

# Glyph name: RotatedQ

tolerance: 0.86

Problems: wrong_start_point

,,

midway interpolation

'wdth=62.5'

proposed fix

Index

Table of contents