

Problem report for:

NotoSerifHK[wght].ttf

sha1: bf4d14b85ed2e5f1f8becc802f00f4986972ce13

Family name: Noto Serif HK

Version: Version 2.003—H1;hotconv 1.1.1;makeotfexe 2.6.0

Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

Legend:

- ▶ Contour start point and direction
- Contour start point when the first two points overlap
- ▶ Contour start point in contours with wrong direction
- Suggested new contour start point
- Point causing kink in the contour
- Kink artifact
- Colored contours: contours with the wrong order
- Underweight contours

Tolerance: badness; closer to zero the worse

Summary of problems

kink: 2


- uniFF7C
- uniFF9D

underweight: 3


- uni3B22
- uni56D3
- uni5ABB

Problems: kink


”




midway interpolation



'wght=900.0'




proposed fix




Problems: kink


”




midway interpolation



'wght=900.0'




proposed fix




Problems: underweight


”



midway interpolation




'wght=900.0'




Problems: underweight


”



midway interpolation



'wght=900.0'



Problems: underweight

”

midway interpolation



'wght=900.0'



Index

- 6 uni3B22
- 5 uni56D3
- 7 uni5ABB
- 3 uniFF7C
- 4 uniFF9D

Table of contents

- 3 uniFF7C
- 4 uniFF9D
- 5 uni56D3
- 6 uni3B22
- 7 uni5ABB