Problem report for:

NotoSerifDisplay[wdth,wght].ttf

sha1: 3acda8781e93d59786df7a65e7a080ddec89ffa1
Family name: Noto Serif Display

Version: Version 2.003

Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

Legend:

► Contour start point and direction

● Contour start point when the first two points overlap

► Contour start point in contours with wrong direction

● Suggested new contour start point

● Point causing kink in the contour

○ Kink artifact

▮ Colored contours: contours with the wrong order

▮ Underweight contours

Tolerance: badness; closer to zero the worse

Summary of problems

wrong_start_point: 2
    uni2E48
    uniAB42

underweight: 2
    uni2E48
    uniAB42

Glyph name: uniAB42

Problems: underweight, wrong_start_point

”

midway interpolation

’wdth=62.5’

proposed fix

Glyph name: uniAB42

Problems: underweight, wrong_start_point

,,

midway interpolation

'wght=100.0'

proposed fix

Glyph name: uniAB42

Problems: underweight, wrong_start_point

'wght=699.9878'

midway interpolation

'wght=900.0'

proposed fix

# Glyph name: uni2E48

Problems: underweight, wrong_start_point

'wdth=62.5 wght=699.9878'

midway interpolation

'wdth=62.5 wght=900.0'

proposed fix

Index

Table of contents