# Problem report for:

## NotoSans—Italic[wdth,wght].ttf

sha1: 86c8966857f18b3b774c72a1b4eeb27ac747cb6a

Family name: Noto Sans

Version: Version 2.013

## Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

## Legend:

► Contour start point and direction

● Contour start point when the first two points overlap

► Contour start point in contours with wrong direction

● Suggested new contour start point

● Point causing kink in the contour

○ Kink artifact

🟥 Colored contours: contours with the wrong order

⬛ Underweight contours

Tolerance: badness; closer to zero the worse

# Summary of problems

**wrong_start_point: 2**
 omegaroundcy
 uni213A

**kink: 1**
 six.osf

**underweight: 1**
 omegaroundcy

# Glyph name: omegaroundcy

Problems: underweight, wrong_start_point

'wdth=62.5 wght=699.9878'

midway interpolation

'wdth=62.5 wght=900.0'

proposed fix

# Glyph name: uni213A

Problems: wrong_start_point

,,

midway interpolation



'wdth=62.5'

proposed fix

# Glyph name: six.osf

Problems: kink

### 'wght=699.9878'

### midway interpolation

### 'wght=900.0'

### proposed fix

# Index

# Table of contents