**Problem report for:**

**NotoEmoji[wght].ttf**
sha1: 69ee59bca735a10682f0d6e8b01a4e9626dc2382
Family name: Noto Emoji
Version: Version 2.001

**Parameters:**

Error tolerance: 0.95
Kink-reporting aggressiveness: 0.5

**Legend:**

- Contour start point and direction
- Contour start point when the first two points overlap
- Contour start point in contours with wrong direction
- Suggested new contour start point
- Point causing kink in the contour
- Kink artifact
- Colored contours: contours with the wrong order
- Underweight contours

Tolerance: badness; closer to zero the worse

Glyph name: emojiComponentRedHair

tolerance: 0.10

wrong_start_point

”



midway interpolation



’wght=300.0’



proposed fix



Glyph name: emojiComponentRedHair

tolerance: 0.04

wrong_start_point

”



midway interpolation



’wght=700.0’



proposed fix



Glyph name: openMailboxWithRaisedFlag

tolerance: 0.00

wrong_start_point

”



midway interpolation



’wght=300.0’



proposed fix



Glyph name: u1F493

tolerance: 0.16

kink, wrong_start_point

”



midway interpolation



’wght=700.0’



proposed fix



Glyph name: u1F611

tolerance: 0.00

underweight

”



midway interpolation



’wght=300.0’



Glyph name: u1F611

tolerance: 0.00

underweight

”



midway interpolation



’wght=700.0’