Problem report for:

Lexend[wght].ttf

sha1: 2dce6e8f7f6bbe0d481e89995b7db53a8dc8d77a

Family name: Lexend

Version: Version 1.007

Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

Legend:

- Contour start point and direction
- Contour start point when the first two points overlap
- Contour start point in contours with wrong direction
- Suggested new contour start point
- Point causing kink in the contour
- Kink artifact
- Colored contours: contours with the wrong order
- Underweight contours

Tolerance: badness; closer to zero the worse

Summary of problems

```
contour_order: 3
  colonmonetary
  uni20AD
  uni20B1

wrong_start_point: 1
  plus

underweight: 1
  plus
```


Glyph name: uni20AD

tolerance: 0.02

'wght=199.9939' midway interpolation 'wght=100.0' proposed fix

Glyph name: uni20B1

tolerance: 0.43



Glyph name: uni20B1

tolerance: 0.61


,, midway interpolation 'wght=900.0' proposed fix

Glyph name: colonmonetary


,,

tolerance: 0.60


'wght=900.0'




midway interpolation



proposed fix



Problems: underweight, wrong_start_point



Index

- 6 colonmonetary 7 plus 3 uni20AD 4 uni20B1

Table of contents

- 3 uni20AD
- 4 uni20B1
- 6 colonmonetary 7 plus