#### Problem report for:

#### Lexend[wght].ttf

sha1: 2dce6e8f7f6bbe0d481e89995b7db53a8dc8d77a

Family name: Lexend

Version: Version 1.007

#### Parameters:

Error tolerance: 0.95

Kink—reporting aggressiveness: 0.5

#### Legend:

- Contour start point and direction
- Contour start point when the first two points overlap
- Contour start point in contours with wrong direction
- Suggested new contour start point
- Point causing kink in the contour
- Kink artifact
- Colored contours: contours with the wrong order
- Underweight contours

Tolerance: badness; closer to zero the worse

# Summary of problems

```
colonmonetary
uni20AD
uni20B1

wrong_start_point: 1
plus

underweight: 1
plus
```

contour\_order: 3


### Glyph name: uni20AD

tolerance: 0.02

'wght=199.9939' midway interpolation 'wght=100.0' proposed fix

# Glyph name: uni20B1

tolerance: 0.43



# Glyph name: uni20B1

tolerance: 0.61


,, midway interpolation 'wght=900.0' proposed fix

### Glyph name: colonmonetary


,,

tolerance: 0.60


'wght=900.0'




midway interpolation



proposed fix



Problems: underweight, wrong\_start\_point



### Index

- 6 colonmonetary 7 plus 3 uni20AD 4 uni20B1

#### Table of contents

- 3 uni20AD
- 4 uni20B1
- 6 colonmonetary 7 plus