



Relations Files



Relations Pages & APIs



```
// ===== Cookie =====
```

```
// https://www.npmjs.com/package/package
```

```
// https://www.npmjs.com/package/js-cookie
```

```
// npm install js-cookie
```

```
// Cookies.set(key, value)
```

```
// Cookies.set(key, value, { expires: 7 })
```

```
// Cookies.set(key, value, { expires: 7, path: " })
```

```
// Cookies.get(key)
```

```
// Cookies.get('foo', { domain: 'sub.example.com' })
```

```
// Cookies.remove(key)
```

```
// Cookies.remove(key, { path: "", domain: 'yourdomain.com', secure: true })
```

```
// import dynamic from "next/dynamic"
```

```
// export default dynamic(() => Promise.resolve(Layout), { ssr: false })
```

```
// ===== React Toastify =====
```

```
// React-Toastify allows you to add notifications to your app with ease.
```

```
// https://www.npmjs.com/
```

```
// https://www.npmjs.com/package/react-toastify
```

```
// npm install react-toastify
```

```
// ===== Validation Form =====
```

```
// https://react-hook-form.com/
```

```
// https://react-hook-form.com/get-started
```

```
// npm install react-hook-form
```

```
// const { register, handleSubmit, formState: { errors }, } = useForm()
```

```
// ===== Context =====
```

```
    Create global variables
```

```
/context/Cart.js
```

```
    Add to the project
```

```
/pages/_app.tsx
```

```
    Use in components
```

```
/pages/product/[slug].js
```

```
/components/Layout.js
```

```
/pages/cart.js
```

```
// ===== Authentication =====  
// https://next-auth.js.org/  
// https://next-auth.js.org/getting-started/introduction
```

```
// npm install next-auth  
// /pages/api/auth/[...nextauth].js  
// import NextAuth from "next-auth/next"  
// import CredentialsProvider from "next-auth/providers/credentials"  
// import { signIn, useSession } from "next-auth/react"  
// import { SessionProvider } from 'next-auth/react'
```

```
// ===== bcryptjs =====  
// https://www.npmjs.com/package/bcryptjs
```

```
// npm i bcryptjs  
// import bcrypt from "bcryptjs"  
// bcrypt.hashSync("11111")  
// bcrypt.compareSync(credentials.password, user.password)
```

```
// ===== Tailwindcss =====  
// https://tailwindcss.com/  
// https://tailwindcss.com/docs/installation/framework-guides/nextjs
```

```
// Add some components to Tailwind, such as Dropdown  
// https://headlessui.com/  
// React -> npm install @headlessui/react  
// React -> Menu (Dropdown) -> https://headlessui.com/v1/react/menu
```

```
// ===== MongoDB =====  
// ===== Mongoose ===== connecting Node.js to MongoDB  
// https://www.mongodb.com/try/download/community-kubernetes-operator  
// https://mongoosejs.com/  
// https://mongoosejs.com/docs/guide.html
```

```
// npm install mongoose  
// import mongoose from 'mongoose';  
// const { Schema } = mongoose;
```