## Database design

Advanced Topics

# Cardinality: Questions

#### Agenda

#### Learning objectives

- What happens when a relational database is queried?
  - Query stats & execution plan
- Indexing
  - Binary search trees
- Normalisation
- Views

#### HOW? WHAT?


SELECT \*
FROM spotify
WHERE artist =
'Melanie C'

song	duration_ms	explicit	year
Oops!I Did It Again	211160	0	2000
All The Small Things	167066	0	1999
Breathe	250546	0	1999
It's My Life	224493	0	2000
Bye Bye	200560	0	2000
Thong Song	253733	1	1999
The Real Slim Shady	284200	1	2000
Rock DJ	258560	0	2000
Say My Name	271333	0	1999
Lady - Hear Me Tonight	307153	0	2001
L'Amour Toujours	238759	0	2011
Move Your Body - Ga	268863	0	1999
Freestyler	306333	0	2000
Desert Rose	285960	0	1999
Never Be The Same	294200	0	1999
			2002
	Oops!I Did It Again All The Small Things Breathe It's My Life Bye Bye Bye Thong Song The Real Slim Shady Rock DJ Say My Name Lady - Hear Me Tonight L'Amour Toujours Move Your Body - Ga Freestyler Desert Rose Never Be The Same	Oops!I Did It Again All The Small Things Breathe It's My Life Bye Bye Bye Thong Song The Real Slim Shady Rock DJ Say My Name Lady - Hear Me Tonight L'Amour Toujours Move Your Body - Ga Desert Rose Never Be The Same 250546 25	Oops!I Did It Again       211160       0         All The Small Things       167066       0         Breathe       250546       0         It's My Life       224493       0         Bye Bye Bye       200560       0         Thong Song       253733       1         The Real Slim Shady       284200       1         Rock DJ       258560       0         Say My Name       271333       0         Lady - Hear Me Tonight       307153       0         L'Amour Toujours       238759       0         Move Your Body - Ga       268863       0         Freestyler       306333       0         Desert Rose       285960       0

Iterating through 16 rows
Full table scan
Brute force

n = 16

artist	song	duration_ms	explicit	year
<b>Britney Spears</b>	Oops!I Did It Again	211160	0	2000
blink-182	All The Small Things	167066	0	1999
Faith Hill	Breathe	250546	0	1999
Bon Jovi	It's My Life	224493	0	2000
*NSYNC	Bye Bye Bye	200560	0	2000
Sisqo	Thong Song	253733	1	1999
Eminem	The Real Slim Shady	284200	1	2000
Robbie Williams	Rock DJ	258560	0	2000
Destiny's Child	Say My Name	271333	0	1999
Modjo	Lady - Hear Me Tonight	307153	0	2001
Gigi D'Agostino	L'Amour Toujours	238759	0	2011
Eiffel 65	Move Your Body - Ga	268863	0	1999
Bomfunk MC's	Freestyler	306333	0	2000
Sting	Desert Rose	285960	0	1999
Melanie C	Never Be The Same	294200	0	1999
Aaliyah	Try Again	284000	0	2002



# SELECT \* FROM spotify WHERE artist LIKE "C%";



# Demo: Indexing artist names

Query plan is the DBEngine (InnoDB) at work


Declarative nature of MySQL

Iterating through 16 rows
Full table scan
Brute force

n = 16


artist	song	duration_ms	explicit	year
<b>Britney Spears</b>	Oops!I Did It Again	211160	0	2000
blink-182	All The Small Things	167066	0	1999
Faith Hill	Breathe	250546	0	1999
Bon Jovi	It's My Life	224493	0	2000
*NSYNC	Bye Bye Bye	200560	0	2000
Sisqo	Thong Song	253733	1	1999
Eminem	The Real Slim Shady	284200	1	2000
Robbie Williams	Rock DJ	258560	0	2000
Destiny's Child	Say My Name	271333	0	1999
Modjo	Lady - Hear Me Tonight	307153	0	2001
Gigi D'Agostino	L'Amour Toujours	238759	0	2011
Eiffel 65	Move Your Body - Ga	268863	0	1999
Bomfunk MC's	Freestyler	306333	0	2000
Sting	Desert Rose	285960	0	1999
Melanie C	Never Be The Same	294200	0	1999
Aaliyah	Try Again	284000	0	2002

### Binary Search Tree




#### Binary Search Tree


SELECT \*
FROM tree
WHERE number > 8




#### Binary Search Tree


SELECT \*
FROM spotify
WHERE artist LIKE 'c%'










#### The "ugly" reality B+ Trees










Selecting is faster

Removing/adding/updating data is slower




### Indexing

CREATE INDEX artist\_idx
ON spotify

artist	song	duration_ms	explicit	year
Britney Spears	Oops!I Did It Again	211160	0	2000
blink-182	All The Small Things	167066	0	1999
Faith Hill	Breathe	250546	0	1999
Bon Jovi	It's My Life	224493	0	2000
*NSYNC	Bye Bye	200560	0	2000
Sisqo	Thong Song	253733	1	1999
Eminem	The Real Slim Shady	284200	1	2000
Robbie Williams	Rock DJ	258560	0	2000
Destiny's Child	Say My Name	271333	0	1999
Modjo	Lady - Hear Me Tonight	307153	0	2001
Gigi D'Agostino	L'Amour Toujours	238759	0	2011
Eiffel 65	Move Your Body - Ga	268863	0	1999
Bomfunk MC's	Freestyler	306333	0	2000
Sting	Desert Rose	285960	0	1999
Melanie C	Never Be The Same	294200	0	1999
Aaliyah	Try Again	284000	0	2002

#### Binary Search Tree - Implementation detail



## Demo

#### Full table scan or index range scan?

SELECT \*
FROM spotify
WHERE year = 2001;

#### Indexing

Database design - advanced topics

- Indexes organises column entities to be stored as B+ trees
  - Allows for faster retrieval
  - Slower updates, inserts & deletes
- Primary Keys are by default indexed
- Database tuning
- Relevant for columns that receives a lot of retrieval and search
  - Can be detected by usage

# Indexing exercises

#### Agenda


#### Learning objectives

- What happens when a relational database is queried?
  - Query stats & execution plan
- Indexing
  - Binary search trees conceptually
- Normalisation
- Views

# Normalisation = Decomposition

## Decomposition!= Intuitive

## Decomposition



#### Why normalise?

#### Database design

- Prevent anomalies ensure integrity
  - Insertions anomalies
  - Deletion anomalies
  - Updates anomalies
- Reduce data redundancy

## 3 Normal forms

#### Definition - Formal

"First normal form (1NF) is a property of a relation in a relational database. A relation is in first normal form if and only if no attribute domain has relations as elements."

Codd, E.F (1970). "A Relational Model of Data for Large Shared Data Banks". Communications of the ACM. Classics. 13 (6): 377–87. p. 380-381

#### Informally

1 Normal Form

- No tables can have tables as values
- Only a single element within a value
- No repeating columns (artist\_1, artist\_2, artist\_3)

## Spotify - Why does this violate 1NF?

Artist	Nationality	Album 1	Album 2	
Eminem	U.S.A	Slim Shady LP	Marshall Mathers LP	
Major Lazer	U.S.A, United Kingdom	Guns don't kill people lasers do	Free the universe	
Queen	United Kingdom	Queen	Queen II	

## Spotify - Decomposition

Artist	• •
Eminem	
Major Lazer	
Queen	

Country
U.S.A
United Kingdom

Artist	Album
Eminem	Slim Shady LP
Eminem	Marshall Mathers LP
Major Lazer	Guns don't kill people lasers do
Major Lazer	Free the universe
Queen	Queen
Queen	Queen II

## Spotify - Decomposition

Primary Key	Artist	
1	Eminem	
2	Major Lazer	
3	Queen	

#### Many-to-many junction table

Artist	Nationality
1	U.S.A
3	United Kingdom
2	U.S.A
2	United Kingdom

Artist	Album
1	Slim Shady LP
1	Marshall Mathers LP
2	Guns don't kill people lasers do
2	Free the universe
3	Queen
3	Queen II

#### From

To

Artist	Nationality	Album 1	Album 2	•••
Eminem	U.S.A	Slim Shady LP	Marshall Mathers LP	•••
Major Later	U.S.A, United Kingdom	Guns don't kill people lasers do	Free the universe	•••
Queen	United Kingdom	Queen	Queen II	•••

Primary Key	Artist	•••
1	Eminem	•••
2	Major Lazer	
3	Queen	

Artist	Nationality
1	U.S.A
3	United Kingdom
2	U.S.A
2	United Kingdom

Artist	Album
1	Slim Shady LP
1	Marshall Mathers LP
2	Guns don't kill people lasers do
2	Free the universe
3	Queen
3	Queen II

#### Definition - Formal

[2NF] It does not have any non-prime attribute that is functionally dependent on any proper subset of any candidate key of the relation. A non-prime attribute of a relation is an attribute that is not a part of any candidate key of the relation.

Codd, E.F (1970). "A Relational Model of Data for Large Shared Data Banks". Communications of the ACM. Classics. 13 (6): 377–87. p. 380-381

## Informally

#### 2 Normal Form

- Is in 1st normal form
- A relation must not contain any partial dependencies
- Every non-key attribute is functionally dependant on the primary key

Or

Every non-key attribute tells something about the entity of the row

This form is relevant for tables with composite primary keys

## Functional dependant on the full primary key 2 Normal Form

# Functional dependant on the full row entity 2 Normal Form

Britney Spears	Oops!I Did It Again	211160	0	2000
blink-182	All The Small Things	167066	0	1999
Faith Hill	Breathe	250546	0	1999
Bon Jovi	It's My Life	224493	0	2000
*NSYNC	Bye Bye	200560	0	2000
Sisqo	Thong Song	253733	1	1999
Eminem	The Real Slim Shady	284200	1	2000
Robbie Williams	Rock DJ	258560	0	2000

# A song is a row entity Primary key represents a song

# A pokemon is a row entity Primary key represents a pokemon

1	Bulbasaur	45	65	65	49	49	45	Grass
2	Ivysaur	60	80	80	63	62	60	Grass
3	Venusaur	80	100	100	83	82	80	Grass
4	Charmander	65	50	60	43	52	39	Fire
5	Charmeleon	80	65	80	58	64	58	Fire
6	Charizard	100	85	109	78	84	78	Fire
7	Squirtle	43	64	50	65	48	44	Water
8	Wartortle	58	80	65	80	63	59	Water

Britney Spears	Oops!I Did It Again	211160	0	2000
blink-182	All The Small Things	167066	0	1999
Faith Hill	Breathe	250546	0	1999
Bon Jovi	It's My Life	224493	0	2000
*NSYNC	Bye Bye	200560	0	2000
Sisqo	Thong Song	253733	1	1999
Eminem	The Real Slim Shady	284200	1	2000
Robbie Williams	Rock DJ	258560	0	2000

# All non-key attributes provides data about a unique song

# All non-key attributes provides data about a unique pokemon

1	Bulbasaur	45	65	65	49	49	45	Grass
2	Ivysaur	60	80	80	63	62	60	Grass
3	Venusaur	80	100	100	83	82	80	Grass
4	Charmander	65	50	60	43	52	39	Fire
5	Charmeleon	80	65	80	58	64	58	Fire
6	Charizard	100	85	109	78	84	78	Fire
7	Squirtle	43	64	50	65	48	44	Water
8	Wartortle	58	80	65	80	63	59	Water

## Functional dependant on the full primary key

2 Normal Form

#### Definition - Formal

## [3NF] Every non-prime attribute of R is non-transitively dependent on every key of R.

Codd, E.F (1970). "A Relational Model of Data for Large Shared Data Banks". Communications of the ACM. Classics. 13 (6): 377–87. p. 380-381

### Transitivity

If 
$$A > B$$
 and  $B > C \Rightarrow A > C$ 

## Transitivity

If 
$$A > B$$
 and  $B > C \Rightarrow A > C$ 

$$A = 9$$

$$B = 5$$

$$C = 7$$

#### Bookstore - What is the odd one out?

Id	Book	Series	Publication Year	Author	Author_nationality
1	Harry Potter & The Philosophers Stone	Harry Potter	1997	J.K Rowling	United Kingdom
2	Harry Potter & Chamber of secrets	Harry Potter	1998	J.K Rowling	United Kingdom
3	Harry Potter & The prisoner of Azkaban	Harry Potter	1999	J.K Rowling	United Kingdom
4	War and Peace	NULL	1869	Leo Tolstoy	Russian

## Bookstore - Author nationality

Id	Book	Series	Publication Year	Author	Author_nationality
1	Harry Potter & The Philosophers Stone	Harry Potter	1997	J.K Rowling	United Kingdom
2	Harry Potter & Chamber of secrets	Harry Potter	1998	J.K Rowling	United Kingdom
3	Harry Potter & The prisoner of Azkaban	Harry Potter	1999	J.K Rowling	United Kingdom
4	War and Peace	NULL	1869	Leo Tolstoy	Russian

#### Author nationality is only transitively dependant on book id

Id	Book	Series	Publication Year	Author	Author_nationality
1	Harry Potter & The Philosophers Stone	Harry Potter	1997	J.K Rowling	United Kingdom
2	Harry Potter & Chamber of secrets	Harry Potter	1998	J.K Rowling	United Kingdom
3	Harry Potter & The prisoner of Azkaban	Harry Potter	1999	J.K Rowling	United Kingdom
4	War and Peace	NULL	1869	Leo Tolstoy	Russian

## Bookstore - Non composite key

Id	Book	Series	Publication Year	Author	Author_nationality
1	Harry Potter & The Philosophers Stone	Harry Potter	1997	J.K Rowling	United Kingdom
2	Harry Potter & Chamber of secrets	Harry Potter	1998	J.K Rowling	United Kingdom
3	Harry Potter & The prisoner of Azkaban	Harry Potter	1999	J.K Rowling	United Kingdom
4	War and Peace	NULL	1869	Leo Tolstoy	Russian

## Bookstore - Non composite key

Id	Book	Series	Publication Year	Author	Author_nationality
1	Harry Potter & The Philosophers Stone	Harry Potter	1997	J.K Rowling	United Kingdom
2	Harry Potter & Chamber of secrets	Harry Potter	1998	J.K Rowling	United Kingdom
3	Harry Potter & The prisoner of Azkaban	Harry Potter	1999	J.K Rowling	United Kingdom
4	War and Peace	NULL	1869	Leo Tolstoy	Russian

### Bookstore - 3NF

#### **Books**

ld	Book	Series	Publication Year	Author_id
1	Harry Potter & The	Harry Potter	1997	1
2	Harry Potter & Chamber of	Harry Potter	1998	1
3	Harry Potter & The prisoner of	Harry Potter	1999	1
4	War and Peace	NULL	1869	2

#### **Authors**

Author_id	Author_name	Author_nationality
1	J.K Rowling	United Kingdom
2	Leo Tolstoy	Russian

## Eliminating data redundancy

ld	Book	Series	Publication Year	Author	Author_nationality
1	Harry Potter & The Philosophers Stone	Harry Potter	1997	J.K Rowling	United Kingdom
2	Harry Potter & Chamber of secrets	Harry Potter	1998	J.K Rowling	United Kingdom
3	Harry Potter & The prisoner of Azkaban	Harry Potter	1999	J.K Rowling	United Kingdom
4	War and Peace	NULL	1869	Leo Tolstoy	Russian

ld	Book	Series	Publication Year	Author_id
1	Harry Potter & The	Harry Potter	1997	1
2	Harry Potter & Chamber of	Harry Potter	1998	1
3	Harry Potter & The prisoner of	Harry Potter	1999	1
4	War and Peace	NULL	1869	2

Author_id	Author_name	Author_nationality
1	J.K Rowling	United Kingdom
2	Leo Tolstoy	Russian

Minimal scheme notation:

Student(cpr, name, email, active)

## Normalisation exercises

#### Views

#### Advanced Database topic

- Virtual table
  - "Stored query"
- Only relevant data
- Reusable
- Security mechanism -> Provides access to certain users
- Hide complexity

## Creating a view