


Join the Hugging Face community

and get access to the augmented documentation experience

[Sign Up](#)

to get started



PEFT

[Copy page](#)

😊 PEFT (Parameter-Efficient Fine-Tuning) is a library for efficiently adapting large pretrained models to various downstream applications without fine-tuning all of a model's parameters because it is prohibitively costly. PEFT methods only fine-tune a small number of (extra) model parameters - significantly decreasing computational and storage costs - while yielding performance comparable to a fully fine-tuned model. This makes it more accessible to train and store large language models (LLMs) on consumer hardware.

PEFT is integrated with the Transformers, Diffusers, and Accelerate libraries to provide a faster and easier way to load, train, and use large models for inference.

Quicktour

Start here if you're new to 😊 PEFT to get an overview of the library's main features, and how to train a model with a PEFT method.

How-to guides

Practical guides demonstrating how to apply various PEFT methods across different types of tasks like image classification, causal language modeling, automatic speech recognition, and more. Learn how to use 😊 PEFT with the DeepSpeed and Fully Sharded Data Parallel scripts.

Conceptual guides

Get a better theoretical understanding of how LoRA and various soft prompting methods help reduce the number of trainable parameters to make training more efficient.

Reference

Technical descriptions of how 🧐 PEFT classes and methods work.

PEFT methods

Discover compatible PEFT methods for officially supported models for a given task.

task

causal language modeling



Clear

Submit

supported models and PEFT methods

model

peft method

 **Share via Link**

