# **Exam Preparation – Task 3**

#### 3. Entities

Relational Databases store data in "tables", where each row represents an entity, while the columns represent the properties/fields in an entity. All entities in a table are of the same type/schema, i.e. they all have the same fields. Of course, each row usually has different values in each of its fields, but sometimes some rows have the same values in some of the columns (e.g. in a table of people, with columns name, age, and height, two people could have the same age, or same height, even the same name).

One common operation on tables in databases is counting similarities between entities. For example, you could search for the most-common value in a column. Let's say we have the following (totally fictional and not at all related to any real people or events) table of exam scores:

username	task1	task2	task3	task4	total
JanVidenov	100	100	100	100	400
MartinFazanov	100	100	0	100	300
IvoRand	100	100	100	0	300
DevilA	100	100	50	0	250
Specificdude	100	100	10	20	230
2001ASpaceOdyssey	100	100	20	0	220
Hodor	100	100	20	0	220
ghost4e	100	100	0	0	200
moon_finder	100	100	0	0	200
AsparuhBumbarov	100	100	0	0	200
EvgeniLegnev	100	100	0	0	200
kamustna	100	100	0	0	200
TodorJivkov	100	100	0	0	200
stukcho	100	100	0	0	200
VeselaKoleda	100	100	0	0	200
misho_shamara97	100	100	0	0	200
saturnp	100	100	0	0	200
dj_emily	100	100	0	0	200

All entities in this table have the fields username, task1, task2, task3, task4, and total (in that order). If we want to count the most-common value for the total field/column, the answer would be 200 – it appears 11 times, whereas all other values appear less times than that (220 appears twice, 230 appears once, 250 appears once, 300 appears twice, 400 appears once). If we ask for the most-common value in task4, we'd get 0 (and if we don't consider **0** as a value, the most common would be **100**).

Your task is to write a program, which, given the fields of entities in a table, and then given the values for each entity, answers a question about the most-common value for one of the fields in the table, and counts how many times it appears.

## Input

On the first line of the standard input the program will receive the names of the fields (columns) of the entities in the table, separated by single spaces (i.e. the "header" of the table).

On each of the following rows – until a line containing the single string end is encountered – the program will receive the values for the fields of one entity, separated by spaces, ordered in the same way the fields are ordered

















on the first line of input (i.e. the first value on the line is the value of the first field, the second value is the value of the second field, etc.).

After the line containing the string end, the program will receive one more line, containing a single string – the name of the field (column) for which the most-common value must be found.

## **Output**

A single line, containing the most-common value for the field (mentioned in the input), followed by a single space, followed by a positive integer number – the number of occurrences of the most common value.

#### Restrictions

The most-common value will occur at least 1 more time than the next most-common (i.e. the input will be such that there is only 1 most-common value for the field we are searching).

The names of the fields will only contain lowercase English letters (a-z). The names of the fields will be no more than 20 symbols each.

The values of the fields will only contain English letters (a-z, A-Z) and the digits from 0 to 9 (inclusive). The values of the fields will be no more than 10 symbols each.

There will be no more than **10** fields per entity.

There will be no more than 200 entities (rows) in the input.

The total running time of your program should be no more than **0.1s** 

The total memory allowed for use by your program is 16MB

## Example I/O

Example Input	Expected Output	Explanation
name age height	25 2	We are asked about the
Joro 25 182		age column. We have the value 25 twice and the
Oroj 25 182		value 18 once. The most-
youngerJoro 18 182		common value is 25 and it appears 2 times
end		appears 2 clines
age		
name age place weight	Sofia 2	We are asked about the
Joro 25 unknown 87		place column. We have unknown 1 time, Sofia 2
Ina 25 Sofia 53		times, dogland 1 time and
Dog 4 dogland 13		catland 1 time. Sofia has the maximum number of
Cat 25 catland 5		occurrences, so the
Canary 25 Sofia 1		answer is Sofia with a
end		count of 2
place		









