



LEGEND:

- MRT Line & Station
- MRT Line & Station (Under Construction)
- (u/c) Under Construction

Not available for public
(set aside for rehousing
under Selective En bloc
Redevelopment Scheme)





Block Number	Number of Storeys	2-Room	3-Room	4-Room	5-Room	Total	Lift	Opens At
807A	15	—	42	84	—	126	Every	Storey
807B	15	98	14	42	—	154	Every	Storey
807C	15	—	42	70	28	140	Every	Storey
808A	15	—	28	110	—	138	Every	Storey
808B	15	98	14	42	—	154	Every	Storey
808C	15	—	42	98	—	140	Every	Storey
Total		196	182	446	28	852		



PINGYI GREENS
Standard Flats



Applicants are encouraged to visit the place before applying for a flat.



PING YI GREENS

Unit Distributions





BLOCK 807A

3 ROOM
4 ROOM



BLOCK 808A

3 ROOM
4 ROOM



BLOCK 808B

2 ROOM
3 ROOM
4 ROOM



GENERAL SPECIFICATIONS FOR PING YI GREENS

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/solid blocks/bricks with cement plastering/precast panels/precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: decorative solid timber door and metal gate
Bedrooms	: laminated semi-solid timber door (Type D9a) (optional)
Bathrooms/WC	: acrylic panel folding door for 2-Room
	: laminated semi-solid timber door for 3-Room, 4-Room & 5-Room (Type D9a) (optional)
Household Shelter	: metal door
Service Yard	: aluminium framed door with glass

Finishes

Ceiling	: skim-coated or plastered and painted
Kitchen/Bathrooms/WC wall	: ceramic tiles
Other wall	: skim-coated or plastered and painted
Living/Dining/Bedrooms floor	: polished porcelain tiles with timber skirting (optional)
Kitchen/Bathrooms/WC floor	: ceramic tiles
Service Yard floor	: ceramic tiles with tile skirting
Household Shelter floor	: ceramic tiles

Fittings

Quality locksets.

Quality sanitary fittings.

Vanity top wash basin at attached Bathroom/WC (for 5-room only), wash basin for other Bathroom/WC.

Clothes drying rack.

Services

Gas services and concealed water supply pipes.

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points).

Television points.

Telephone points.

Important Notes:

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Air-con panel in the main bedroom will be not provided.
- 3) Any unused or unoccupied open spaces in front of or nearby / adjacent to the flat units are not available for purchase and that the HDB will not entertain any requests from the flat owners to purchase and / or enclose the unused or unoccupied open spaces.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovations rules.