




LEGEND:

- MRT Line & Station
- LRT Line & Station
- CG Common Green
- Future Road
- (u/c) Under Construction

Scale 0 200 400 Metres
100 300 500





Applicants are encouraged to visit the place before booking a flat.

LEGEND

- 3 - Room
- 4 - Room
- 5 - Room
- Home Ownership Flats
- Rental Flats - Not available for sale to public
- Drop-off Porch/Linkway/Shelter/Precinct Pavilion
- Trellis
- Children Playground (PG)/Adult Fitness Station (AFS)/Elderly Fitness Station (EFS)/Hardcourt (HC)
- Electrical Sub-station (ESS)
- Utility Centre (UC) at 1st storey
- Future Social Community Facilities (FSCF)/Shops/Minimart at 1st storey
- Multi-Storey Carpark
- Air-well
- Open Space
- Staircase
- Surrounding Buildings
- Reserved for/Existing Development
- Driveway
- Centralised Refuse Chute/Chute for Recyclable
- Corridor
- Lift
- Service Bay


Home - Ownership Flats

Block Number	Number of storeys	3 Room	4 Room	5 Room	Total	Lift opens at
120A	17	32	80	32	144	Every Storey
120B	17	32	80	32	144	Every Storey
121B	17	-	80	32	112	Every Storey
122A	17	32	80	32	144	Every Storey
122B	17	32	80	32	144	Every Storey
Total		128	400	160	688	




Rental Flats

1 block comprising 170 units of 1-Room and 276 units of 2-Room rental flats.


Unit Distributions





BLOCK 120A





BLOCK 120B






Unit Distributions




BLOCK 121B



BLOCK 122A



BLOCK 122B



GENERAL SPECIFICATIONS FOR PUNGGOL EDGE

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/solid blocks/bricks with cement plastering/precast panels/precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: decorative solid timber door and metal gate
Bedrooms	: laminated semi-solid timber door (Type D9a) (optional)
Bathrooms/WC	: laminated semi-solid timber door (Type D9a) (optional)
Household Shelter	: metal door
Service Yard	: aluminium framed door with glass

Finishes

Ceilings	: skim-coated or plastered and painted
Kitchen/Bathrooms/WC walls	: ceramic tiles
Other Walls	: skim-coated or plastered and painted
Living/Dining/Bedrooms floor	: polished porcelain tiles with timber skirting (optional)
Kitchen/Bathrooms/WC floor	: ceramic tiles
Service Yard floor	: ceramic tiles with tile skirting
Household shelter floor	: ceramic tiles

Fittings

Quality locksets.

Quality sanitary fittings.

Vanity top wash basin at attached Bathroom/WC (for 5-room only), wash basin for other Bathroom/WC.

Clothes drying rack.

Services

Gas services and concealed water supply pipes.

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points).

Television points.

Telephone points.

Important Notes:

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Air-con panel in the main bedroom will be not provided.
- 3) Any unused or unoccupied open spaces in front of or nearby / adjacent to the flat units are not available for purchase and that the HDB will not entertain any requests from the flat owners to purchase and / or enclose the unused or unoccupied open spaces.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovations rules.