Status	Finished
Started	Wednesday, 21 October 2026, 11:05 PM
Completed	Wednesday, 21 October 2026, 11:09 PM
Duration	3 mins 52 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3,11,11,3,11,11,11,3)

b. (11,3)(11,3)(11,3)

c. (11, 3, 11, 3, 11, 3) ✓

d. [11,11,11,3,3,3]

Question **2**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'str'> ✓

b. <class 'tuple'>

c. <class 'int'>

d. str

Question **3**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set1 will get appended to set2

b. Elements of set2 will get appended to set1

c. A new set will be created with the elements of both set1 and set2

d. A new set will be created with the unique elements of set1 and set2. ✗

Question **4**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

b. (30, 40, 50)(40, 50, 60, 70, 80)

c. (30, 40, 50) (10, 20, 30, 40)

d. (10, 20, 30, 40) (40, 50, 60, 70, 80)

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. True
False

c. True ✓
True

d. False
True

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.append(2)

b. tupl.sort()

c. tupl1=tupl+tupl ✓

d. tupl[1]=2

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [(55,33,11)]

b. ([55,33,11])

c. (55,33,11)

d. [55, 33, 11] ✓

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Error

b. () ✓

c. (Computer)

d. Computer

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {2,5,3,1}

c. {2,5,1}

d. {3} ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

b. False

False

c. True

False

d. False

True

Question **11**

Incorrect

Mark 0.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '30', '8']

b. ['2', '3', '8', '30']

c. ['30', '8', '3', '2'] ✗

d. ['8', '30', '3', '2']

Question **12**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.delete("ECE")

b. remove.sampleSet("ECE")

c. sampleSet.discard("ECE") ✓

d. del.sampleSet("ECE")

Question **13**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (16,17,18)

b. (16,17,18,19) ✓

c. Error

d. (25,19,18,17)

Question **14**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9}

b. It will throw an error as there are two 0 while creating the set.

c. {0,9} ✓

d. {9}