Status	Finished
Started	Wednesday, 21 October 2026, 11:40 PM
Completed	Wednesday, 21 October 2026, 11:42 PM
Duration	2 mins 25 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

- a. tell() ✓
- b. current()
- c. position()
- d. locate()

The correct answer is: tell()

Question **2**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

- a. It clears the old data and starts fresh ✓
- b. It appends data to the file
- c. It does nothing
- d. It raises an error

The correct answer is: It clears the old data and starts fresh

Question **3**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

- a. \n ✓
- b. \t
- c. space
- d. ,

The correct answer is:
\n

Question **4**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

- a. a list of integers
- b. a list of single characters
- c. a list of lines ✓
- d. str

The correct answer is:
a list of lines

Question **5**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

- a. sets the file's previous position at the offset
- b. none of the mentioned
- c. sets the file's current position within the file
- d. sets the file's current position at the offset ✓

The correct answer is:
sets the file's current position at the offset

Question **6**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.

Question **7**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The encoding of the file
- b. The buffer size for the file operations ✓
- c. The access mode of the file
- d. The file's read/write position

The correct answer is: The buffer size for the file operations

Question **8**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

- a. To write data to a file
- b. To delete a file
- c. To automatically close the file after its suite finishes ✓
- d. To read data from a file

The correct answer is: To automatically close the file after its suite finishes

Question **9**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

- a. rw+ ✓
- b. r
- c. wb+
- d. ab+

The correct answer is: rw+

Question **10**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

- a. The size of the file
- b. The name of the file
- c. The current position of the file cursor
- d. The access mode in which the file was opened ✓

The correct answer is: The access mode in which the file was opened

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

- a. truncate() ✓
- b. resize()
- c. reduce()
- d. shrink()

The correct answer is: truncate()

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Both text and binary file ✓
b. none of the given choices
c. Text file
d. Binary file

The correct answer is: Both text and binary file

Question **13**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Appends to an existing file
b. Opens a file in binary mode
c. Opens an existing file in read mode
d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. seek() ✓
b. tell()
c. fseek()
d. ftell()

The correct answer is: seek()

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads a single line from the file
b. It reads the entire file and returns it as a string
c. It reads the file and returns it as a dictionary
d. It reads the entire file and returns it as a list of lines ✓

The correct answer is: It reads the entire file and returns it as a list of lines