



<a href="#">&lt; Previous</a>	<div><div></div><div>✓</div></div>	<div><div></div><div>✓</div></div>	<div><div></div><div></div></div>	<a href="#">Next &gt;</a>
-------------------------------	------------------------------------	------------------------------------	-----------------------------------	---------------------------

Case Study 5 Homework: Exercises 1-4

Bookmark this page

Homework due Jul 14, 2021 05:59 +06 Completed

## Exercise 1

1/1 point (graded)

In Exercise 1, we will group the dataframe by `birdname` and then find the average `speed_2d` for each bird. `pandas` makes it easy to perform basic operations on groups within a dataframe without needing to loop through each value in the dataframe.

### Instructions

Fill in the code to find the mean altitudes of each bird using the pre-loaded `birddata` dataframe.

Here is the code:

```
# First, use `groupby()` to group the data by "bird_name".
grouped_birds =

# Now calculate the mean of `speed_2d` using the `mean()` function.
mean_speeds =

# Find the mean `altitude` for each bird.
mean_altitudes =
```

What is the mean speed for Sanne?



2.450434

Submit

You have used 2 of 10 attempts

✓ Correct (1/1 point)

## Exercise 2

1/1 point (graded)

In Exercise 2, we will group the flight times by date and calculate the mean altitude within that day.

### Instructions

Convert `birddata.date_time` to the `pd.datetime` format, and store as `birddata["date"]`.

Fill in the code below to find the mean altitudes for each day:

```
# Convert birddata.date_time to the `pd.datetime` format.
birddata.date_time =

# Create a new column of day of observation
birddata["date"] =
```

Hide Notes

```
# Use groupby() to group the data by date.
grouped_bydates =

# Find the mean `altitude` for each date.
mean_altitudes_perday =
```

What is the mean altitude of the birds on 2013-09-12?



75.646091

Submit

You have used 1 of 10 attempts

## Exercise 3

1/1 point (graded)

In Exercise 3, we will group the flight times by both bird and date, and calculate the mean altitude for each.

### Instructions

Note that `birddata` already contains the `date` column. To find the average speed for each bird and day, create a new grouped dataframe called `grouped_birdday` that groups the data by both `bird_name` and date.

Fill in the following code for this exercise:

```
# Use `groupby()` to group the data by bird and date.
grouped_birdday =

# Find the mean `altitude` for each bird and date.
mean_altitudes_perday =
```

What is the mean altitude of the bird Eric on 2013-08-18?



121.353659

Submit

You have used 1 of 10 attempts

## Exercise 4

1/1 point (graded)

In Exercise 4, we will find the average speed for each bird and day.

### Instructions

Store the average speeds for each bird and day as three `pandas Series` objects, one for each bird, then use the plotting code provided to plot the average speeds for each bird.

Here is the code to moldify for this exercise:

Hide Notes

```
import matplotlib.pyplot as plt

eric_daily_speed = # Enter your code here.
sanne_daily_speed = # Enter your code here.
nico_daily_speed = # Enter your code here.

eric_daily_speed.plot(label="Eric")
sanne_daily_speed.plot(label="Sanne")
nico_daily_speed.plot(label="Nico")
plt.legend(loc="upper left")
plt.show()
```

What is the mean speed of the bird Nico on 2014-04-04?



2.832465

Submit

You have used 2 of 10 attempts

✓ Correct (1/1 point)

< Previous

Next >

© All Rights Reserved



## edX

[About](#)

[Affiliates](#)

[edX for Business](#)

[Open edX](#)

[Careers](#)

[News](#)

## Legal

[Terms of Service & Honor Code](#)

[Privacy Policy](#)

[Accessibility Policy](#)

[Trademark Policy](#)

[Sitemap](#)

 Hide Notes

# Connect

[Blog](#)

[Contact Us](#)

[Help Center](#)

[Media Kit](#)

[Donate](#)



© 2021 edX Inc. All rights reserved.

深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)